



BAINBRIDGE
SINCE 1917

BB2

COVERMAKING

**COVERS • UPHOLSTERY & FURNISHING
FITTINGS & FASTENERS • TOOLS • HARDWARE**



Leading Brands Leading Availability Leading Service

- ◆ Over 8,000+ products for same day despatch
- ◆ Dedicated E-Commerce site
- ◆ 24/7 real time stock levels, online pricing, quick and simple ordering
- ◆ Cut Length Rolls – from our extensive cloth and cover inventory
- ◆ Roll Slitting Service – for full rolls hot or cold slit to your exact widths
- ◆ Extensive knowledge of textiles, associated accessories and hardware
- ◆ Local to Global distribution network and service



Marketing support

Bainbridge International has always recognised that as a trade supplier our success is dependent on the success of our customers. With this in mind, Bainbridge continues to update and evolve the marketing support it offers. This ranges from a comprehensive leaflet and sample system to websites dedicated to both the trade and helping the end user understand that specifying Bainbridge products is an investment in performance and value.



info@bainbridgeint.co.uk
www.bainbridgeint.com



Contents

Marine Covers

Pages 3 - 27



Upholstery & Furnishing

Pages 29 - 41



Fittings & Fasteners

Pages 43 - 55



Hardware

Pages 57 - 87



Tools

Pages 89 - 101



Part Number Index page 102

Product Index page 114

Conversion Tables page 116

Marine Covers

Contents:

Acrylic Cover Fabric:

- Solacryl®
- Sunbrella®

Polyester Cover Fabric:

- Odyssey®
- Odyssey® Softouch
- Top Gun®
- Surlast®

Acrylic & Vinyl Binding

Pattern Materials

PVC Fabric:

- Dickson LAC640
- Nautimar
- Nautiplus

Mesh Fabric:

- Dickson Sunworker
- Textilene
- Sunsure
- Screen Mesh
- Trampoline Mesh

Window Material:

- Calendered Roll
- Premium Roll
- Pressed Sheets

Fire Retardant Fabric:

- Firesist 3 FR
- Top Gun FR
- Odyssey FR
- Sailcloth FR

Nylon Fabrics

- 4oz & 6oz Oxford
- Cordura

Cover Guard

Temporary Protection

- Diamond Tread
- Taffetta Flat Wall
- Impact

Solacryl Benefits

- ◆ High quality appearance of a traditional cover
- ◆ Acrylic yarns give excellent UV stability
- ◆ 100% solution dyed for consistent, rich, non-fade colours
- ◆ Anti fungal coatings
- ◆ Rot proof, oil and grease resistant

Solacryl Uncoated Acrylic Canvas

- ◆ Dodgers, stack packs, sail covers, awnings and upholstery
- ◆ Unique **Infinity Process** provides a softer fabric, ideal for complex curves and shapes
- ◆ Weather resistant - rain or shine
- ◆ Easy clean
- ◆ Colour fastness 7-8 rating

Solacryl Coated Acrylic Canvas

- ◆ Perfect for use in biminis, tonneaus, spray hoods, flybridge and mooring covers
- ◆ Optimal waterproofing - giving a water column in excess of 1000mm
- ◆ Solacryl is coated on one side with hi tech resin impregnation
- ◆ Resin finish is matt and clear - no white or milky appearance to canvas
- ◆ Antimicrobial treatment
- ◆ Offers superior waterproof qualities with breathability
- ◆ Acrylic yarns give excellent UV protection

Acrylic Canvas Technical Information

Width: 152 cm	UNCOATED
Finish: Fluorocarbon Finishing	
Water Column: ≥300 mm	
Weight: 300 g/m ²	
Tensile Strength: Warp - 135 daN/5 cm Weft - 80 daN/5 cm	
Water Repellence: ≥5	
Oil Repellence: ≥5	
Width: 152 cm	COATED
Finish: Acrylic resin coating on one side. Special finish "Infinity" anti-stain, rot proof and water resistant	
Water Column: ≥1000 mm	
Weight: 325 g/m ²	
Tensile Strength: Warp - 155 daN/5 cm Weft - 90 daN/5 cm	
Water Repellence: ≥4	
Oil Repellence: ≥4	



Solacryl
marine cover fabric by
Bainbridge



Part No.	Colour	Roll Width (mm)	Weight (gsm)
Uncoated			
F83500100	White	1520	320
F83500182	Mid Red	1520	320
F83500206	Captain Navy Blue	1520	320
F83500207	Marine Blue	1520	320
F83500208	Atlantic Blue	1520	320
F83500210	Navy Blue	1520	320
F83500220	Royal Blue	1520	320
F83500230	Mid Blue	1520	320
F83500300	Silver	1520	320
F83500400	Grey	1520	320
F83500401	Cadet Grey	1520	320
F83500402	Charcoal Grey	1520	320
F83500404	Dark Grey	1520	320
F83500450	Black	1520	320
F83500500	Stone	1520	320
F83500600	Beige	1520	320
F83500700	Dark Green	1520	320
F83500770	Charcoal Tweed	1520	320
F83500775	Linen Tweed	1520	320
F83500800	Red	1520	320
F83500910	Burgundy	1520	320

Part No.	Colour	Roll Width (mm)	Weight (gsm)
Coated			
F84500100	White	1520	335
F84500182	Mid Red	1520	335
F84500206	Captain Navy Blue	1520	335
F84500207	Marine Blue	1520	335
F84500208	Atlantic Blue	1520	335
F84500210	Navy Blue	1520	335
F84500220	Royal Blue	1520	335
F84500230	Mid Blue	1520	335
F84500300	Silver	1520	335
F84500401	Cadet Grey	1520	335
F84500402	Charcoal Grey	1520	335
F84500404	Dark Grey	1520	335
F84500420	Carbon Silver	1520	335
F84500450	Black	1520	335
F84500500	Stone	1520	335
F84500520	Moonrock	1520	335
F84500600	Beige	1520	335
F84500700	Dark Green	1520	335
F84500770	Charcoal Tweed	1520	335
F84500775	Linen Tweed	1520	335
F84500800	Red	1520	335
F84500910	Burgundy	1520	335

White F83500100 F84500100	Captain Navy Blue F83500206 F84500206	Marine Blue F83500207 F84500207	Atlantic Blue F83500208 F84500208	Moonrock F84500520	Red F83500800 F84500800
Navy Blue F83500210 F84500210	Royal Blue F83500220 F84500220	Mid Blue F83500230 F84500230	Silver F83500300 F84500300	Beige F83500600 F84500600	Mid Red F83500182 F84500182
Grey F83500400	Cadet Grey F83500401 F84500401	Charcoal Grey F83500402 F84500402	Dark Grey F83500404 F84500404	Linen Tweed F83500775 F84500775	Burgundy F83500910 F84500910
Carbon Silver F84500420	Charcoal Tweed F83500770 F84500770	Black F83500450 F84500450	Stone F83500500 F84500500	Dark Green F83500700 F84500700	Uncoated Coated

Sunbrella Acrylic

- ◆ Sunbrella® is recommended for making sail, winch, steering wheel and Bimini covers.
- ◆ Sunbrella® Marine is highly breathable and certified rot-proof.
- ◆ Manufactured using solution-dyed acrylic fibre,
- ◆ Sunbrella® is treated with a fluorocarbon finish that boosts the fabrics resistance to stains, greasy substances and water.
- ◆ Sunbrella® fabrics are available in 21 colours, for the harmonious coordination of all marine applications.
- ◆ Composition: 100% Sunbrella® acrylic
- ◆ Finish: Special Marine Treatment
- ◆ Weight: 300 gsm
- ◆ Width: 152 cm
- ◆ Warranty: 10 Years
- ◆ Available in 21 colours

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNB5020	Natural	50	152	300	Metre
SUNB5026	Dune	50	152	300	Metre
SUNB5030	Oyster	50	152	300	Metre
SUNB5031	Marine Blue	50	152	300	Metre
SUNB5032	Jet Black	50	152	300	Metre
SUNB5034	Burgundy	50	152	300	Metre
SUNB5035	Silver	50	152	300	Metre
SUNB5049	Charcoal Grey	50	152	300	Metre
SUNB5057	Captain Navy	50	152	300	Metre
SUNB5082	Graphite	50	152	300	Metre
SUNB5530	Cadet Grey	50	152	300	Metre
SUNB5548	Taupe	50	152	300	Metre
SUNBP017	Flax	50	152	300	Metre
SUNBP023	Arctic Blue	50	152	300	Metre
SUNBP052	Marble	50	152	300	Metre
SUNBP053	Steel	50	152	300	Metre
SUNBP054	Titanium	50	152	300	Metre
SUNBP055	Papyrus	50	152	300	Metre
SUNBP056	Pepper	50	152	300	Metre
SUNBP057	Celestial	50	152	300	Metre
SUNBP058	Abyss	50	152	300	Metre



Sunbrella Plus

- ◆ Sunbrella® Plus is the premier solution for protecting boats and their crews in extreme conditions.
- ◆ Sunbrella® Marine fabrics are superior for Boat Covers, Biminis, Tarpaulins, Protective & Rear Closures.
- ◆ A classic marine fabric combined with a special acrylic coating on one side.
- ◆ Sunbrella® Plus three times greater water resistance than Sunbrella.
- ◆ Guarantees enhanced resistance to mildew, thanks to its anti-fungal treatment, formulated specifically for use in a marine environment.
- ◆ Composition: 100% Sunbrella® acrylic
- ◆ Finish: Resin based anti-fungi coating, water and UV resistant
- ◆ Weight: 320 gsm
- ◆ Width: 152 cm
- ◆ Warranty: 5 Years
- ◆ Available in 32 colours

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNTT5020	Natural	50	152	320	Metre
SUNTT5026	Dune	50	152	320	Metre
SUNTT5030	Oyster	50	152	320	Metre
SUNTT5031	Marine Blue	50	152	320	Metre
SUNTT5032	Jet Black	50	152	320	Metre
SUNTT5034	Burgundy	50	152	320	Metre
SUNTT5035	Silver	50	152	320	Metre
SUNTT5040	Forest Green	50	152	320	Metre
SUNTT5048	Hemp Beige	50	152	320	Metre
SUNTT5049	Charcoal Grey	50	152	320	Metre
SUNTT5057	Captain Navy	50	152	320	Metre
SUNTT5058	Dark Navy	50	152	320	Metre
SUNTT5082	Graphite	50	152	320	Metre
SUNTT5085	Dark Smoke	50	152	320	Metre
SUNTT5087	Flanelle	50	152	320	Metre
SUNTT5088	Charcoal Pique	50	152	320	Metre
SUNTT5089	Beige Chine	50	152	320	Metre
SUNTT5528	Toast	50	152	320	Metre
SUNTT5530	Cadet Grey	50	152	320	Metre
SUNTT5548	Taupe	50	152	320	Metre
SUNTT5572	Heather Beige	50	152	320	Metre
SUNTP015	Crimson Red	50	152	320	Metre
SUNTP016	Dark Green	50	152	320	Metre
SUNTP017	Flax	50	152	320	Metre
SUNTP023	Arctic Blue	50	152	320	Metre
SUNTP024	Atlantic Blue	50	152	320	Metre
SUNTP052	Marble	50	152	320	Metre
SUNTP053	Steel	50	152	320	Metre
SUNTP054	Titanium	50	152	320	Metre
SUNTP055	Papyrus	50	152	320	Metre
SUNTP056	Pepper	50	152	320	Metre
SUNTP057	Celestial	50	152	320	Metre
SUNTP058	Abyss	50	152	320	Metre



Sunbrella Optimum

- ◆ The Sunbrella® OPTIMUM collection consists of 100% acrylic + one side PVC.
- ◆ Recommend use on a range of applications, from Spray hood, Bimini, Dodgers, Cockpit Enclosures, and Winter Covers.
- ◆ Width: 150cm
- ◆ Average Roll Length: 35m
- ◆ Weight: 480gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNOPT5032	Black	35	150	480	Metre
SUNOPT5049	Charcoal Grey	35	150	480	Metre
SUNOPT5057	Captain Navy	35	150	480	Metre
SUNOPT5548	Taupe	35	150	480	Metre



Sunbrella Source

- ◆ The Sunbrella® SOURCE collection consists of 100% acrylic. Recommend use on a range of applications, from Spray hood, Bimini, Sun Awnings, Mainsail Covers, Dodgers, Cockpit Enclosures, Winter, Winch and Wheel Covers.
- ◆ Width: 152cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 356gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths

Part No.	Colour	Width (cm)	Roll Length (m)	Weight (gsm)	UOM
SUNSRPP069	Fog Mouse	152	50	356	Metre
SUNSRPP070	Fog Kaolin	152	50	356	Metre
SUNSRPP071	Fog Rope	152	50	356	Metre
SUNSRPP072	Fog Smoke	152	50	356	Metre



Odyssey

- ◆ ODYSSEY® is an acrylic coated, high performance 300dpi woven polyester fabric with a clear back coat.
- ◆ Strong, durable, with a high UV and abrasion resistance.
- ◆ ODYSSEY® can be used in outdoor applications such as marine tops, trailer covers, gazebos, canopies, tarpaulins, playground equipment covers and bags.
- ◆ Weight: 220gsm.
- ◆ Roll Width: 163cm.
- ◆ Roll Length: 68.6m.



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
F0800A00Y	White	68.6	163	220	Metre
F0800A10Y	Red	68.6	163	220	Metre
F0800A14Y	Birch	68.6	163	220	Metre
F0800A18Y	Caribbean Blue	68.6	163	220	Metre
F0800A20Y	Lakeside Blue	68.6	163	220	Metre
F0800A44Y	Teal	68.6	163	220	Metre
F0800A46Y	Forest Green	68.6	163	220	Metre
F0800A60Y	Black	68.6	163	220	Metre
F0800A62Y	Brown	68.6	163	220	Metre
F0800A65Y	Taupe	68.6	163	220	Metre
F0800A66Y	Sand	68.6	163	220	Metre
F0800A75Y	Burgundy	68.6	163	220	Metre
F0800A79Y	Royal Blue	68.6	163	220	Metre
F0800A85Y	Turquoise	68.6	163	220	Metre
F0800A88Y	Silver Grey	68.6	163	220	Metre
F0800A90Y	Harbour Blue	68.6	163	220	Metre
F0800A97Y	Charcoal Grey	68.6	163	220	Metre

Odyssey Softouch

- ◆ ODYSSEY® SOFTOUCH is a 100% solution dyed woven polyester with a light weight, non-woven, soft fuzzy polyester backing
- ◆ Strong, durable with a high UV and abrasion resistance.
- ◆ Uses: Boat, trailer covers, carbon spinnaker poles and wheels
- ◆ The softtouch finish helps reduce scratching, excellent on polished or varnished surfaces
- ◆ Weight: 405gsm
- ◆ Roll Width: 152cm
- ◆ Roll Length: 45.7m



Part No.	Colour	Roll Length (m)	Roll Width (cm)	Weight (gsm)	UOM
F0805A00Y	White	45.7	152	405	Metre
F0805A14Y	Indian Birch	45.7	152	405	Metre
F0805A18Y	Caribbean Blue	45.7	152	405	Metre
F0805A44Y	Teal	45.7	152	405	Metre
F0805A46Y	Forest Green	45.7	152	405	Metre
F0805A60Y	Black	45.7	152	405	Metre
F0805A65Y	Taupe	45.7	152	405	Metre
F0805A75Y	Burgundy	45.7	152	405	Metre
F0805A79Y	Royal Blue	45.7	152	405	Metre
F0805A88Y	Grey	45.7	152	405	Metre
F0805A90Y	Harbour Blue	45.7	152	405	Metre
F0805A97Y	Charcoal Grey	45.7	152	405	Metre



Marlen Textiles

Top Gun

- ◆ TOP GUN® is an acrylic-coated 100% 600dpi woven polyester fabric utilising a proprietary process to coat both sides, top and bottom, thus allowing the fabric to be reversible
- ◆ It is characterised by excellent strength, durability, tear and abrasion resistance
- ◆ Dimensional stability. UV and mildew resistance.
- ◆ TOP GUN® can be used in marine tops, trailer covers, gazebos, canopies, tarpaulins, playground equipment covers, BBQ grill covers, patio furniture
- ◆ Weight: 373gsm
- ◆ Roll Width: 157Cm
- ◆ Roll Length: 45.7



Part No.	Colour	Roll Length (m)	Roll Width (cm)	Weight (gsm)	UOM
F0300A00Y	Arctic White	45.7	157	373	Metre
F0300A10Y	Sunset Red	45.7	157	373	Metre
F0300A14Y	Indian Burch	45.7	157	373	Metre
F0300A18Y	Caribbean Blue	45.7	157	373	Metre
F0300A22Y	Navy Blue	45.7	157	373	Metre
F0300A44Y	Teal	45.7	157	373	Metre
F0300A46Y	Forest Green	45.7	157	373	Metre
F0300A60Y	Onyx Black	45.7	157	373	Metre
F0300A65Y	Taupe	45.7	157	373	Metre
F0300A66Y	Sand	45.7	157	373	Metre
F0300A67Y	Hemp Beige	45.7	157	373	Metre
F0300A68Y	Chocolate Brown	45.7	157	373	Metre
F0300A74Y	Buckskin Tan	45.7	157	373	Metre
F0300A75Y	Burgundy	45.7	157	373	Metre
F0300A79Y	Royal Blue	45.7	157	373	Metre
F0300A85Y	Turquoise	45.7	157	373	Metre
F0300A89Y	Aquamarine	45.7	157	373	Metre
F0300A90Y	Harbour Blue	45.7	157	373	Metre
F0300A97Y	Seagull Grey	45.7	157	373	Metre
F0300A98Y	Charcoal Grey	45.7	157	373	Metre



Surlast

- ◆ Surlast® from Dickson is a 100% solution dyed polyester with a PU coating on one side.
- ◆ Recommended for winter covers, bimini tops and console covers.
- ◆ Finish: PU Coating on one side
- ◆ Weight: 240gsm
- ◆ Width: 152cm
- ◆ Warranty: 3 Years
- ◆ Available in 4 colours




Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNSUR3853	Sand	90	152	240	Metre
SUNSUR3854	Black	90	152	240	Metre
SUNSUR3862	Light Grey	90	152	240	Metre
SUNSUR3866	Admiral Navy	90	152	240	Metre



Solacryl Acrylic Binding

- ◆ Centrefold Acrylic Binding available in 7/8" (22mm) widths
- ◆ Woven with acrylic yarns
- ◆ Matching or contrasting binding can be used to trim Boat Covers, Cushions, Canopies, Dodgers and Biminis etc
- ◆ Sold in full reels only



Part No.	Colour	Roll Length (m)	Width (mm)	UOM
E099BG	Burgundy	100	22	Reel 100m
E099BI	Beige	100	22	Reel 100m
E099BK	Black	100	22	Reel 100m
E099CCGY	Charcoal Grey	100	22	Reel 100m
E099CNV	Captain Navy	100	22	Reel 100m
E099FGR	Forest Green	100	22	Reel 100m
E099NV	Navy	100	22	Reel 100m
E099WT	White	100	22	Reel 100m

STAMOID® Vinyl Binding

- ◆ Stamoid vinyl has outstanding UV resistance.
- ◆ Dirt repellent and washable.
- ◆ Waterproof and treated against mildew.
- ◆ Matching binding is used with Stamoid to trim or bind cushions, canopies, dodgers and biminis etc.
- ◆ Sold in full reels only.



Part No.	Colour	Roll Length (m)	Width (mm)	UOM
E085BK	Black	91.4	19	Reel
E085CR	Cream	91.4	19	Reel
E085IV	Ivory	91.4	19	Reel
E085NV	Navy	91.4	19	Reel
E085RB	Royal Blue	91.4	19	Reel
E085SD	Sand	91.4	19	Reel
E085SW	Snow White	91.4	19	Reel
E085WT	White	91.4	19	Reel
E086BK	Black	91.4	25	Reel
E086WT	White	91.4	25	Reel

Sola Vinyl

- ◆ PVC fabric for use in smaller yachts and dinghy covers.
- ◆ Produced especially for the marine market.
- ◆ Ideal for 100% external waterproof covers.
- ◆ Width: 150cm
- ◆ Roll length x 50m
- ◆ 350gsm



Part No.	Colour	Roll Width (cm)	Weight (gsm)	UOM
FH350GY	Grey	150	350	Metre
FH350RB	Royal Blue	150	350	Metre

Dickson PVC Coatings

- ◆ Base cloth: 1100dtex
- ◆ Coating: PVC
- ◆ Finish: Cleanguard
- ◆ Tensile Strength: 220/210 daN
- ◆ Tear Strength: 30/25 daN
- ◆ Temperature Resistance: -30°C +70°C
- ◆ Flame Retardancy: <100mm/min
- ◆ 640gsm



Part No.	Colour	Width (cm)	Weight (gsm)	UOM
LAC6407412	Dark Grey	150	640	Metre
LAC6407441	Yellow	150	640	Metre
LAC6407446	Red	150	640	Metre
LAC640810	Black	150	640	Metre
LAC640867	White	150	640	Metre
LAC640939	Grey	150	640	Metre
LAC640941	Pacific Blue	150	640	Metre
LAC640995	Green	150	640	Metre

Nautimar

- ◆ NAUTIMAR® Fabric is made out of high tenacity polyester
- ◆ PVC coated and embossed on one side
- ◆ A lightweight product, easy to store and 100% waterproof
- ◆ An ideal solution for cockpit covers, protective covers and biminis
- ◆ Standard roll: 2200mm x 60m
- ◆ 300gsm



Part No.	Colour	Roll Length (m)	Weight (gsm)	UOM
F86500100	Snow White	60	300	Metre
F86500101	Off White	60	300	Metre
F86500102	Ivory	60	300	Metre
F86500210	Navy	60	300	Metre
F86500450	Black	60	300	Metre

Nautiplus

- ◆ NAUTIPLUS® Fabric is designed for all marine exterior covers, spray hoods, bimini tops, cockpit covers and winter covers
- ◆ High tenacity polyester fabric
- ◆ Base fabric is double coated with high quality PVC to resist fading in all marine conditions
- ◆ Nautiplus® is 100% waterproof
- ◆ Standard roll: 2200mm x 60m
- ◆ 300gsm



Part No.	Colour	Roll Length (m)	Weight (gsm)	UOM
F87500100	Snow White	60	360	Metre
F87500101	Off White	60	360	Metre

Dickson Sunworker

- ◆ Sunworker Marine from Dickson is 100% high tenacity polyester screen mesh. 100% high tenacity polyester composition. Recommended for external wind shield and window covers. Fire resistance to M1 - NF 92503, B1 - DIN 4102, C1 - UNI 9176, Classe 1 - UNE-EN 13773 : 2003, Bs2d0 - Euroclasse EN 13501-1.
- ◆ Composition: 100% High Tenacity Polyester
- ◆ Finish: Solution dyed plastisol coating
- ◆ Weight: 320gsm
- ◆ Width: 150cm
- ◆ Warranty: 5 Years
- ◆ Available in 10 colours
- ◆ Prices for Sunworker Marine are price per m for full rolls



Part No.	Colour	Roll Width (cm)	Weight (gsm)	UOM
SUNSWKM005	White	150	320	Metre
SUNSWKM391	Black	150	320	Metre
SUNSWKM393	Bronze	150	320	Metre
SUNSWKM652	Silver	150	320	Metre
SUNSWKM653	Iron	150	320	Metre
SUNSWKM716	Clay	150	320	Metre
SUNSWKM719	Taupe	150	320	Metre
SUNSWKM721	Frost	150	320	Metre
SUNSWKM722	Indigo	150	320	Metre
SUNSWKM927	Red	150	320	Metre
SUNSWKM939	Elephant	150	320	Metre



Textilene

- ◆ TEXTILENE PVC vinyl encapsulated polyester FR mesh material.
- ◆ 45% to 65% shade factor
- ◆ Very strong with excellent tear and abrasion resistance.
- ◆ Uses: Screens, Sun Awnings, Cushion bottoms & Banners.
- ◆ Fire retardant, meets CA 117, Section E
- ◆ Weight: 350gsm
- ◆ Roll Width: 137cm



Part No.	Colour	Roll Width (cm)	Weight (gsm)	UOM
FH354AL	Almond	137	350	Metre
FH354BK	Black	137	350	Metre
FH354GR	Green	137	350	Metre
FH354GY	Dove Grey	137	350	Metre
FH354NV	Navy Blue	137	350	Metre
FH354RB	Royal Blue	137	350	Metre
FH354WT	White	137	350	Metre
FH354YE	Yellow	137	350	Metre

Sunsure Vinyl Mesh

- ◆ SUNSURE PVC vinyl encapsulated polyester FR mesh material.
- ◆ 42 x 12 woven with 95% shade factor
- ◆ Very strong with excellent tear and abrasion resistance
- ◆ Uses: Wind & Sun Screens, Sun Awnings, Banners & Signs
- ◆ Fire retardant, meets CA 117, section E
- ◆ Weight: 550gsm
- ◆ Roll Width: 137cm



Part No.	Colour	Roll Width (cm)	Weight (gsm)	UOM
FH359BK	Black	137	508	Metre
FH359GR	Forest Green	137	508	Metre
FH359GY	Dove Grey	137	508	Metre
FH359NV	Navy Blue	137	508	Metre
FH359PN	Porcelain	137	508	Metre
FH359RB	Royal Blue	137	508	Metre
FH359WT	White	137	508	Metre



Polyester Screen Mesh


- ◆ Sleeveknit vinyl mesh.
- ◆ Uses: Windscreens, banners, outdoor furniture and shades.
- ◆ FH162WTFR- Fire retardant, meets CA 117 section E.
- ◆ FH172GY - Mosquito netting



FH160BK FH160BU FH160RD



FH160WT FH162WTFR FH172GY




FH372CG

Part No.	Colour	Roll Width (mm)	Weight (gsm)	UOM
FH062BK	Black	1575	108	Metre
FH062WT	White	1575	108	Metre
FH063WT	White	1575	108	Metre
FH160BK	Black	1575	108	Metre
FH160BU	Bermuda Blue	1575	108	Metre
FH160RD	Red	1575	108	Metre
FH160WT	White	1575	108	Metre
FH162WTFR	White	1575	108	Metre
FH172GY	Slate Grey	1830	31	Metre
FH372CG	Slate Grey	1830	85	Metre

Knitted Polyester


- ◆ A lightweight knitted 100% polyester engineered specifically for exterior use, lustrous sheen and is ideal for high quality spinnaker snuffers, socks and flags.



Part No.	Colour	Roll Width (mm)	Weight (gsm)	UOM
FHKP60WT	White	1855	130	Metre

Trampoline Mesh


- ◆ Diamond mesh made netting
- ◆ Uses include: Beach cats and spinnaker launch tubes
- ◆ Ideal safety equipment with children on board
- ◆ Weight: 271gsm



Part No.	Colour	Roll Width (mm)	Weight (gsm)	UOM
FH374BK	Black	1880	271	Metre

Trampoline Mesh

- ◆ 1100 dtex HT polyester mesh.
- ◆ Uses included: bridgedeck catamarans.
- ◆ Ideal safety equipment with children on board.
- ◆ Weight: 848gsm.
- ◆ Roll Width: 1800mm.
- ◆ FR rated M2-NFP92-501
- ◆ Weldable



FH590BK FH590WT

Part No.	Colour	Roll Width (mm)	Weight (gsm)	UOM
FH590BK	Black	1800	848	Metre
FH590WT	White	1800	848	Metre

Extra Heavy Duty Super Trampoline Mesh

- ◆ Extremely strong polyester mesh.
- ◆ UV and mildew inhibitors.
- ◆ Suited to outdoor tensile structures where strength, durability and resistance to the elements are required.
- ◆ Designed for industrial applications and as trampolines on bridgedeck catamarans.
- ◆ Weight: 1017gsm.
- ◆ Roll Width: 1800mm.



Part No.	Colour	Roll Width (mm)	Weight (gsm)	UOM
FH592WT	White	1800	1017	Metre

Calendared Rolled Window

NEW

- ◆ High Grade Clear PVC Window material used in marquees, sprayhoods, biminis and cockpit covers.
- ◆ Available only on full rolls.
- ◆ UV Stabilised Vinyl.
- ◆ FR rated to BS5438.
- ◆ Super clear PVC.



Part No.	Roll Length (m)	Roll Width (mm)	Thickness (mm/thou)	UOM
WG10FR	50	1370	0.35/10	Roll
WG20FR	50	1370	0.50/20	Roll
WG30FR	30	1370	0.75/30	Roll

Regalite Window Sheets

NEW

- ◆ REGALITE Pressed Polished window sheets from O'Sullivan manufactured from thermoplastic clear vinyl material
- ◆ Highly polished finish that results in a soft, flexible, press polished sheet
- ◆ This clear vinyl material is perfect for marine windows, awnings cabin enclosures and automotive applications
- ◆ UV Stabilised Vinyl.



Part No.	Sheet Length (mm)	Sheet Width (mm)	Thickness (mm/thou)	UOM
K220	2800	1370	0.50/20	Sheet
K222	2800	1370	0.75/30	Sheet
K225	2800	1370	1.02/40	Sheet

Premium Rolled Window

K232:

- ◆ High Grade Clear PVC Window material used in marquees sprayhoods, biminis and cockpit covers.
- ◆ UV Stabilised Vinyl.
- ◆ Can use RF to heat seal seams against water penetration.
- ◆ K232 - Clear with paper interleaving for protection.

K432:

- ◆ Clear-VU window is a top quality extruded vinyl product that offers optical clarity. Close to a polished press sheet vinyl, while still retaining the benefits of rolled glass convenience.
- ◆ UV Stabilised Vinyl.
- ◆ K432 has a soft hand similar to rolled window vinyl.

K631:

- ◆ 1000 hour UV Roll-A-Glass is a high grade FR302 Fire Resistant window material used in marquees sprayhoods, biminis and cockpit covers.
- ◆ Passes the 1000 hour UV weatherometer test.
- ◆ Sparkling Clarity.



Part No.	Roll Length (m)	Roll Width (mm)	Thickness (mm/thou)	UOM
K232	18	1370	0.50/20	Roll
K432	17.8	1370	0.76/30	Roll
K631	27	1370	0.50/20	Roll

O'Sea Window Sheets

NEW

- ◆ O'SEA Scratch Resistant window sheets from O'Sullivan are the best quality in Clear PVC material.
- ◆ Excellent UV durability.
- ◆ Available only in full drums.
- ◆ Made in the USA.



Part No.	Sheet Length (mm)	Sheet Width (mm)	Thickness (mm/thou)	UOM
K227	2800	1370	0.75/30	Sheet
K228	2800	1370	1.02/40	Sheet

Pattern Material

- ◆ Clear Polyester Film ideal for anti-collision windows in sails, spreader windows, servicing Boardsails and as a Template Fabric for One Design Sails.



Part No.	Roll Length (m)	Roll Width (cm)	Thickness (mm)	UOM
E060	25	135	0.175	Roll
K903	50	1000	Opaque	Metre

Monofilms

- ◆ See-through polyester film for a light weight performance material for boardsails and telltale windows.



Part No.	Roll Length (m)	Roll Width (cm)	Thickness (mm)	UOM
E078	46	137	0.12	Metre
E080	46	137	0.25	Metre
E088	45.7	137	0.18	Metre

Pattern Material

- ◆ Economical, flexible and stable pattern material
- ◆ The ideal material to make on site patterns for awnings and any type of cover
- ◆ Can also be used to make sail bags and accessories
- ◆ Roll Width: 183cm
- ◆ Roll Length: 50m / 200m



FP072CL FP072NB FP072SB

Part No.	Roll Length (m)	Roll Width (m)	Style	UOM
FP072CL	50	1830	Clear	Metre
FP072NB	200	1830	Blue	Metre
FP072SB	200	1830	Silver & Black	Metre



Firesist 3 FR

- ◆ FIRESIST from Glen Raven is a fire retardant awning fabric that replaces Sunbrella Firesist and Firesist HUV line of fabrics.
- ◆ Firesist awning fabric combines state of the art fire retardant performance.
- ◆ Excellent UV resistance
- ◆ Deep rich colours and robust durability.
- ◆ Workability improvements make cutting, sewing and welding easier than ever.
- ◆ Weight: 297gsm.
- ◆ Roll Width: 1520cm.
- ◆ Roll Length: 45.72m.



FS82000 FS82003 FS82006



FS82008 FS82010 FS82012



FS82013 FS82015 FS82016




FS82017

Part No.	Colour	Roll Length (m)	Roll Width (cm)	Weight (gsm)	UOM
FS82000	Regatta	45.7	152	297	Metre
FS82003	Forest Green	45.7	152	297	Metre
FS82006	Sand	45.7	152	297	Metre
FS82008	Black	45.7	152	297	Metre
FS82010	Admiral Navy	45.7	152	297	Metre
FS82012	Toasty Beige	45.7	152	297	Metre
FS82013	Sunburst Yellow	45.7	152	297	Metre
FS82015	Ivory	45.7	152	297	Metre
FS82016	Burgundy	45.7	152	297	Metre
FS82017	Crimson Red	45.7	152	297	Metre

Top Gun FR

- ◆ TOP GUN FR formerly known as Holiday is an acrylic coated 100% 600dpi woven polyester flame retardant fabric.
- ◆ TOP GUN FR can be used for many outdoor applications such as tents, commercial and industrial awnings, canopies and many other useful applications.
- ◆ Super high strength with great abrasion resistance.
- ◆ UV and Mildew resistant.
- ◆ Water repellent, permeable to water vapour but will not trap excess moisture.
- ◆ Meets USA CA State Fire Marshall NFPA 701 and CPAI-84.
- ◆ Weight: 407gsm.
- ◆ Roll Width: 157cm.
- ◆ Roll Length: 45.72m.



F0350A00Y F0350A13Y F0350A47Y



F0350A60Y F0350A75Y F0350A79Y




F0350A97Y F0350A62Y F0350A71Y

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
F0350A00Y	White	41.1	158	407	Metre
F0350A13Y	Ivory	41.1	157	407	Metre
F0350A47Y	Hunter Green	41.1	157	407	Metre
F0350A60Y	Black	41.1	157	407	Metre
F0350A62Y	Chocolate Brown	41.1	157	373	Metre
F0350A71Y	Terra-cotta	41.1	157	373	Metre
F0350A75Y	Burgundy	41.1	157	407	Metre
F0350A79Y	Royal Blue	41.1	157	407	Metre
F0350A97Y	Silver Grey	41.1	157	407	Metre

Marlen Textiles

Odyssey FR

- ◆ ODYSSEY® FR is a fire retardant acrylic coated, high performance 300dpi woven polyester fabric with a clear back coat.
- ◆ Super high strength, durability and with great abrasion resistance and UV.
- ◆ Meets CPAI-84 and NFPA-701.
- ◆ Weight: 240gsm.
- ◆ Roll Width: 16cm.
- ◆ Roll Length: 68.6m




Part No.	Colour	Roll Length (m)	Weight (gsm)	UOM
F0840A00Y	White	68.6	240	Metre

Sailcloth FR

NEW

- ◆ High tenacity polyester sailcloth
- ◆ Water-based soft aliphatic polyurethane containing FR additive
- ◆ Genuine Bainbridge sailcloth
- ◆ Reach compliant
- ◆ Double sided coating
- ◆ Conforms to BS5867-2:2008
- ◆ Width 137cm



Part No.	Colour	Width (cm)	Weight (gsm)	UOM
FWP0900FR	White	137	415	Metre



Oxford Nylon 4oz

- ◆ Coated Oxford 4oz nylon fabric for the manufacture of bags and dust covers and for a wide variety of other marine and industrial uses.
- ◆ Features - Durable Water Repellent, Weather Resistant, Urethane Coated.
- ◆ Uses - Back Packs, Banners, Flags, Sail Bags & Soft Sided Luggage
- ◆ Weight: 105gsm / 3.1oz sq yard.



F5600D00W



F5600D79W

Part No.	Colour	Roll Length (m)	Width (cm)	UOM
F5600D00W	White	100	152	Metre
F5600D79W	Royal Blue	100	152	Metre

Cordura 1000 Nylon

- ◆ 1000 Denier super tough woven, high tenacity nylon with a 33gsm urethane coating for durability and water repellency.
- ◆ Excellent resistance to abrasion, fading, rot and mildew.
- ◆ Uses: Heavy Duty Bags, horse blankets, backpacks.
- ◆ Water repellent and quick drying.
- ◆ High Tensile Strength and Tear Resistance.
- ◆ Weight: 458gsm.
- ◆ Roll Length: 46m.
- ◆ Roll Width: 1520mm.



F5300D08W



F5300D60W




F5300D79W

Part No.	Colour	Roll Length (m)	Width (cm)	UOM
F5300D08W	Silver	46	152	Metre
F5300D60W	Black	46	152	Metre
F5300D79W	Royal Blue	46	152	Metre

Oxford Nylon 6oz

- ◆ Coated Oxford 6oz nylon fabric for the manufacture of bags and dust covers and for a wide variety of other marine and industrial uses.
- ◆ Features - Durable Coating, Weather Resistant, Tight Weave & Urethane Coated.
- ◆ Uses - Back Packs, Banners, Flags, Sail Bags & Soft Sided Luggage
- ◆ Weight: 210gsm / 6.2oz sq yard.



V006BK



V006BR



V006BU



V006DG



V006GR



V006GY



V006NB



V006RD



V006WT



V006YE

Part No.	Colour	Roll Length (m)	Roll Width (cm)	UOM
V006BK	Black	100	150	Metre
V006BR	Bright Red	100	150	Metre
V006BU	Royal Blue	100	150	Metre
V006DG	Dark Grey	100	150	Metre
V006GR	Green	100	150	Metre
V006GY	Silver Grey	100	150	Metre
V006NB	Navy Blue	100	150	Metre
V006RD	Red	100	150	Metre
V006WT	White	100	150	Metre
V006YE	Yellow	100	150	Metre



Key Benefits of Cover Guard materials are:

- Flame Retardant - Over 24 International approvals including LPS1207 certification
- Easy Installation - Cut simply with a knife and secured with the Cover Guard tape
- Polyethylene Based - Guards against liquid spillage and will not break up once wet
- Shielding against foot/wheeled traffic and activity
- Safe guards vertical and horizontal surfaces
- High impact resistance - Corrie Board and Impact Foam
- Various grades and thicknesses to suit different applications and budgets

Flame Retardant Temporary

Protection Materials.

Designed specifically with the marine industry in mind, Cover Guard provides protection to all types of surfaces during the refit and construction of boats. It's innovative solutions offer defence for carpets, windows, walls, bulkheads, decks and doors.

Tried & Tested Worldwide

Cover Guard is a global brand which has been used on many vessels including cruise ships, naval fleets, ferries, working ships, super yachts and mega yachts. It is also widely used in the offshore, aviation, rail, construction and nuclear industries - for new builds, refurbishments and maintenance.



DIAMOND TREAD DECK PROTECTION

Part Number	Thickness		Roll Width		Length
	Mil	mm	Inch	cm	Metre
CG1036DP	10	0.25	36	91	120
CG1336DP	13	0.33	36	91	110
CG2536DP	25	0.63	36	91	55
CG4036DP	40	1.02	36	91	36

Available in 72ft/1.82m width upon request

TAFETTA FLAT WALL PROTECTION

Part Number	Thickness		Roll Width		Length
	Mil	mm	Inch	cm	Metre
CG0636TF	6	0.15	36	91	137

Available in 72ft/1.82m width upon request

IMPACT PROTECTION

Part Number	Thickness		Roll Width		Length
	Mil	mm	Inch	cm	Metre
CG0515FM	5	0.13	60	150	75
CG4815BW	4.8	0.12	60	150	100



cover (guard)[®]

- Cover Guard offers excellent screening for all types of surfaces including carpets, vinyl, wood, glass, metal, veneer, marble, ceramic, stone, furniture, bulkheads and much more.
- Cover Guard is extremely strong, durable and resistant to water, chemicals and solvents.
- Cover Guard's unique deck plate pattern provides anti-slip/anti-trip characteristics, not offered by other forms of protective sheeting.
- Compact rolls are easy to handle, particularly in confined spaces and helps keep storage space to a minimum.



Product range

- Floor Protection
- Carpet Protection
- Deck Protection
- Wall Protection
- Window Protection
- Impact Protection
- Furniture Protection
- Scaffold Protection
- Non-FR Protection

Independent Testing

Laboratories:

- Building Research Establishment (BRE) Fire Research Centre - Loss Prevention Certificate Board (LPCB)
- Warrington Fire Research Centre
- S.N.P.E. Laboratoire D'Essais du Centre de Bouchet France
- The United States Testing Company
- The United States Consumer Testing Laboratories
- The United States Eastern Testing Services

Approvals:

- LPS1207 and LPS1215 Certification
- Lloyds Register of Shipping
- International Maritime Organisation (IMO)
- Offshore Certification Bureau
- Avro International Aerospace (British Aerospace)
- (NAVSEA) The United States Navy NFPA 701
- Department of Naval Environment and Safety (M.O.D.)
- Marine Safety Agency (The Department of Transport)



Upholstery

Contents:

Sunbrella®:

- Solids
- Stripes
- Terry
- Natte
- Velum
- Bengali
- Connect
- Drops
- Rush
- Maze
- Trail
- Reef

Sunbrella® Bindings:

- Centrefold US
- Centrefold EU

Morbern:

- Sanibel
- Sundance

Sunbrella Solids

- ◆ The Sunbrella® SOLIDS collection can be used for a range of applications, from Cushions, Parasol and Upholstery.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 137cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 260gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNSA3729	Taupe	50	137	260	Metre
SUNSA3737	Ardoise	50	137	260	Metre
SUNSA3756	Lead Chime	50	137	260	Metre
SUNSA3757	Flannelle	50	137	260	Metre
SUNSA3792	Dark Smoke	50	137	260	Metre
SUNSA3936	Lime	50	137	260	Metre
SUNSA3941	Adriatic	50	137	260	Metre
SUNSA3966	Marble	50	137	260	Metre
SUNSA3968	Pepper	50	137	260	Metre
SUNSA5057	Captain Navy	50	137	260	Metre
SUNSA5404	Natural	50	137	260	Metre
SUNSA5408	Black	50	137	260	Metre
SUNSA5416	Aruba	50	137	260	Metre
SUNSA5436	Burgundy	50	137	260	Metre
SUNSA5439	Navy Blue	50	137	260	Metre
SUNSA5453	Canvas	50	137	260	Metre
SUNSA5476	Heather Beige	50	137	260	Metre
SUNSA5499	True Blue	50	137	260	Metre
SUNSA5530	Cadet Grey	50	137	260	Metre
SUNJAP053	Steel	50	137	260	Metre
SUNJAP054	Titanium	50	137	260	Metre
SUNJAP055	Papyrus	50	137	260	Metre
SUNJAP057	Celestial	50	137	260	Metre
SUNJAP058	Abyss	50	137	260	Metre

Sunbrella Stripes

- ◆ The Sunbrella® STRIPES collection can be used for a range of applications, from Cushions, Parasol and Upholstery.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 137cm
- ◆ Average Roll Length: 50m
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNSAS3722	Navy	50	137	260	Metre
SUNSAS3723	Charcoal Grey	50	137	260	Metre
SUNSAS3740	Black	50	137	260	Metre
SUNSAS5674	Maxim Beige	50	137	260	Metre



Sunbrella Terry

- ◆ The Sunbrella® TERRY collection can be used for a range of applications, from Seating to Fender Covers.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 137cm
- ◆ Average Roll Length: 36m
- ◆ Weight: 550gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNTOW78000	Parchment	36	137	550	Metre
SUNTOW78001	Beige	36	137	550	Metre
SUNTOW78004	Char	36	137	550	Metre
SUNTOW78005	Navy	36	137	550	Metre
SUNTOW78006	Mineral	36	137	550	Metre
SUNTOW78010	Dove	36	137	550	Metre
SUNTOW78014	White	36	137	550	Metre



Sunbrella Natte

- ◆ The Sunbrella® NATTE collection can be used for a range of applications, from Curtains, Roman Blinds, Cushions, Parasol and Upholstery.
- ◆ Designed for both indoor and outdoor applications
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 275gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharge may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNNAT10029	Heather Grey	50	140	275	Metre
SUNNAT10030	Sooty	50	140	275	Metre
SUNNAT10040	Nature Grey	50	140	275	Metre
SUNNAT10063	Charcoal Chine	50	140	275	Metre
SUNNAT10152	Graumel Chalk	50	140	275	Metre
SUNNAT10154	Storm Chalk	50	140	275	Metre
SUNNAT10155	Taupe Chalk	50	140	275	Metre
SUNNAT5030	Oyster	50	140	275	Metre
SUNNAT5073	Cadet Grey	50	140	275	Metre
SUNNAT5075	Charcoal Black	50	140	275	Metre
SUNNAT5076	Marine Blue	50	140	275	Metre
SUNNAT5077	Antique	50	140	275	Metre
SUNNAT5078	Stone	50	140	275	Metre
SUNNATP048	Clay	50	140	275	Metre

Sunbrella Velum

- ◆ The Sunbrella® VELUM collection can be used for a range of applications, from Curtains to Roman Blinds.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 150cm / 300cm
- ◆ Average Roll Length : 40m
- ◆ Weight: 165gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNVEL2000	Natural	40	150	165	Metre
SUNVEL2000W	Natural	40	300	165	Metre
SUNVEL2003	Graumel	40	150	165	Metre
SUNVEL2003W	Graumel	40	300	165	Metre
SUNVEL2011	Natural Grey	40	150	165	Metre
SUNVEL2011W	Natural Grey	40	300	165	Metre
SUNVEL2016	White Linen	40	150	165	Metre
SUNVEL2016W	White Linen	40	300	165	Metre



Sunbrella Bengali

- ◆ The Sunbrella® BENGALI collection can be used for a range of applications, from Cushions, Parasol and Upholstery.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 275gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths




Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNBENP0059	Sunlight	50	140	275	Metre
SUNBENP0060	Gulf Stream	50	140	275	Metre
SUNBENP0061	Atomic Red	50	140	275	Metre
SUNBENP0062	Tonic Blue	50	140	275	Metre
SUNBENP0063	Fuzzy Grey	50	140	275	Metre
SUNBENP0064	Dotted White	50	140	275	Metre



Sunbrella Connect

- ◆ The Sunbrella® CONNECT collection can be used for a range of applications, from Cushions, Curtains, Seating, Parasol, Roman Blinds, Pergola and Sail Shades.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 338gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNCNTJ268	Eggshell	50	140	338	Metre
SUNCNTJ269	Lemonade	50	140	338	Metre
SUNCNTJ270	Marigold	50	140	338	Metre
SUNCNTJ271	Frost	50	140	338	Metre
SUNCNTJ272	Iron	50	140	338	Metre
SUNCNTJ273	Acacia	50	140	338	Metre
SUNCNTJ274	Atoll	50	140	338	Metre
SUNCNTJ275	Sunrise	50	140	338	Metre



Sunbrella Drops

- ◆ The Sunbrella® DROPS collection can be used for a range of applications, from Cushions, Curtains, Seating and Roman Blinds
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 342gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNDRPJ276	Raincloud	50	140	342	Metre
SUNDRPJ277	Greige	50	140	342	Metre
SUNDRPJ278	Mist	50	140	342	Metre
SUNDRPJ279	Puddle	50	140	342	Metre
SUNDRPJ280	Glitter	50	140	342	Metre
SUNDRPJ281	Bloom	50	140	342	Metre
SUNDRPJ282	Glow	50	140	342	Metre
SUNDRPJ283	Midnight	50	140	342	Metre
SUNDRPJ284	Cosmic	50	140	342	Metre



Sunbrella Rush

- ◆ The Sunbrella® RUSH collection can be used for a range of applications, from Cushions, Curtains, Seating, and Roman Blinds.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 331gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNRSHJ285	Birch	50	140	331	Metre
SUNRSHJ286	Low Tide	50	140	331	Metre
SUNRSHJ287	Mirage	50	140	331	Metre
SUNRSHJ288	Ancestral	50	140	331	Metre
SUNRSHJ289	Ocean	50	140	331	Metre
SUNRSHJ290	Eclipse	50	140	331	Metre



Sunbrella Maze

- ◆ The Sunbrella® MAZE collection can be used for a range of applications, from Cushions, Seating and Linings.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 25m
- ◆ Weight: 661gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharge may apply on cut lengths

Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNMAZJ291	Sheer	25	140	661	Metre
SUNMAZJ292	Land	25	140	661	Metre
SUNMAZJ293	Irradiant	25	140	661	Metre
SUNMAZJ294	Ozone	25	140	661	Metre
SUNMAZJ295	Tarmac	25	140	661	Metre
SUNMAZJ296	Sideral	25	140	661	Metre
SUNMAZJ297	Tide Pool	25	140	661	Metre
SUNMAZJ298	Allure	25	140	661	Metre



Sunbrella Trail

- ◆ The Sunbrella® TRAIL collection can be used for a range of applications, from Cushions, Curtains, Seating, and Roman Blinds.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 50m
- ◆ Weight: 345gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNTJLJ299	Whisper	50	140	345	Metre
SUNTJLJ300	Sulfur	50	140	345	Metre
SUNTJLJ301	Radiance	50	140	345	Metre
SUNTJLJ302	Surf	50	140	345	Metre
SUNTJLJ303	Elusion	50	140	345	Metre
SUNTJLJ304	Dusk	50	140	345	Metre
SUNTJLJ305	Platinum	50	140	345	Metre
SUNTJLJ306	Odyssey	50	140	345	Metre
SUNTJLJ307	Scuba Diving	50	140	345	Metre



Sunbrella Reef

- ◆ The Sunbrella® REEF collection can be used for a range of applications, from Cushions, Seating and Linings.
- ◆ Designed for both indoor and outdoor applications.
- ◆ Width: 140cm
- ◆ Average Roll Length: 35m
- ◆ Weight: 393gsm
- ◆ UV / Fade Resistant
- ◆ Warranty: 5 Years
- ◆ Surcharges may apply on cut lengths



Part No.	Colour	Roll Length (m)	Width (cm)	Weight (gsm)	UOM
SUNREEJ308	Cocoon	35	140	393	Metre
SUNREEJ309	Purity	35	140	393	Metre
SUNREEJ310	Moonrock	35	140	393	Metre
SUNREEJ311	Chestnut	35	140	393	Metre
SUNREEJ312	Fossil	35	140	393	Metre
SUNREEJ313	Cinder	35	140	393	Metre
SUNREEJ314	Shadow	35	140	393	Metre
SUNREEJ315	Wave	35	140	393	Metre
SUNREEJ316	Deepness	35	140	393	Metre



Sunbrella Acrylic Binding Tape

- ◆ Sunbrella® Centrefold Acrylic Binding available in 3/4" & 7/8" widths.
- ◆ Woven with Sunbrella acrylic yarns.
- ◆ Matching or contrasting binding can be used to trim Boat Covers, Cushions, Canopies, Dodgers and Bimini.
- ◆ Sold in full reels only



Part No.	Colour	Roll Length (m)	Width (mm)	UOM
E090BK	Black	91	19	Reel
E090WT	White	91	19	Reel

Sunbrella Centre Fold - US



Part No.	Colour	Roll Length (m)	Width (mm)	UOM
E095BG	Burgundy	183	22	Reel
E095BI	Beige	183	22	Reel
E095BU	Pacific Blue	183	22	Reel
E095FGR	Forest Green	183	22	Reel
E095NV	Navy	183	22	Reel
E095OYS	Oyster	183	22	Reel
E095RD	Red	183	22	Reel
E095TST	Toast	183	22	Reel
E095WT	White	183	22	Reel

Sunbrella Acrylic Binding - EU




Part No.	Colour	Roll Length (m)	Width (mm)	UOM
SUNCFG5020	Natural	150	23	150m
SUNCFG5026	Dune	150	23	150m
SUNCFG5031	Marine Blue	150	23	150m
SUNCFG5032	Jet Black	150	23	150m
SUNCFG5049	Charcoal Grey	150	23	150m
SUNCFG5050	Linen	150	23	150m
SUNCFG5057	Captain Navy	150	23	150m
SUNCFG5548	Taupe	150	23	150m
SUNCFGP011	Stone	150	23	150m

Cushion Underlining

Bainbridge Underlining is a lightweight vinyl-coated polyester fabric designed for use on the bottom side of cushions, seats and upholstery

- ◆ The light vinyl coating keeps cushions from slipping and allows for water drainage and air circulation
- ◆ Cushion underlining breathes and resists rot and mildew growth



Part No.	Colour	Weight (gsm)	Width (cm)	Roll length
FH456BEG	Beige	305	137	45.7m
FH456BK	Black	305	137	45.7m
FH456GY	Grey	305	137	45.7m
FH456WT	White	305	137	45.7m

Sanibel

Part No.	Description	Width	Unit of Measure	Roll Length
SAN102	Storm	137cm	METRE	27.7m
SAN103	Sunset	137cm	METRE	27.7m
SAN108	Atlantic	137cm	METRE	27.7m
SAN110	Sharkskin	137cm	METRE	27.7m
SAN111	Moon	137cm	METRE	27.7m
SAN112	Seafoam White	137cm	METRE	27.7m
SAN116	Glacier	137cm	METRE	27.7m
SAN120	Sea Chalk	137cm	METRE	27.7m
SAN121	Cream	137cm	METRE	27.7m
SAN122	Bisque	137cm	METRE	27.7m
SAN136	White	137cm	METRE	27.7m
SAN138	Off White	137cm	METRE	27.7m
SAN146	Sunrise	137cm	METRE	27.7m



Specifications

Width	137 +8; -0 cm	Weight	710 ± 35 grams/metre ²
Thickness	1,0 ± 0,1 mm	Cold Crack	-32° C
UV Resistance	ASTM G153, Cycle 1, 1000 hrs, UV coefficient ≥ 7 Blue Wool Scale	Abrasion Resistance:	No significant wear after 100,000 cycles using the Martindale test method.
Adhesion of Coatings	(Newtons/25.4mm): W. 13 minimum F. 13 minimum		

Content	Vinyl
Backing	100% Polyester
Flame Resistance	Manufactured to meet the following flammability* requirements: BS EN 1021-1 and 2 IM0 MSC 88/26/ADD. 2 Part 8 (3.1 and 3.2)

* This term and corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.

Recommended Applications

Marine	Corporate
Hospitality	Residential



General Care and Cleaning Instructions

In general, most common stains can be cleaned using warm, soapy water and clear water rinses. Moderate scrubbing with a medium bristle brush will help loosen soiling materials from the depressions of embossed surfaces. For more stubborn stains, use Tex Aktiv commercially available cleaner† in accordance with the manufacturer's instructions.

Full strength rubbing alcohol or mineral spirits†† may be tried cautiously as a last resort on very stubborn stains, if the above suggestions do not work. Indiscriminate use of any solvent, or solvent containing cleaner, can severely damage or discolor vinyl. Always follow with a clear water rinse after cleaning with solvents.

Note: Detergents should never be used on a regular or repeated basis for normal cleaning. Morbern recommends repeated rinsing with clear water after any cleaning procedure.

† When opening a new container, please test the cleaner in an inconspicuous area as cleaning manufacturers may change formula without notice.

Morbern cannot be responsible when unknown changes are made by the manufacturer of the cleaner to their formulations between our 6-month verification intervals.

†† **Caution:** Exercise care as these solvents are flammable. Use only small quantities of solvents and keep clear of any sources of ignition. Wear protective gloves and ensure cleaning takes place in a well ventilated area.



Sundance

Part No.	Description	Width	Unit of Measure	Roll Length
SD730	Rose	137cm	METRE	36.6m
SD720	Black	137cm	METRE	36.6m
SF703	Natural	137cm	METRE	36.6m
SD716	Storm	137cm	METRE	36.6m
SD701	White	137cm	METRE	36.6m
SD715	Sand	137cm	METRE	36.6m
SD707	Bamboo	137cm	METRE	36.6m
SD704	Khaki	137cm	METRE	36.6m
SD719	Blue	137cm	METRE	36.6m
SD702	Silver	137cm	METRE	36.6m
SD714	Ocean	137cm	METRE	36.6m
SD723	Cornsilk	137cm	METRE	36.6m
SD718	Marine	137cm	METRE	36.6m
SD706	October	137cm	METRE	36.6m
SD713	Rain	137cm	METRE	36.6m
SD708	Herm	137cm	METRE	36.6m
SD709	Red	137cm	METRE	36.6m
SD712	Chocolate	137cm	METRE	36.6m
SD731	Sangria	137cm	METRE	36.6m
SD710	Cayenne	137cm	METRE	36.6m
SD732	Sahara	137cm	METRE	36.6m
SD717	Green	137cm	METRE	36.6m
SD735	Nightfall	137cm	METRE	36.6m
SD736	Raven	137cm	METRE	36.6m
SD727	Periwinkle	137cm	METRE	36.6m
SD733	Rhino	137cm	METRE	36.6m
SD705	Crush	137cm	METRE	36.6m
SD711	Bisque	137cm	METRE	36.6m
SD728	Pineapple	137cm	METRE	36.6m
SD729	Chartreuse	137cm	METRE	36.6m
SD725	Siesta Key	137cm	METRE	36.6m
SD734	Spruce	137cm	METRE	36.6m
SD724	Cumulus	137cm	METRE	36.6m
SD726	Submarine	137cm	METRE	36.6m
SD721	Valley	137cm	METRE	36.6m
SD722	Acadia	137cm	METRE	36.6m



Specifications

Width 134 +5; -0 cm **Weight** 695 ± 34 grams/meter²

Thickness 1,2 ± 2,1 mm **Cold Crack** -32° C

UV Resistance ASTM G153-00a, Cycle 1, 1000 hrs, UV coefficient ≥ 7 Blue Wool Scale **Martindale** No significant wear after 300,000 cycles using the Martindale method.

Adhesion of Coatings (Newtons/25.4mm): W. 13 minimum F. 13 minimum

Content	Vinyl
Backing	100% Polyester
Flame Resistance	Manufactured to meet the following flammability* requirements: BS EN 1021-1 and 2 NF P 92-503 (M2) CA TB 117-2013 (Section 1-Cover Fabric) Sect. E UFAC Class 1 BIFMA Class A NFPA 260A US FMVSS 302 - UNI ISO 3795 IMO MSC 88/26/ADD. 2 Part 8 (3.1 and 3.2) (Replacing IMO A652)
* This term and corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behaviour of this or any other material under actual fire conditions.	

Features & Benefits

- Made in Canada**
- Mildew Resistant**
- Bromine-free, No Halogenated Flame Retardants (HFRs)**
- REACH compliant**
- RoHS compliant**
- Superior Tailorability**
- Enhanced Abrasion Resistance**
- No Bisphenol A (BPA) FREE**
- No Ozone Depleting Chemicals**
- No PBT's (Persistent Bio accumulative and Toxic Chemicals)**
- Contains bio-based renewable ingredients**
- Phthalate Free**

Finishes and Treatments

Stain Protection by: **MGX MorGuard Xtreme™**

is our revolutionary new topcoat that greatly enhances cleanability. Tough stains from rigorous use are easily cleaned, and will prolong the life of seats in harsh applications.

Care and Cleaning Guide

Stain	Cleaning Procedure ‡
BBQ Sauce/Cola	3 to 4
Mineral Oil Lubricant	3 to 4
Sun Screen SPF 30	3 to 4
Lipstick	3 to 4
Ball Point Pen	3 to 4
Exhaust Soot	3 to 4
Mustard	3 to 4

The rating for stain resistance is based on the following scale: Rated using CFFA-141 & ASTM D 1308 Scale: 3 to 4 to pass

Rating System

Stain	Cleaning Procedure ‡
No staining marks on surface	4
Slight stain on surface	3
Strong stain on surface	2
No cleanability at all	1

‡ The following procedures may be used for cleaning stains:

- Removed after 1 minute and cleaned with water, Tex Aktiv and alcohol (70%)**
- Removed after 8 hours and cleaned with water and Tex Aktiv**
- Removed after 8 hours and cleaned with water, Tex Aktiv and Alcohol (70%)**

General Care and Cleaning Instructions, refer to page 39.

Recommended Applications

- Marine**
- Hospitality**
- Automotive**
- Residential/Home Office**
- Corporate**
- RV**
- Healthcare**

Fixings & Fasteners

Contents:

Canopy Fittings:

- Eye Ends
- Jaw Slides
- End Plugs
- Grab Rail
- Deck Fittings
- Hinges
- Tubing

Awning Track:

- Aluminium
- PVC

Boat Vents

Keder Tape

DOT® Fasteners

- Common Sense
- Lift-the-DOT
- Button Snap

LOXX® Fasteners

YKK® SNAD Fasteners

Permalock Fasteners

Awning Hooks & Eyes

- Lacing Buttons
- Vadney Clip
- Holdon Clips
- Eye Straps

Canopy Eye Ends & Plugs

- ◆ Canopy Eye End fittings for use on stainless steel tubing have been designed specifically for the Marine Cover, Auto & Awning Industries.
- ◆ Produced from either type 316 stainless steel with a mirror polished finish or nylon so that they will not corrode
- ◆ Ideal for sprayhoods, biminis, cockpits & Sun Deck Awnings



G675

G676

G679



G611S / G621S

G631SHD / G641SHD

G678S

G671S / G681S

Part No.	Description	Finish	Fitting Type	Tube Size (mm)	UOM
G611S	Eye Ends Stainless Steel	Stainless Steel 316	Tube	19	Each
G621S	Eye Ends Stainless Steel	Stainless Steel 316	Tube	22	Each
G631SHD	Eye Ends Heavy Duty	Stainless Steel 316	Tube	25	Each
G641SHD	Eye Ends Heavy Duty	Stainless Steel 316	Tube	31	Each
G671S	Ball Eye End 19mm	Stainless Steel	Tube	19	Each
G681S	Ball Eye End 25mm	Stainless Steel	Tube	25	Each
G675	End Plugs 19mm	1.5mm Gauge	Tube	19	Each
G676	End Plugs 19mm	1.2mm Gauge	Tube	19	Each
G679	End Plugs 22mm	1.2mm Gauge	Tube	22	Each
G678S	Ball & Socket	Stainless Steel 316	Tube	22	Each

Canopy Grab Rails & Struts

- ◆ Canopy Grab Rails for use on stainless steel tubing have been designed specifically for the Marine Cover, Auto & Awning Industries.
- ◆ Produced from either type 316 stainless steel with a mirror polished finish or nylon so that they will not corrode.
- ◆ Ideal for sprayhoods, biminis, cockpits & Sun Deck Awnings.



G660 - G662

G665

G666 - G668

Part No.	Description	Finish	Fitting Type	Tube Size (mm)	UOM
G660	Grab Rail Terminal 19mm Tube	Nylon / SS 316	Grab Rail	19	Each
G661	Grab Rail Terminal 22mm Tube	Nylon / SS 316	Grab Rail	22	Each
G662	Grab Rail Terminal 25mm Tube	Nylon / SS 316	Grab Rail	25	Each
G665	Grab Rail Stand Off 19mm Tube	Nylon / SS 316	Grab Rail	-	Each
G666	Grab Rail Stand Off 22-19mm	Nylon / SS 316	Grab Rail	-	Each
G667	Grab Rail Stand Off 25-19mm	Nylon / SS 316	Grab Rail	-	Each
G668	Grab Rail Stand Off 22-22mm	Nylon / SS 316	Grab Rail	-	Each

Canopy Jaw & Hinge Slides

- ◆ Canopy Jaw Slide fittings for use on stainless steel tubing have been designed specifically for the Marine Cover, Auto & Awning Industries.
- ◆ Produced from either type 316 stainless steel with a mirror polished finish or nylon so that they will not corrode.
- ◆ Ideal for sprayhoods, biminis, cockpits & Sun Deck Awnings.
- ◆ Features a quick release pin



G610S

G620S

G620SS

G630SHD

G640SHD

G650WT / G651WT

G652WT

G653WT

G655

G840S

G742S

G744S

G747S

G758

G820S

G830S

G840SSP

Part No.	Description	Finish	Fitting Type	Tube Size (mm)	UOM
G610S	Jaw Slide Stainless Steel	Stainless Steel 316	Tube	19 mm	Each
G620S	Jaw Slide Stainless Steel	Stainless Steel 316	Tube	22 mm	Each
G620SS	Grub Screws Only	Stainless Steel 316	-	-	Pack 10
G630SHD	Jaw Slide Stainless Steel HD	Stainless Steel 316	Tube	25 mm	Each
G640SHD	Jaw Slide Stainless Steel HD	Stainless Steel 316	Tube	31 mm	Each
G650WT	Canopy Hand Clamp 19mm White	Nylon / SS 316	Tube	19 mm	Each
G651WT	Canopy Hand Clamp 20mm White	Nylon / SS 316	Tube	19 mm	Each
G652WT	Canopy Hand Clamp 22mm White	Nylon / SS 316	Tube	22 mm	Each
G653WT	Canopy Hand Clamp 25mm White	Nylon / SS 316	Tube	25 mm	Each
G655	Tube Clamp 19mm Tube	Stainless Steel 316	Tube	19 mm	Each
G672S	Socket Jaw Slide	Stainless Steel	Tube	22 mm	Each
G682S	Socket Jaw Slide	Stainless Steel	Tube	22 mm	Each
G697S	Double Jaw Slide with Hinge	Stainless Steel 316	Tube - Double	25 mm	Each
G742S	Tubing Hinge Quick Release	Stainless Steel 316	Swivel Web Buckle	-	Each
G744S	Tubing Hinge Quick Release	Stainless Steel 316	Tube	25 mm	Each
G747S	Tubing Hinge Quick Release	Stainless Steel 316	Tube	22 mm	Each
G758	Gemlock Snap Button	Stainless Steel	Tube	-	Each
G820S	Separating Jaw Slide	Stainless Steel 316	Tube	22	Each
G830S	Separating Jaw Slide	Stainless Steel 316	Tube	25	Each
G840S	Separating Jaw Slide	Stainless Steel 316	Tube	31	Each
G840SSP	Separating Jaw Slide with Pin	Stainless Steel 316	Tube	31	Each



Canopy Deck Fittings

- ◆ Canopy Deck Mount fittings for use on stainless steel tubing have been designed specifically for the Marine Cover, Auto & Awning Industries.
- ◆ Produced from either type 316 stainless steel with a mirror polished finish or nylon so that they will not corrode.
- ◆ Ideal for sprayhoods, biminis, cockpits & Sun Deck Awnings.




Part No.	Description	Finish	Fitting Type	UOM
G590	Canopy Slide Track Unit Set	Nylon / SS 316	Deck	Each
G590C	Canopy Slider Unit Only	Nylon / SS 316	Deck	Each
G603	Universal Deck Fitting	Nylon / SS 316	Deck	Each
G605S	Quick Release Deck Mount	Stainless Steel 316	Deck	Each
G607S	Folding Deck Hinge HD	Stainless Steel 316	Deck	Each
G615S	Universal Deck Hinge Complete	Stainless Steel 316	Deck	Each
G615SQP	Universal Deck Hinge Complete	Stainless Steel 316	Deck	Each
G622S	Deck Hinges Flat Base	Stainless Steel 316	Deck	Each
G623S	Deck Hinges Flat Base	Stainless Steel 316	Deck	Each
G624S	Deck Hinges Flat Base	Stainless Steel 316	Deck	Each
G625LAN	Lanyards 155mm for G625pin	Stainless Steel	Accessories	Each
G625PIN	Quick Release Pins	Stainless Steel 316	Accessories	Each
G625S	Deck Hinges Flat Base	Stainless Steel 316	Deck	Each
G625SQP	Deck Hinges Flat Base	Stainless Steel 316	Deck	Each
G626S	Deck Hinges Concave Base	Stainless Steel 316	Deck	Each
G627PIN	Drop Nose Pins	Stainless Steel 316	Accessories	Each
G629S	Side Mount	Stainless Steel 316	Deck	Each
G692S	Universal Flat Deck Hinge	Stainless Steel 316	Deck	Each

Presses & Tube Bending


- ◆ Ringmaster Presses & Tube Benders were developed by Bainbridge International especially for sailmakers & covermakers.
- ◆ Ringmaster presses offer clear access to the working area with all hydraulics removed from risk of contact with the sailcloth; they are simple to use and can be easily moved.

Part No.	Description	Style	UOM
C996/10	Bend Arc Die Only	Tube Bender	Each
C996/12	Bend Arc Die Only	Tube Bender	Each
C996/6	Bend Arc Die Only	Tube Bender	Each
C996/8	Bend Arc Die Only	Tube Bender	Each
C996B	Bend Arc Tube Bender	Tube Bender	Each
C996CLAMP	Bend Arc Clamp Only	Tube Bender	Each
C996ROLLER	Bend Arc Clamp Only	Tube Bender	Each
C998	Crown Arc Tube Bender		Each



Awning & Sprayhood Track

- ◆ Bright polished metal and flexible plastic track used with Bainbridge International awning ropes for easy and compact fittings of covers.
- ◆ For marine and caravan use and permitting quick removal.
- ◆ Various types of track used for awning and sprayhood application.



Part No.	Description	Finish	Length (m)	UOM
D350	Screws S/T Panhead No.4 x 10	Stainless Steel 316	-	Pack 100
D356	Screws 3 x10 Pozi Pan Plastec 45	Stainless Steel 316	-	Pack 100
D370	Pozi Pan Machine Screw A2	Stainless Steel 316	-	Pack 100
D371	Screws SS CSK No.6 x 3/4	Stainless Steel 316	-	Pack 100
G512	Flex-A-Rail Awning Track White	PVC Extrusion	3	Each
G512BK	Flex-A-Rail Awning Track Black	PVC Extrusion	3	Each
G520-8	Aluminium Awning Track	Aluminium	2.4	Each
G513	Plastic Awning P Track White	PVC Extrusion	2.4	Each

Stainless Steel Tubing

- ◆ Mirror polished Type 316 stainless steel tubes used for high quality canvas and framework.
- ◆ Great for machining, welding and fabricating.
- ◆ Sold in 6m lengths only (special shipping and collection only).
- ◆ Cutting service available based on purchasing full lengths only, cutting charge applied.



Part No.	Description	Wall Thickness (mm)	Outside Dia (mm)	Length (m)	UOM
TUB001	Stainless Steel Tube 7/8" OD 316	1.2	22.2	6	Metre
TUB002	Stainless Steel Tube 1" OD 316	1.5	25.4	6	Metre
TUB003	Stainless Steel Tube 1" OD 316	1.2	25.4	6	Metre

Boat Top Fittings

- ◆ Boat Vents and Awning Poles used to help boat cover ventilation
- ◆ Boat Vent 2, used for last two decades adding value to covered boats by venting and tenting, preventing mildew & mould
- ◆ Moulded from the highest UV inhibited plastic
- ◆ NEW Boat Vent 3 features 40% more venting than Boat Vent 2
- ◆ Overhanging top to allow in less moisture Boat Vent 3 has additional teeth for a better grip



Part No.	Description	Finish	Colour	Length (m)	UOM
G048BK	Boat Vent III Black	Nylon	Black	-	Each
G049BK	Rubber Mooring Pole Base	Nylon	Black	-	Each
G050BK	Boat Vent II Black	Nylon	Black	-	Each
G050BU	Boat Vent II Blue	Nylon	Blue	-	Each
G050GY	Boat Vent II Grey	Nylon	Grey	-	Each
G050WT	Boat Vent II White	Nylon	White	-	Each
G057BK	Boat Vent Aero Black	Rubber	Black	-	Each
G057WT	Boat Vent Aero White	Rubber	White	-	Each
G308	Adjustable Support Pole	Aluminium	Silver	1.2 to 2.4	Each
G309	Adjustable Support Pole	Aluminium	Silver	1.8 to 3.6	Each
G371	Adjustable Support Pole	Aluminium	Silver	-	Each
G638	Sunblocker Clip 22mm / 7/8"	Nylon	White	-	Each
G639	Sunblocker Clip 25mm / 1"	Nylon	White	-	Each
G670	Boat Cover Sockets	Chrome	Silver	-	Each
G738	Sunblocker Twin Clip 22mm / 7/8"	Nylon	White	-	Each


Sun Sox

- ◆ SUN SOX offer a simple inexpensive window protector
- ◆ Non-woven spun polyester cover - soft finish with velcro strip closure
- ◆ SUN SOX simply wraps around tubing up to 37mm and secures to itself 1800mm lengths can be cut to match tube size and come in five attractive colours



Part No.	Description	Colour	Roll Length (m)	UOM
LS401BG	Sun Sox Burgundy 1.8m / 6ft	Burgundy	1.8	Pack
LS401BK	Sun Sox Black 1.8m / 6ft	Black	1.8	Pack
LS401BU	Sun Sox Blue 1.8m / 6ft	Blue	1.8	Pack
LS401GY	Sun Sox Grey 1.8m / 6ft	Grey	1.8	Pack
LS401TN	Sun Sox Beige 1.8m / 6ft	Beige	1.8	Pack

Keder Sprayhood Tapes



- ◆ Keder is a durable and reinforced woven polyester tape which easily slides into vinyl or plastic mouldings & tracks for Marine, Automotive and Awning industries.
- ◆ Ideal for sides of tents, awnings, lorry curtains and marine covers.
- ◆ Full rolls only - available in 50, 100 and 300 metre

Part No.	Description	Colour	Diameter (mm)	Roll Length (m)	UOM
L570050	Keder 7.0mm Welded Tongue	White	7.0	50	Metre
L570	Keder 7.0mm Welded Tongue	White	7.0	100	Metre
L575050	Keder 7.5mm Welded Tongue	White	7.5	50	Metre
L575	Keder 7.5mm Welded Tongue	White	7.5	100	Metre
L575300	Keder 7.5mm Welded Tongue	White	7.5	300	Metre
L575BK050	Keder 7.5mm Welded Tongue	Black	7.5	50	Metre
L575BK	Keder 7.5mm Welded Tongue	Black	7.5	100	Metre
L575BK300	Keder 7.5mm Welded Tongue	Black	7.5	300	Metre
L575T	Keder 7.5mm Welded Twin Tongue	White	7.5	100	Metre
L575T300	Keder 7.5mm Welded Twin Tongue	White	7.5	300	Metre
L585050	Keder 8.5mm Welded Tongue	White	8.5	50	Metre
L585	Keder 8.5mm Welded Tongue	White	8.5	100	Metre
L585300	Keder 8.5mm Welded Tongue	White	8.5	300	Metre
L585BK050	Keder 8.5mm Welded Tongue	Black	8.5	50	Metre
L585BK	Keder 8.5mm Welded Tongue	Black	8.5	100	Metre
L585BK300	Keder 8.5mm Welded Tongue	Black	8.5	300	Metre

Extreme Seals

- ◆ This is a new and fully functional spray welt manufactured from extruded foam rubber and is well suited for almost all applications where a tight, waterproof seal is required when a panel or enclosure is clamped into place.
- ◆ P-Section design ensures maximum efficiency.
- ◆ Durable extruded foam rubber composition.
- ◆ Hi-tack adhesive with release paper on rear.
- ◆ This product is ideal weather strip for sealing: enclosures, dodgers, covers etc.
- ◆ A must for bow corner and radar arches anywhere a water problem may occur.



Part No.	Description	Colour	Diameter (mm)	Roll Length (m)	UOM
L705BKA	Spray Welt w/Adhesive	Black	34	75	Metre
L710BK	Xtreme Seal Black	Black	44	15	Metre
L710WT	Xtreme Seal White	White	44	15	Metre



DOT Common Sense Turn Button Fasteners

- ◆ Traditional fastenings for Boat, Marine Covers and Canvas work.
- ◆ These positive locking fasteners never open accidentally.
- ◆ Each is assembled with a spring mechanism that holds the fastener under tension.
- ◆ Combines secure fastenings with ease of use.
- ◆ Dependable even in the most difficult environments
- ◆ Common Sense can be used on hard and soft surfaces



Part No.	Description	Finish	Pack Qty
G100	Single Stud 2 Screw Base	Nickel Plated Brass	Pack 100
G101	Double Stud 2 Screw Base	Nickel Plated Brass	Pack 100
G101FW	Flexiwasher For G100/G101	Nickel Plated Brass	Pack 100
G103	Single Stud 2 Prong	Nickel Plated Brass	Pack 100
G103A	Single Stud 2 Prong	Nickel Plated Brass	Pack 100
G103BP	2 Prong Clinch Plates For Stud	Nickel Plated Brass	Pack 100
G104	Eyelet Regular Prongs	Nickel Plated Brass	Pack 100
G104A	Eyelet Regular Prongs	Nickel Plated Brass	Pack 100
G104BP	Cinch Plates with no slots Only	Nickel Plated Brass	Pack 100
G105	Eyelet with long prongs	Nickel Plated Brass	Pack 100
G105A	Eyelets Long Prongs	Nickel Plated Brass	Pack 100
G105FW	Plastic Flexiwasher for Eyelet	Plastic	Pack 100
G105MW	Cinch Plates with 4-Prong slots Only	Nickel Plated Brass	Pack 100
G106	Single Stud Brass Screw 15mm	Nickel Plated Brass	Pack 100
G108	Single Stud Rivet Base	Nickel Plated Brass	Pack 100
G108BP	Backplate for Rivet Base	Nickel Plated Brass	Pack 100

Turnbutton Fasteners – Cutter & Setting Tool

- ◆ For best results use a rawhide mallet or Maul Master.
- ◆ C950 for male fitting to fabric.

Part No.	Use With	UOM
C950	G102, G103 & G119 Fasteners	Each
C951	G104 & G105 Fasteners	Each



Lift-The-DOT Fasteners

- ◆ Traditional fastenings for boat, marine covers and canvas work.
- ◆ Wide range of fixings to suit virtually any applications a cover maker requires.
- ◆ Combines secure fastening with ease of use.
- ◆ Strong and heavy duty fasteners lock on 3 sides.
- ◆ Opened by lifting where the DOT is shown.



Part No.	Description	Finish	UOM
G110	Lift-The-DOT Fasteners Stud - With 2 Screw Base	Nickel Plated Brass	Pack 100
G113	Lift-The-DOT Fasteners Stud - With Machine Screw	Nickel Plated Brass	Pack 100
G115S	Lift-The-DOT Fasteners Stud - With 10mm S/S Screw	Nickel / SS 316	Pack 100
G116S	Lift-The-DOT Fasteners Stud - With 15mm S/S Screw	Nickel / SS 316	Pack 100
G118	Lift-The-DOT Fasteners Stud - Windshield Clip 7/8	Nickel Plated Brass	Pack 100
G119	Lift-The-DOT Fastener Set - Single Stud with 2 Prongs	Nickel Plated Brass	Pack 100
G119A	Lift-The-DOT Fasteners - Stud with 2 Prongs	Nickel Plated Brass	Pack 100
G119BP	2 Prong Clinch Plate	Nickel Plated Brass	Pack 100
G119FW	Plastic Flexiwasher for Eyelet	Plastic	Pack 100
G120	Rivet Stud	Nickel Plated Brass	Pack 100
G130	Lift-The-DOT Fastener Set - Regular Socket	Nickel Plated Brass	Pack 100
G130A	Lift-The-DOT Fasteners - 4 Prong Eyelets Only	Nickel Plated Brass	Pack 100
G130BP	Lift-The-DOT Fasteners - 4 Prong Clinch Plate Only	Nickel Plated Brass	Pack 100
G130LP	Lift-The-DOT Fasteners 4 Long Prong Socket Only	Nickel Plated Brass	Pack 100

Lift-the-Dot Fasteners – Cutter & Setting Tool

- ◆ For best results use a rawhide mallet or Maul Master.
- ◆ Hex head nut driver suits male fastener to deck

Part No.	Use With	UOM
C952	G113, G115 & G116 Fasteners	Each
C953	G130 Lift-The-Dot Fasteners	Each



DOT Button Snap Fasteners

- ◆ When superior snap action and holding strength is needed.
- ◆ DOT button snaps are the fastener to use.
- ◆ Snap fastener's heavy duty construction assures a firm grip that will remain secure through years of use.



Part No.	Description	Finish / Colour	Style / Type	UOM
G140	Nickel 5mm Barrel	Nickel Plated Brass	Button	Pack 100
G140BK	Nickel 5mm Barrel	Black	Button	Pack 100
G140BU	Nickel 5mm Barrel	Blue	Button	Pack 100
G140NV	Nickel 5mm Barrel	Navy	Button	Pack 100
G140SS	S/Steel 4.8mm Barrel	Stainless Steel	Button	Pack 100
G140WT	Nickel 5mm Barrel	White	Button	Pack 100
G141	Nickel 6.5mm Barrel	Nickel Plated Brass	Button	Pack 100
G141SS	S/Steel 6.5mm Barrel	Stainless Steel	Button	Pack 100
G142	Regular Action Sockets	Nickel Plated Brass	Socket	Pack 100
G142SS	Regular Action Sockets	Stainless Steel	Socket	Pack 100
G143	Stud for Eyelet	Nickel Plated Brass	Stud	Pack 100
G143SS	Stud for Eyelet	Stainless Steel	Stud	Pack 100
G144	Deep Stud	Nickel Plated Brass	Deep Stud	Pack 100
G145	6.5mm Barrel	Nickel Plated Brass	Post	Pack 100
G145SS	6.5mm Barrel	Stainless Steel	Post	Pack 100
G146	8mm Barrel	Nickel Plated Brass	Post	Pack 100
C959	Twin Setting Bench Die	Chrome	Tool	Each



Part No.	Description	Finish / Colour	Style / Type	UOM
G147	DOT Button Snap Eyelet	Nickel Plated Brass	10mm Post	Pack 100
G151	DOT Button Snap Studs	Nickel Plated Brass	10mm Screw Stud	Pack 100
G151SS	DOT Button Snap Studs	Stainless Steel	10mm Screw Stud	Pack 100
G152	DOT Button Snap Studs	Nickel Plated Brass	16mm Screw Stud	Pack 100
G1520S	DOT Button Snap Studs	Stainless Steel	16mm Screw Stud	Pack 100
G153	DOT Button Snap Studs	Nickel Plated Brass	9.5mm Machine Screw	Pack 100
G154	DOT Button Snap Studs	Stainless steel	15.9mm Machine Screw	Pack 100
G155	DOT Button Snap Fasteners	Nickel Plated Brass	Stiff Socket	Pack 100
G156	3/4 windshield clip	Nickel Plated Brass	Stud	Pack 100
G157	7/8 windshield clip	Nickel Plated Brass	Stud	Pack 100
G171	Self Drilling SS Screw 12mm	Nickel / SS 316	Stud	Pack 100
G171FW	Plastic Flexi Washer	Nickel Plated Brass	-	Pack 100
G175	Self Drilling SS Screw 20mm	Nickel / SS 316	Stud	Pack 100
G182	Flangeless Stud	Nickel Plated Brass	Stud	Pack 100
G340BD	DOT Baby Durable Button Snap Fasteners	Nickel Plated Brass	Button	Pack 100
G342BD	DOT Baby Durable Button Snap Fasteners	Nickel Plated Brass	Socket	Pack 100
G343BD	DOT Baby Durable Button Snap Fasteners	Nickel Plated Brass	Stud	Pack 100
G345BD	DOT Baby Durable Button Snap Fasteners	Nickel Plated Brass	Post	Pack 100

Button Snap Fasteners – Closing Tools

- ◆ Select the Press-N-Snap Tool (C360),
- ◆ Setting Punch (C954) to close Button Snap Fasteners (G140-G147).



Part No.	Description	Finish	Colour	UOM
C360	Press-N-Snap Tool	Alloy Cast	Alloy	Each
C361BKW	Spare Black O Ring for Press-N-Snap Tool C360	Rubber	Black	Each
C361GYW	Spare Washer for Press-N-Snap Tool C360	Rubber	Grey	Each
C954	Setting Punch	C954		Each
C955	Setting Die for C954 Punch	Steel		Each
C956	Setting Die for C954 Punch	Steel		Each



LOXX Fasteners



- ◆ A secure fastening solution that is lockable, easily detachable and prevents accidental opening.
- ◆ One-handed operation in one direction only, for fast assembly
- ◆ Easy to use, especially tear-proof, leak-proof and rust-proof
- ◆ 3-year guarantee, resists tensile forces over 1000 N, rounded surfaces
- ◆ Wide range of designs and finishes, including individual laser engraving, painting or printing
- ◆ Made in Germany

Other styles and colours available as special order. Minimum order quantity may apply.



Part No.	Finish	Style	Type	UOM
L00220279098	Brass/Black Chrome Plated	M5 x 10mm	Stud	Each
L00511579098	Brass/Black Chrome Plated	Smooth Head	Upper	Each
L00514011000	Chrome Plated	Big Head	Upper	Each
L00514005000	Nickel Plated	Big Head	Upper	Each
L00886502098	Stainless Steel	Big Head	Upper	Each
L09512105000	Nickel Plated	Fabric Base	Base	Each

Holdon Clips

- ◆ Injection moulded nylon sew through plastic hooks and eyes.
- ◆ Can be used alone, or together with lacing and shockcord.
- ◆ Allows quick and easy attachment on dodgers to guard rails, sailcover, marques, tents and awning structures.



Part No.	Colour	Style	UOM
A160WT	White	Midi	Each
A161WT	White	Mini	Each

Permalock Fasteners

- ◆ All manufactured from Dupont non-corrosive, UV stabilised 'Zytel'.
- ◆ Can be sewn or attached in place with flathead screws or rivets.
- ◆ Recommend 2 x G145 / G147 eyelets as alternative to use standard rivets.



Part No.	Description	Colour	UOM
G160ABK	Permalock Fasteners Black	Black	Each
G160AWT	Permalock Fasteners White	White	Each
G160BK	Permalock Fasteners Black	Black	Each
G160WT	Permalock Fasteners White	White	Each
G161BK	Permalock Fasteners Black	Black	Each
G161WT	Permalock Fasteners White	White	Each
C140	Permalock Cutter	Stainless	Each

YKK SNAD Fasteners



- ◆ Unlike traditional metal trims, SNAD® is a plastic adhesive snap component.
- ◆ This product will not snag clothing or deteriorate from exposure to sunlight, sand, or dirt
- ◆ Plus, walking on SNAD® is pain free due to its unique dome shape
- ◆ Installation is simple, clean the surface where the snap is to be applied, peel off the protective paper backing, position and firmly hold the snap in place and release.
- ◆ No tools, no waiting, no splits, no holes!



Part No.	Description	Colour	Size (mm)	Type	UOM
G190BK	YKK® SNAD® Stud	Black	40	Stud	Each
G190WT	YKK® SNAD® Stud	White	40	Stud	Each
G191BK	YKK® SNAD® Socket	Black	40	Socket	Each
G191WT	YKK® SNAD® Socket	White	40	Socket	Each
G192BK	YKK® SNAD® Stud	Black	25	Stud	Each
G192WT	YKK® SNAD® Stud	White	25	Stud	Each
G194BK	YKK® SNAD® Stud	Black	25	Stud	Each
G194WT	YKK® SNAD® Stud	White	25	Stud	Each
G195CL	YKK® SNAD® Stud	Clear	40	Stud	Each
G195WT	YKK® SNAD® Stud	White	40	Stud	Each
G196CL	YKK® SNAD® Stud	Clear	25	Stud	Each

Awning Hooks & Eyes

- ◆ Injection moulded nylon sew through plastic hooks and eyes.
- ◆ Can be used alone, or together with lacing and shockcord.
- ◆ Allows quick and easy attachment on dodgers to guard rails, sailcover, marques, tents and awning structures.



Part No.	Description	Colour	Cord Dia (mm)	Finish	Pack Qty
G045BK	Lacing Buttons 13mm Black	Black	5	Nylon	Pack 100
G045WT	Lacing Buttons 9mm White	White	5	Nylon	Pack 100
G046BK	Stayput Lacing Buttons	Black	-	Nylon	Each
G046WT	Stayput Lacing Buttons	White	-	Nylon	Each
G052BK	Vadney Clip - Black	Black	-	Nylon	Each
G055BK	Lacing Buttons 18mm Black	Black	-	Nylon	Pack 50
G055WT	Lacing Buttons 18mm White	White	-	Nylon	Pack 50
G0600A	Lacing Buttons	Silver	-	Stainless Steel	Each
G203S	Eye Straps Stainless Steel	Silver	-	Stainless Steel	Each

Hardware

Contents:

Battens:

- Pultruded Flat
- Pultruded Rod
- Pultruded Vinylester
- Pultruded Sailman

Batten Fixings:

- Batten Connectors

Sail Hardware:

- Clewboards

Tapes & Ropes:

- Ropes & Cord
- Leechline
- Shockcord
- Southern Ropes

Rings & Grommets:

- Pressed Ring System
- English Grommets
- Stimpson Grommets
- Hipkiss Grommets
- Stainless Steel Rings

Webbing:

- Polypropylene Webbing
- Polyester Webbing
- Speciality Webbing
- Webbing Accessories

Seaming Tapes:

- Seaming Tape
- Seam Bonding Tape

Zips:

- YKK® Zips

Hook & Loop:


- 'Catchy' Bainbridge
- Velcro®

Thread:

- SunStop 'Anti-Wick' Threads
- PTFE SolarFix Thread
- Serafil Thread
- Hand Sewing Thread & Whipping Twine

Pultruded Flat Battens

- ◆ These low cost, quality pultrusions are tough and durable
- ◆ 30CT styles offer logical increases in stiffness and compliment the Sailman battens range
- ◆ Allows consistent use of batten pocket and luff box
- ◆ 16HCP is used by most of the new skiff type dinghy classes
- ◆ Only available in full lengths except:
30CT031R | 30CT044R | 30CT052R are sold in 30m reels



Part No.	Dia. (mm)	Length (m)	EI (NM ²)	Weight (g/m)	Colour
15CT	15 x 3.0	6	1.2	60	White
15CTST	15 x 4.0	6	1.7	84	Blue
16HCP	16 x 6.0	6	9.4	108	White
30CT024	30 x 2.0	6	1.1	145	Grey
30CT031	30 x 3.0	6	2.3	188	Grey
30CT031R	30 x 3.0	30	2.3	188	Grey
30CT044	30 x 4.0	6	7.1	266	Grey
30CT044R	30 x 4.0	30	7.1	266	Grey
30CT052	30 x 5.0	6	12.7	215	Grey
30CT052R	30 x 5.0	30	12.7	315	Grey
40CT	38 x 3.0	6	2.8	192	White
40CTST	28 x 5.0	6	12.9	292	Blue



Pultruded Rod Battens

- ◆ Outstanding stiffness to weight combined with low cost make round section pultrusions an excellent choice for full batten applications
- ◆ Considerably better stiffness/weight ratio than flat battens
- ◆ Longer lengths are available against special order



Part No.	Dimensions (mm)	Length (m)	EI (NM ²)	Weight (g/m)	Colour
06R	6	6	3.3	52	White
06R30	6	30	3.3	52	White
06R30BK	6	30	3.3	52	Black
06RBK	6	6	3.3	52	Black
08R	8	6	11.2	88	White
08R30	8	30	10.6	88	White
10R	10	6	25.8	144	White
10R30	10	30	25.8	144	White
12R	12	6	53.6	211	White
14R	14	6	99.2	286	White
16R	16	6	169	364	White
20R	20	6	413	560	White

Batten Connectors **NEW**



- ◆ Manufactured in 316 stainless steel
- ◆ Available in 8,10,12,14,16 and 20mm ID
- ◆ Compatible with ALL Bainbridge pultruded rod batten stock
- ◆ Simple mechanical fix to link battens
- ◆ Same size screw throughout range enables a 'tapered' Rod batten
- ◆ Genuine Bainbridge UK manufactured item
- ◆ EXCLUSIVE to Bainbridge
- ◆ Fix the batten to connector with J43* tapes or glue



Part No.	Dimensions (mm)	Material	Pack Qty
BC08S	8	Stainless Steel	Each
BC10S	10	Stainless Steel	Each
BC12S	12	Stainless Steel	Each
BC14S	14	Stainless Steel	Each
BC16S	16	Stainless Steel	Each
BC20S	20	Stainless Steel	Each

Pultruded Vinylester Battens

- ◆ High quality Vinylester construction
- ◆ Progressive range of stiffness
- ◆ Ideal for full length battens Bridgedeck catamarans, bluewater cruiser for example
- ◆ Only available in full lengths





Part No.	Dimensions (mm)	Length (m)	EI (NM ²)	Weight (g/m)	Colour
20CV062	20 x 6	12	12.3	212	Grey
20CV080	20 x 8	12	26.5	273	Grey
20CV107	20 x 11	12	63.3	376	Grey
20CV125	20 x 12	12	101	441	Grey



Pultruded Sailman Batten

- ◆ High quality vinylester pultrusions delivering ultimate tenacity for demanding full batten applications
- ◆ Profile shape resists 'snaking', whilst offering weight saving aloft
- ◆ They feature a logical and progressive range of stiffness
- ◆ All in a common 30mm width



Part No.	Dimensions (mm)	Length (m)	EI (NM ²)	Weight (g/m)	Colour
U30063	30 x 6.3	12	23.3	293	Grey
U30076	30 x 7.6	12	40.4	382	Grey
U30102	30 x 10.2	12	101.6	530	Grey
U30114	30 x 11.4	12	136.8	618	Grey
U30127	30 x 12.7	12	199.3	704	Grey






sailmanX Clewboards

These new Clewboards are strong and easy to fit and are suitable for a large range of yachts.

With the increasing popularity of self-tacking jibs they are able to cope with the increased loads created by modern yachts. Made in marine grade aluminium with a hard anodised finish, the use of stainless steel liners allows faster installation. Boards are available in various thicknesses to cover the high loading conditions of these sails.


- New 'Strong Arc' shape – stronger and allows integrated fit and appearance to the sail
- Filleted external edges – on both face and back of plate
- Marine grade alloy – 5083 BS EN 573 3.2009 – highly resistant to sea water
- Designed to fit standard D039S/D039N liners
- The liners complete the assembly making these fast, simple and easy to fit
- Quick fitting thanks to pilot holes for temporary pins - no slipping, forcing or reworking
- No riveting required
- For larger sails clewboards can be layered
- Can be also used in shade sail production



SMALL

- Aluminium with hard anodised finish
- Colour: Anthracite Grey


Part #:	CBA812GY	CBA813GY
Material:	5083	5083
Plate:	2mm	3mm
Length:	201mm	201mm
Width:	42mm	42mm
Weight:	40g	60g
Luff:	13m	15m
Area:	32m ²	38m ²
LOA:	30ft	37.5ft
SWL:	856kg	1,200kg



MEDIUM

- Aluminium with hard anodised finish
- Colour: Anthracite Grey


Part #:	CBA833GY	CBA834GY
Material:	5083	5083
Plate:	3mm	4mm
Length:	306mm	306mm
Width:	71mm	71mm
Weight:	140g	186g
Luff:	18m	23m
Area:	55m ²	89m ²
LOA:	45ft	56ft
SWL:	1,748kg	2,500kg



LARGE

- Aluminium with hard anodised finish
- Colour: Anthracite Grey

Part #:	CBA853GY	CBA854GY
Material:	5083	5083
Plate:	3mm	4mm
Length:	396mm	396mm
Width:	79mm	79mm
Weight:	247g	330g
Luff:	21m	25m
Area:	74m ²	105m ²
LOA:	52ft	62.5ft
SWL:	1,923kg	2,850kg



Weight is for one plate without liners. SWL given is for installed pair.

Customer colours available subject to minimum order quantities – please contact Bainbridge for details.

Polynite Boltropes

- ◆ Low stretch, low shrink polypropylene construction
- ◆ Hard construction for excellent shape retention
- ◆ Available only on full reels



Part No.	Diameter (mm)	Reel Length (m)	UOM
E392	6	200	Metre
E393	7	200	Metre
E394	8	200	Metre

Boltropes

- ◆ Use as mainsail boltrope where medium stretch and excellent return is required
- ◆ Available only on full reels



Part No.	Diameter (mm)	Reel Length (m)	UOM
E401	6	200	Metre
E403	8	200	Metre
E405	10	200	Metre
E407	12	200	Metre
E441	7	200	Metre
E443	9	200	Metre

Hard Braid Luffline

- ◆ Material: Polyester
- ◆ Construction: Braid on braid
- ◆ Hard Braid luffline
- ◆ Hard section lufflines designed for maintaining their cross sectional shape in luff tapes to facilitate smooth hoisting and lowering of the sail
- ◆ Use for headsail luff tape and mainsail bolt rope
- ◆ Available only in white on full reels



Part No.	Diameter (mm)	Reel Length (m)	Type	UOM
E451	4	100	Metric	Metre
E452	5	100	Metric	Metre
E453	6	100	Metric	Metre
E454	7	100	Metric	Metre
E455	8	100	Metric	Metre

Plastic Piping Cord

- ◆ Plastic cord for piping spray hood.
- ◆ Vinyl rope
- ◆ Ideal for repair kit



Part No.	Thickness (mm)	Reel Length (m)	UOM
E491	4	305	Metre
E492	5	305	Metre
E493	6	305	Metre
E494	7	305	Metre

Extruded Vinyl Rope

- ◆ Manufactured to metric sizes for European designed systems.
- ◆ Maintains dimensional stability.
- ◆ Use for economy headsail luff tape.



Part No.	Diameter (mm)	Reel Length (m)	UOM
E491R	4	200	Metre
E492R	5	100	Metre
E493R	6	100	Metre
E494R	7	100	Metre
E495R	8		Metre

Soft Shackles

- ◆ Made out of HMPE
- ◆ Will not rust or corrode
- ◆ Light and easy to handle
- ◆ Will not damage soft surfaces around it
- ◆ No tools needed to use it
- ◆ Versatile
- ◆ Comes in 4 sizes

NEW



Part No.	Description	Dimensions (mm)	Pack Qty
SRSSH03G	Grey Soft Shackle HMPE	3 x 40	Pack 2
SRSSH04G	Grey Soft Shackle HMPE	4 x 55	Pack 2
SRSSH05G	Grey Soft Shackle HMPE	5 x 75	Pack 2
SRSSH06G	Grey Soft Shackle HMPE	6 x 90	Pack 2

Technora Aramid Leech Line

- ◆ Very low stretch
- ◆ Improved flex life compared to most aramid ropes.
- ◆ Polyester outer protects Technora core.
- ◆ Only available on full reels.



Part No.	Diameter (mm)	Reel Length (m)	Breaking Load (DAN)	UOM
E345	1.7	500	100	Metre
E347	3	330	370	Metre

Coated Dyneema Leech Line

- ◆ GP90 Coated Dyneema® Fibre
- ◆ 100% Dyneema® Fibre construction with polyurethane coating
- ◆ Very low stretch and no water absorption
- ◆ Only available on full reels



Part No.	Diameter (mm)	Reel Length (m)	Breaking Load (DAN)	UOM
E361	3	200	710	Metre
E362	4	250	1300	Metre

Braided Leechline

- ◆ Economy line for leechline, drawcord and general applications. Only available in full reels.



Part No.	Diameter (mm)	Reel Length (m)	UOM
E432	2	200	Reel
E434	3	200	Reel
E435	4	100	Reel



Bainbridge Shockcord

- ◆ Elasticated shockcord in a range of diameters and colours
- ◆ For tensioning, positioning and retrieving
- ◆ Supplied only on full reels



Part No.	Diameter (mm)	Reel Length (m)	Colour	UOM
RSESC03WRD	3	250	White / Red	Metre
RSESC04WRD	4	200	White / Red	Metre
RSESC05WRD	5	100	White / Red	Metre
RSESC06WRD	6	100	White / Red	Metre
RSESC08WRD	8	-	White / Red	Metre

HMPE Shockcord

- ◆ Primarily designed for securing objects that need stretching, the HMPE makes the cover harder wearing and stronger
- ◆ 100% stretch
- ◆ Excellent recovery from stretch
- ◆ Soft hand
- ◆ High tenacity and abrasion resistance
- ◆ High resistivity to UV
- ◆ High strength



Part No.	Dimensions (mm)	Colour	Pack Qty
SRSCS04BK	4	Black / White Fleck	
SRSCS04BL	4	Blue / White Fleck	
SRSCS05BK	5	Black	
SRSCS05BK/OR	5	Orange / Black Fleck	
SRSCS05BL	5	Blue	

Shockcord Fittings

- ◆ A range of Shockcord hooks, clamps and accessories.



Part No.	Cord / Wire Size (mm)	Length (mm)	Pack Qty
A101	3 - 6	36	Each
A102	8 - 10	63	Each
A105	6.3	-	Each
A140	6	45	Each
A141	8	73	Each
B449	3 - 5	-	Pack 100
B450	6	-	Pack 100
B451	8	-	Pack 100
B452	10	-	Pack 100
B453			Pack 100
B461	6	-	Each
B462	8	-	Each
B463	3.2	31	Each
B464	4.8	44	Each
G040BK	-	86	50
G040WT	-	86	50

Shockcord Tools

- ◆ Shockcord clamp closing pliers for all sizes.



Part No.	Use with	UOM
C449	B449 - B453	Each

Stainless Steel Thimbles

- ◆ Solid thimbles are manufactured from heavy gauge type 316 stainless steel
- ◆ Chemically cleaned and/or electro-polished
- ◆ Minimum distortion, maximum strength
- ◆ Long lasting appearance



Part No.	External Length (mm)	Inside Dia. (mm)	Style	Pack Qty
B133	24	10	Split	Each
B134	26	12	Split	Each
B135	32	14	Split	Each
B153	28	12	Solid	10
B154	33	15	Solid	10
B155	36	18	Solid	10
B156	48	20	Solid	10
B158	56	24	Solid	10

Nicopress Sleeves - Tools

- ◆ The finest and most accurate hand-closing tools for Nicopress Sleeves.



Part No.	Length (mm)	Type	Use With	UOM
C962N	51	64CgMP	B544N-B546N	Each

Cable / Wire Cutters

- ◆ Precision cable cutters by Felco.
- ◆ Swiss made.
- ◆ Designed to cut wire rope.
- ◆ Max cable 5mm.
- ◆ Not suitable for cutting chain.



Part No.	Max Cutting Size (mm)	UOM
C970	5	Each

Nicopress Sleeves

- ◆ Zinc plated copper sleeves / ferrules
- ◆ Manufactured to imperial sizes
- ◆ Use closing tool C962N



Part No.	Description	Wire Size (mm)	Pack Qty
B542N	Nicopress Sleeves - Zinc Plated Copper	2	100
B543N	Nicopress Sleeves - Zinc Plated Copper	2.5	100
B544N	Nicopress Sleeves - Zinc Plated Copper	3	100
B545N	Nicopress Sleeves - Zinc Plated Copper	4	100
B546N	Nicopress Sleeves - Zinc Plated Copper	4.5	100

Copper Sleeves

- ◆ Plain copper sleeves / ferrules
- ◆ Manufactured to imperial sizes
- ◆ Closing tools available



Part No.	Description	Wire Size (mm)	Pack Qty
B540	Copper Sleeves	2	100
B541	Copper Sleeves	2.5	100
B542	Copper Sleeves	3	100
B543	Copper Sleeves	3.5	100
B544	Copper Sleeves	4	100
B546	Copper Sleeves	5	100
B547	Copper Sleeves	6	100
B549	Copper Sleeves	8	100

12-Strand Polyester

- ◆ Strength not affected by water
- ◆ Does not shrink
- ◆ UV resistant
- ◆ Abrasion resistant
- ◆ Sinking rope
- ◆ HT polyester
- ◆ Ideal for lazy jack lines



Part No.	Diameter (mm)	Colour	UOM
SR200PS1203G	3	Grey	
SR200PS1204G	4	Grey	
SR200PS1205G	5	Grey	
SR200PS1206G	6	Grey	

3-Strand Polyester

- ◆ BS EN 697:1995 approved
- ◆ Strength not affected by water
- ◆ Does not shrink
- ◆ Good UV and abrasion resistance
- ◆ Used for anchor lines, mooring lines, fender lines and towing lines



Part No.	Diameter (mm)	Colour	UOM
SR100PS310W	10	White	Reel 100m
SR100PS312W	12	White	Reel 100m
SR100PS306W	6	White	Reel 100m
SR100PS308W	8	White	Reel 100m

Polylock

- ◆ Low creep
- ◆ Abrasion resistant
- ◆ Used for halyards, sheets, control lines, kickers, and leechlines
- ◆ Core: 8 plait polyester
- ◆ Cover: 8 plait polyester
- ◆ Construction: Braid on braid



Part No.	Diameter (mm)	Colour	UOM
SR200PL03W	3	White / Black Fleck	Reel 200m
SR200PL04W	4	White / Black Fleck	Reel 200m
SR200PL05W	5	White / Black Fleck	Reel 200m

Burgee Cord

- ◆ Rigid Construction
- ◆ Low Creep
- ◆ Abrasion and UV resistant
- ◆ Use for flag halyards, mouse lines, boat cover ties and nets
- ◆ Parallel strands of polyester
- ◆ Cover: Braided polyester



Part No.	Diameter (mm)	Breaking Load (kg)	Colour	UOM
SR300BC03BK	3	-	Black	Reel 300m
SR300BC03GR	3	-	Grey	Reel 300m
SR300BC03W	3	300	White	Reel 300m
SR200BC04BK	4	-	Black	Reel 200m
SR200BC04W	4	480	White	Reel 200m
SR200BC05W	5	-	White	Reel 200m

Shockcord

- ◆ Minimum of 100% stretch
- ◆ Excellent recovery from stretch
- ◆ Used for securing objects, tie downs and nets
- ◆ Core: Rubber
- ◆ Cover: Polyester
- ◆ Construction: Braid over parallel core



Part No.	Diameter (mm)	Colour	UOM
SR100SC03BK	3	Black	Reel 100m
SR100SC03B	3	Blue	Reel 100m
SR100SC03W	3	White	Reel 100m
SR100SC04BK	4	Black	Reel 100m
SR100SC04B	4	Blue	Reel 100m
SR100SC04W	4	White	Reel 100m
SR100SC05BK	5	Black	Reel 100m
SR100SC05B	5	Blue	Reel 100m
SR100SC05W	5	White	Reel 100m
SR100SC06BK	6	Black	Reel 100m
SR100SC06B	6	Blue	Reel 100m
SR100SC06W	6	White	Reel 100m
SR50SC08W	8	White / Black Fleck	Reel 50m

Super 12

- ◆ Safer than wire
- ◆ Floats and is hydrophobic
- ◆ Low creep
- ◆ Easy to splice
- ◆ Highly resistant to UV and most chemicals
- ◆ Used for lashing, purchase systems, strops, control lines, towing lines, and leechlines
- ◆ Core: 12 Strand UHMWPE yarn that is heat set
- ◆ Cover: None



Part No.	Dia. (mm)	Break-ing Load (kg)	Col-our	UOM
SR100SUP1202G	2	880	Grey	Reel 100m
SR100SUP1203G	3	1300	Grey	Reel 100m
SR100SUP1204G	4	2220	Grey	Reel 100m
SR100SUP1205G	5	3100	Grey	Reel 100m
SR100SUP1206G	6	3900	Grey	Reel 100m
SR100SUP12015G	1.5	-	Grey	Reel 100m

Super Braid

- ◆ Lightweight
- ◆ Low creep
- ◆ UV resistant core
- ◆ Polyester sheath prevents block and jammer slippage
- ◆ Used for halyards, sheets, control lines, runner tails and reefing lines
- ◆ Core: Coated 12 strand UHMWPE yarn
- ◆ Cover: Polyester
- ◆ Construction: Braid on braid



Part No.	Diameter (mm)	Colour	Pack Qty
SR200SUPSB04GR	4	Grey	Reel 200m
SR200SUPSB04W	4	White	Reel 200m
SR200SUPSB05GR	5	Grey	Reel 200m
SR200SUPSB05W	5	White	Reel 200m
SR200SUPSB06GR	6	Grey	Reel 200m
SR200SUPSB06W	6	White	Reel 200m

Super Speed

- ◆ Low creep
- ◆ UV resistant core
- ◆ Polyester sheath prevents block and jammer slippage
- ◆ Good for cruising yachts
- ◆ Used for halyards, sheets, control lines, runner tails and reefing lines
- ◆ Core: 12 strand single braid UHMwPE lightly treated yarn
- ◆ Cover: Polyester
- ◆ Construction: Braid on braid



Part No.	Diameter (mm)	Breaking Load (kg)	Colour	UOM
SR200SPB02W	2	-	White	Reel 200m
SR200SPB03W	3	-	White	Reel 200m
SR100SPB04BK	4	600	Black	Reel 100m
SR100SPB04B	4	600	Blue	Reel 100m
SR100SPB04W	4	600	White	Reel 100m
SR100SPB05W	5	-	White	Reel 100m
SR200SPB06W	6	-	White	Reel 100m
SR100SPB08W	8	3000	White	Reel 100m

Titan Braid

- ◆ Cover: UHMwPE
- ◆ Abrasion and UV resistant
- ◆ Low friction
- ◆ Ultra-low stretch
- ◆ Low creep
- ◆ Used for keel boat leech lines, control lines, sheets, halyards and out / downhauls
- ◆ Core: Braided polyester
- ◆ Construction: Braid on braid



Part No.	Diameter (mm)	Colour	UOM
SR300T015W	1.5	White	Reel 300m
SR100T03W	3	White	Reel 100m
SR200T04W	4	White	Reel 200m
SR200T05W	5	White	Reel 200m

Super 12 Whipping Twine

NEW

- ◆ Unique HMPE Wax Whipping Twine
- ◆ Extremely high strength-to-weight ratio
- ◆ Low creep
- ◆ Very high resistance to UV and most chemicals
- ◆ Used for whipping the end of rope
- ◆ Material: Heat-set braid or waxed braided
- ◆ Construction: 12 strand single braid



Part No.	Diameter (mm)	Colour	UOM
SR100WWT05	0.5	-	Reel 100m
SR100WWT05W	0.5	White	Reel 100m
SR25WWT15	1.5	-	Reel 25m
SR25MWWT15W	1.5	White	Reel 25m
SR30WWT10	1	-	Reel 30m
SR35MWWT10W	1	White	Reel 35m

Inox Pressed Rings

- ◆ Manufactured from Type 316 stainless steel, and injection moulded nylon.
- ◆ Range of colours to permit the use of house colours and sail identification.



Part No.	Set Hole Diameter (mm)	Colour	UOM
D208B	10	Black	Each
D208N	10	Blue	Each
D207B	12	Black	Each
D207N	12	Blue	Each
D207R	12	Red	Each
D209B	15	Black	Each
D209N	15	Blue	Each
D209R	15	Red	Each
D210B	20	Black	Each
D210N	20	Blue	Each
D210R	20	Red	Each
D211B	25	Black	Each
D211N	25	Blue	Each
D211R	25	Red	Each
D212B	30	Black	Each
D212N	30	Blue	Each
D213B	35	Black	Each
D214B	40	Black	Each

Liners Only

- ◆ Liners are passivated to reduce risk of staining.
- ◆ Liners are seamless for maximum strength.



Part No.	Set Hole Diameter (mm)	Colour	UOM
D207A	12	Stainless Steel	Each
D208A	10	Stainless Steel	Each
D209A	15	Stainless Steel	Each
D210A	20	Stainless Steel	Each
D211A	25	Stainless Steel	Each
D212A	30	Stainless Steel	Each
D213A	35	Stainless Steel	Each
D214A	40	Stainless Steel	Each

Inox Pressed Rings – Closing Tools

- ◆ These tools are suitable for most presses.
- ◆ All except C408 can be used with Enerpac-Nautilus pull down presses by removing the centre post.



Part No.	To be Used With	UOM
C407	D207	Each
C408	D208	Each
C409	D209	Each
C410	D210	Each
C411	D211	Each
C412	D212	Each
C413	D213	Each
C414	D214	Each

Inox Outhaul Attachments

- ◆ Type 316 Stainless steel strap provides ultra-high strength attachment to inox rings
- ◆ Minimum offset permits ring to be very low in the sail.
- ◆ Low friction injection moulded slide with encapsulated bail.
- ◆ 'C' products feature reduced bail thickness of 2mm for use in modern dinghy booms with very narrow groove opening.



Part No.	Set Hole Diameter (mm)	To be Used With	UOM
B2075	7.9	D207	Each
B2075C	7.9	D207	Each
B2076	9.3	D207	Each
B2095	7.9	D209	Each
B2095C	7.9	D209	Each
B2096	9.3	D209	Each
B2106	9.3	D210	Each
B2108	12	D210	Each

Inox Rings - Setting Guide

- ◆ Inox Rings should always be set on the correct tools.
- ◆ Damage to the dies can be caused by excessive pressure.
- ◆ Always start with the pressure valve at zero to the desired pressure.
- ◆ Tools should be polished, light lubrication of the working faces is recommended.
- ◆ Rings must be closed with the pinned section and liner facing up in the base of the closing tool.
- ◆ Surrounding cloth should be supported while ring is being closed.



English Grommets

- ◆ Low cost, roll-rim, spur-toothed grommets suitable for a wide range of applications in sailmaking and cover work.
- ◆ Available only in full packs.



Part No.	Size	Set Hole Diameter (mm)	Finish	Pack Qty (pcs)
D001N	000	5.1	Nickel Plated	1000
D002N	00	6.4	Nickel Plated	1000
D003N	0	8.4	Nickel Plated	1000
D004N	1	9.5	Nickel Plated	1000
D005N	2	11.9	Nickel Plated	1000
D006N	3	12.7	Nickel Plated	1000
D007N	4	14.7	Nickel Plated	1000
D008N	5	17.0	Nickel Plated	1000
D009N	6	19.8	Nickel Plated	1000

Part No.	Size	Set Hole Diameter (mm)	Finish	Pack Qty (pcs)
D001NX	000	5.1	Nickel Plated	200
D002NX	00	6.4	Nickel Plated	200
D003NX	0	8.4	Nickel Plated	200
D004NX	1	9.5	Nickel Plated	200
D005NX	2	11.9	Nickel Plated	200
D006NX	3	12.7	Nickel Plated	200
D007NX	4	14.7	Nickel Plated	200
D008NX	5	17.0	Nickel Plated	200
D009NX	6	19.8	Nickel Plated	200



Part No.	Size	Set Hole Diameter (mm)	Finish	Pack Qty (pcs)
D002B	00	6.4	Brass	1000
D003B	0	8.4	Brass	1000
D004B	1	9.5	Brass	1000
D005B	2	11.9	Brass	1000
D006B	3	12.7	Brass	1000
D007B	4	14.7	Brass	1000
D008B	5	17.0	Brass	1000

English Grommets – Closing Tools & Hole Punch

- ◆ Tools for English Grommets should not be used with Stimpson Grommets.
- ◆ Do not hit with a steel head hammer or mallet, use a rawhide mallet such as C530 or Maul Master.



Closing Tool Part No.	Hole Punch Part No.	Size	Set Hole Diameter (mm)	Hole Punch Diameter (mm)	UOM
C301	C103	000	5.1	4.8	Each
C302	C105	00	6.4	7.9	Each
C303	C106	0	8.4	9.5	Each
C304	C107	1	9.5	11.1	Each
C305	C108	2	11.9	12.7	Each
C306	C109	3	12.7	14.3	Each
C307	C110	4	14.7	15.9	Each
C308	C111	5	17.0	17.5	Each
C309	C114	6	19.8	22.2	Each

Hipkiss Self-Piercing Grommets

- ◆ Hipkiss self-piercing grommets eliminate the need for hole punches, since the grommet cuts its own hole when being set.



Part No.	Size	Finish	Pack Qty
D001BH	000	Brass	Pack 1000
D001NH	000	Nickel Plate	Pack 1000
D002BH	00	Brass	Pack 1000
D002NH	00	Nickel Plate	Pack 1000
D003NH	0	Nickel Plate	Pack 1000
D004NH	1	Nickel Plate	Pack 1000

Stimpson Spur-Toothed Grommets

- ◆ The higher strength of these spur-toothed grommets derives from their thicker metal gauge and flange closing.
- ◆ Available in full packs of 144.



Part No.	Size	Set Hole Diameter (mm)	Material	Pack Qty
D003NS	0	6.4	Solid Brass / Nickel	Pack 144
D004NS	1	9/5	Solid Brass / Nickel	Pack 144
D005NS	2	10.3	Solid Brass / Nickel	Pack 144
D006NS	3	11.1	Solid brass / Nickel	Pack 144
D007NS	4	14.2	Solid Brass / Nickel	Pack 144
D008NS	5	15	Solid Brass / Nickel	Pack 144
D009NS	6	17.4	Solid Brass / Nickel	Pack 144



Part No.	Size	Set Hole Diameter (mm)	Material	Pack Qty
D003BS	0	6.4	Solid Brass	Pack 144
D004BS	1	9.5	Solid Brass	Pack 144
D005BS	2	10.3	Solid Brass	Pack 144
D006BS	3	11.1	Solid Brass	Pack 144
D007BS	4	14.2	Solid Brass	Pack 144
D008BS	5	15	Solid Brass	Pack 144

Stimpson Grommets – Closing Tools & Hole Punch

- ◆ Stimpson Grommets should not be used with English Grommet tools.
- ◆ Stimpson tools are machined steel case hardened dies.
- ◆ For best results use the correct Stimpson die set.
- ◆ Low-cost tools are drop forged steel dies.
- ◆ Do not hit with a steel head hammer or mallet, use a rawhide mallet such as C530 or Maul Master.



Closing Tool - Stimpson Part No.	Closing Tool - Eco Part No.	Hole Punch Part No.	Size	Set Hole Diameter (mm)	Hole Punch Diameter (mm)
C303S	C303C	C106	0	6.4	9.5
C304S	C304C	C107	1	7.9	11.1
C305S	C305C	C108	2	9.4	12.7
C306S	C306C	C109	3	11.1	14.3
C307S	C307C	C110	4	12.7	15.9
C308S		C111	5	15.8	17.5
C309S		C114	6	19.1	22.2



Stainless Steel - Round Rings

- ◆ Manufactured from Type 316 stainless steel, which is chemically passivated after welding to reduce the risk of staining
- ◆ TIG welded maximising strength
- ◆ Small diameter rings with the same size bar diameter will deform at a higher load, although both will have similar tensile strength



Part No.	Inside Dia. (mm)	Bar Dia. (mm)	Safe Working Load (kg)	Pack Qty
B117	30	6	600	10
B118	30	5	300	10
B119	40	6	400	10
B121	45	8	900	10
B204	25	3	150	10
B214	25	5	300	10
B219	40	8	750	10
B220	50	8	550	10
B221	50	9	1000	10
B225	50	11	750	10
B227	25	6	800	10
B228	30	8	1000	10
B229	40	9	1300	10

Stainless Steel - Triangles

- ◆ Bainbridge Triangles are manufactured from Type 316 stainless steel, which is cleaned and passivated after welding to reduce the risk of staining
- ◆ TIG welded to maximise strength



Part No.	Inside Dia. (mm)	Bar Dia. (mm)	Safe Working Load (kg)	Pack Qty
B127	51	63	500	10

Stainless Steel - D Rings

- ◆ Manufactured from Type 316 stainless steel
- ◆ Chemically and passivated after welding to reduce the risk of staining
- ◆ TIG welded maximises strength



Part No.	Inside Dia. (mm)	Bar Dia. (mm)	Safe Working Load (kg)	Pack Qty
B169	25	5	300	10
B170	25	5	300	10
B171	31	5	150	10
B172	40	5	500	10
B174	50	6	900	10

Nickel Plated Steel - O Rings

- ◆ Economy rings designed for low load applications
- ◆ Use on bags and soft side of luggage



Part No.	Inside Dia. (mm)	Bar Dia. (mm)	Pack Qty
B191	25	5	10

Nickel Plated Steel - D Rings

- ◆ Economy 'D' rings designed for low load applications
- ◆ Use on bags and soft side of luggage



Part No.	Inside Dia. (mm)	Bar Dia. (mm)	Pack Qty
B196	25	4	10
B197	38	5	10

Polypropylene Webbing

- ◆ New improved polypropylene webbing available in various widths and colours.
- ◆ System 3 binder thread webbing process - resists fraying
- ◆ Heat treated for better colour fastness and improved UV properties.
- ◆ Suitable for low load application.
- ◆ Sold in full reels only - 50m
- ◆ Other colours available on request.



Part No.	Width (mm)	Colour	Reel Size
EP225BK	20	Black	50m
EP225BU	20	Blue	50m
EP225GY	20	Grey	50m
EP225NB	20	Navy	50m
EP225WT	20	White	50m
EP225YE	20	Yellow	50m
EP226BK	25	Black	50m
EP226BU	25	Blue	50m
EP226GY	25	Grey	50m
EP226NB	25	Navy	50m
EP226RD	25	Red	50m
EP226WT	25	White	50m
EP227BK	40	Black	50m
EP227BU	40	Blue	50m
EP227GY	40	Grey	50m
EP227NB	40	Navy	50m
EP227RD	40	Red	50m
EP227WT	40	White	50m
EP228BK	50	Black	50m
EP228NB	50	Navy	50m
EP228WT	50	White	50m

Polyester Webbing

- ◆ Polyester Webbing available in various weights & widths.
- ◆ Suitable for medium/high load application.
- ◆ Sold in full reels only.
- ◆ Other colours available on special request.



Part No.	Width (mm)	Breaking Load (kg)	Style	Reel Size (m)
E110	12	300	Standard	50
E111	19	500	Standard	50
E112	25	600	Standard	50
E109	12	400	Heavy	25
E127	20	500	Heavy	25
E113	25	750	Heavy	25
E114	30	850	Heavy	25
E115	40	1000	Heavy	25
E116	50	1200	Heavy	25
E108	63	1400	Heavy	25
E118	25	1500	Extra Heavy	25
E119	30	1800	Extra Heavy	25
E120	40	2400	Extra Heavy	25
E121	51	3100	Extra Heavy	25
E129	45	2800	Super Heavy	25

Polyester Webbing - Tubular **NEW**

- ◆ New Hard/Stiffer Finish to our popular E124 webbing
- ◆ Lies straight and flat to the sail for easier application
- ◆ Simple to align webbing through multiple layers of sailcloth
- ◆ Suitable for all medium/high load application
- ◆ Ideal webbing for attaching external rings on sails
- ◆ Polyester tubular construction allows for insertion of rope, shockcord or high modulus fibres to increase strength and resist UV
- ◆ Also use in furling sails for head and tack loops
- ◆ Sold in full reels only
- ◆ Bainbridge UK manufacture.



Part No.	Width (mm)	Breaking Load (kg)	Finish	Reel Size (m)
E124	25	1700	Standard	50
E124H	25	1700	Hard	50

Nylon Webbing

- ◆ Nylon Webbing available in various widths and colours.
- ◆ Suitable for medium/high load application.
- ◆ Sold in full reels only.



E122 / E123 E124NBK E124NBU

Part No.	Style	Width (mm)	Breaking Load (kg)	Colour	Reel Size (m)
E122	Tubular	12	700	White	200
E123	Tubular	19	1450	White	200
E110N	Nylon	12	317	White	45.72
E110NBK	Nylon	12	317	Black	91.44
E125	Nylon	25	460	Black	50
E112NBK	Tubular	25	680	Black	91.44
E124NBK	Tubular	25	1800	Black	91.44
E124NBU	Tubular	25	1800	Blue	91.44

Kevlar Webbing

- ◆ Polyester cover protects Kevlar from UV degradation and reduces flexing and chafe.
- ◆ Available only on full reels.




Part No.	Width (mm)	Breaking Load (kg)	Colour	Reel Size (m)
E131	25	1900	White	25
E133	35	2600	White	25

Technora Webbing

NEW

- ◆ 100% Technora System 3 lock-thread webbing.
- ◆ Low elongation to high load ratio.
- ◆ Suitable for all styles of aramid sails.
- ◆ Sold in full reels only.



Part No.	Width (mm)	Breaking Load (kg)	Colour	Reel Size (m)
E132	20	1600	Black	25
E134	25	2100	Black	25

Dyneema Webbing

- ◆ Bainbridge Dyneema webbing.
- ◆ Lighter than Kevlar and does not absorb water.
- ◆ Excellent UV resistance and flex characteristics.
- ◆ Dyneema is a very strong and low stretch fibre.
- ◆ Available only on full 25m reels.




Natural Black

Part No.	Width (mm)	Breaking Load (kg)	Colour	Reel Size (m)
E135SP	25	2800	Natural	25
E135SPBK	25	2800	Black	25
E139SP	45	3100	Natural	25
E139SPBK	45	3100	Black	25

Toe Strap, Jackstay & Seatbelt Webbing

- ◆ Rugged polyester webbing
- ◆ Five panel construction
- ◆ Recommended for hiking straps, bag handles, nose piece for kites, reinforcement, tie down, trampolines, etc.
- ◆ Excellent UV resistance



E150 E115BK / E121BK

Part No.	Width (mm)	Breaking Load (kg)	Colour	Reel Size (m)
E115BK	38	1134	Black	137.1
E121BK	50	1134	Black	91.4
E150	25	3000	White	50

Webbing Fittings

- ◆ A selection of buckles and fittings suitable for use with webbing & cover making applications.

Part No.	Description	For Webbing (mm)	Material	Pack Qty
A0701WT	Cam Buckle	20	White Nylon	10
A0702WT	Cam Buckle	25	White Nylon	10
A073	Ladderlock Buckle	40	Black Nylon	10
A074	Ladderlock Buckle	15	Black Nylon	10
A075	Ladderlock Buckle	19	Black Nylon	10
A076	Ladderlock Buckle	25	Black Nylon	10
A076HD	Ladderlock Buckle	25	Heavy Duty Nylon	10
A077HD	Ladderlock Buckle	50	Heavy Duty Nylon	10
A079BK	Can Buckle	25	Black Nylon	10
A084	Central Release Buckle	10	Acetal	100
A085	Snap Buckle	50	Black Nylon	10
A086	Snap Buckle	38	Black Nylon	10
A087	Snap Buckle	15	Black Nylon	10
A088	Snap Buckle	19	Black Nylon	10
A089	Snap Buckle	25	Black Nylon	10
A089WT	Snap Buckle	25	White Nylon	10
A095BK	Webbing Bridge	25 - 30	Black Nylon	10
A095WT	Webbing Bridge	25 - 30	White Nylon	10
A096BK	Webbing Bridge	40	Black Nylon	10
A096WT	Webbing Bridge	40	White Nylon	10
A097BK	Webbing Bridge	50	Black Nylon	10
A097WT	Webbing Bridge	50	White Nylon	10
A142BK	Tri-Glide	38	Black Plastic	50
A159BK	Central Release Buckle	19	Acetal Plastic	100
B087	Cam Buckle	25	Stainless Steel	10
G200S	Boat Snap Hook	25	Stainless Steel	10
G205S	Footman Loop Webbing Bridge	25	Stainless Steel	10
G209S	Footman Loop Webbing Bridge HD	25	Stainless Steel	10
G210S	Adjustable Buckle	25	Stainless Steel	10
G211S	Adjustable Buckle	25	Stainless Steel	10
G221	Sliding Bar Buckle	25	Stainless Steel / Nylon	10
G221S	Sliding Bar Buckle	25	Stainless Steel	10
G222	Sliding Bar Buckle	50	Stainless Steel	10
G222S	Sliding Bar Buckle	50	Stainless Steel	10
G223	Sliding Bar Buckle	40	Stainless Steel / Nylon	10



A084




A142BK



A159BK



A079BK



B087



A0701WT / A0702WT

A073 - A076

A076HD / A077HD

A085 - A089

G210S / G211S

G221S / G222S



A095BK / 96BK / 97BK

A095WT / 96WT / 97WT

G200S

G205S

G209S

G221 / G222 / G223



Utility Tape

NEW

- ◆ Individually wrapped to help prolong shelf life
- ◆ Acrylic adhesive
- ◆ Tissue carrier
- ◆ 50m Reels
- ◆ Bainbridge original
- ◆ Good initial tack
- ◆ High long term adhesion
- ◆ Low shrink



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J421	50	6	Tissue	All cloth	Roll
J422	50	9	Tissue	All cloth	Roll
J423	50	12	Tissue	All cloth	Roll
J424	50	15	Tissue	All cloth	Roll
J425	50	19	Tissue	All cloth	Roll
J426	50	25	Tissue	All cloth	Roll
J427	50	30	Tissue	All cloth	Roll
J428	50	40	Tissue	All cloth	Roll

Economy Tapes

- ◆ Economy grade seaming tape offering excellent value for money
- ◆ Fair initial tack
- ◆ High long term adhesion
- ◆ Tissue carrier
- ◆ Non-yellowing



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J411	50	6	Tissue	All cloth	Roll
J412	50	9	Tissue	All cloth	Roll
J413	50	12	Tissue	All cloth	Roll
J414	50	15	Tissue	All cloth	Roll
J415	50	19	Tissue	All cloth	Roll
J416	50	25	Tissue	All cloth	Roll
J417	50	30	Tissue	All cloth	Roll
J418	50	40	Tissue	All cloth	Roll

Bainbridge Premium Tape

NEW

- ◆ High quality strong adhesive tape
- ◆ Optically clear polyester carrier 23um
- ◆ Acrylic adhesive
- ◆ 50m reels
- ◆ Exclusive Bainbridge original - UK manufacture
- ◆ Extremely high long term adhesion
- ◆ Individually wrapped helps prolong shelf life
- ◆ Works from -40°C to +120°C
- ◆ Suitable for all styles of Solacryl® fabric



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J431	50	6	Polyester	All cloth	Roll
J432	50	9	Polyester	All cloth	Roll
J433	50	12	Polyester	All cloth	Roll
J434	50	15	Polyester	All cloth	Roll
J435	50	19	Polyester	All cloth	Roll
J436	50	25	Polyester	All cloth	Roll
J437	50	30	Polyester	All cloth	Roll

High Adhesion Seaming Tape

- ◆ Outstanding adhesion to all types of sailcloth making this tape ideal for seaming applications
- ◆ Good initial tack
- ◆ High long term adhesion
- ◆ Tissue carrier
- ◆ Non Yellowing



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J310	50	6	Tissue	All cloth	Roll
J311	50	9	Tissue	All cloth	Roll
J312	50	12	Tissue	All cloth	Roll
J313	50	15	Tissue	All cloth	Roll
J314	50	19	Tissue	All cloth	Roll
J315	50	25	Tissue	All cloth	Roll



Premium Tape



- High Quality Strong Adhesive Tape
- Optically Clear Polyester Carrier 23um
- Acrylic Adhesive
- 50M Reels
- Exclusive Bainbridge Original - UK Manufacture
- Extremely High Long Term Adhesion
- Individually wrapped to help prolong shelf life
- Works from -40°C to +120°C
- Suitable for all styles of Solacryl, other acrylic canvas and general sail and cover applications

Part No.	Product Description
J431	Double Sided Tape 6mm x 50m
J432	Double Sided Tape 9mm x 50m
J433	Double Sided Tape 12mm x 50m
J434	Double Sided Tape 15mm x 50m
J435	Double Sided Tape 19mm x 50m
J436	Double Sided Tape 25mm x 50m
J437	Double Sided Tape 30mm x 50m

NEW



For more information see page **76**

3M Acrylic Transfer Tape

- ◆ High performance transfer tape, more elastic than conventional double sided tapes
- ◆ Transfer tapes do not have a film or cloth carrier
- ◆ Non yellowing
- ◆ Uses: Excellent for spinnakers and light sails where some stretch in the seam is desired



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J132	55	9	Acrylic Based	Spinnaker Nylon	Roll
J133	55	12	Acrylic Based	Spinnaker Nylon	Roll
J134	55	20	Acrylic Based	Spinnaker Nylon	Roll

3M Seam Bonding Tape

- ◆ Super Seam Tape is better for the sailcloth, particularly on film/film laminates and nylons where stitching can tear through the cloth.
- ◆ Super Seam Taped seams often stretch less than conventional sewn seams.
- ◆ Super Seam Tape can reduce costs as the number of rows of stitching on horizontal seams of large sails can be reduced.
- ◆ Seams bonded with Super Seam Tape are light and smooth.



Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J180	55	12	Tissue	Laminate & Nylon	Roll
J181	55	19	Tissue	Laminate & Nylon	Roll
J182	55	25	Tissue	Laminate & Nylon	Roll

Double Sided Tape - Acrylic

- ◆ High quality double sided tape for general sail seaming.
- ◆ Fair initial tack.
- ◆ High long term adhesion.
- ◆ Low stretch mylar carrier.
- ◆ Non-yellowing.



Part No.	Roll Length (m)	Width (mm)	Carrier	UOM
J451	66	6	Mylar	Roll
J452	66	9	Mylar	Roll
J453	66	12	Mylar	Roll
J455	66	19	Mylar	Roll
J456	65	25	Mylar	Roll
J472	33	9	-	Roll

Mylar/Kevlar Seaming Tape

- ◆ Designed for film / film laminate sails, cloth carrier strengthens seam and reinforces stitching
- ◆ Fair initial tack
- ◆ High long term adhesive
- ◆ Cloth carrier
- ◆ Non yellowing

Part No.	Roll Length (m)	Width (mm)	Carrier	To be Used With	UOM
J080	45.7	12	-	-	Roll
J082	45.7	25	-	-	Roll

3M VHB Attachment Tape

- ◆ High performance acrylic adhesive
- ◆ Medium density white acrylic foam tape
- ◆ Adhesive on both sides with red release liner
- ◆ Use: Attaching automotive and marine trim, awning track & Flex-A-Rail (G512)

Part No.	Roll Length (m)	Width (mm)	Pack Qty
J112V	18	12.7	
J117V	18	22.5	



'Catchy' Hook & Loop

- Hook & Loop Tape Fasteners
- Available in a range of sizes: 20, 25, 30, 38, 50 and 100mm
- White and Black stocked in all sizes
- Navy Blue, Beige and Grey stocked in 25 and 50mm
- High Shear tensile strength
- Full 25m reels only
- In both sew-on and adhesive formats
- Genuine Bainbridge polyester Hook & Loop original manufactured in the UK

NEW



For more information see page **82**

YKK® Zippers

YKK® Zippers & Sliders offered by Bainbridge International have been engineered especially for the marine industry and other outdoor applications.

- ◆ All materials used have been selected to resist damage from UV & corrosion
- ◆ Various sizes available in Vislon® & Coil Style
- ◆ Use our premium J43* tape to make light work of applying zipper chain to any fabric

YKK® No.5 Continuous Vislon®

- ◆ No. 5 Vislon® only available in white.



Part No.	Colour	Style	Length (m)	UOM
E580	White	#5 Vislon® Continuous	200	Metre
E581	White	Single Metal Slider	-	Each
E583	White	Single Plastic Slider	-	Each

YKK® No.8 Vislon® Jacket



Part No.	Length (mm)	Colour	Style	UOM
E605BK	1220	Black	#8 Vislon®	Each
E605WT	1220	White	#8 Vislon®	Each
E608BK	1830	Black	#8 Vislon®	Each
E609WT	8250	White	#8 Vislon®	Each

YKK® No.10 Vislon® Jacket

- ◆ No.10 Vislon® zipper with double metal sliders
- ◆ Other colours available against special order
- ◆ Use our premium J43* tape to make light work of applying zipper chain to any fabric



Part No.	Part No.	Part No.	Part No.	Length	UOM	
White	Navy	Black	Beige	mm	ft	
E560WT	E560NB	E560BK	-	610	2.0	Each
E571WT	E571NB	E571BK	-	762	2.5	Each
E561WT	E561NB	E561BK	E561BE	910	3.0	Each
E562WT	E562NB	E562BK	-	1060	3.5	Each
E563WT	E563NB	E563BK	E563BE	1220	4.0	Each
E564WT	E564NB	E564BK	-	1370	4.5	Each
E565WT	E565NB	E565BK	E565BE	1520	5.0	Each
E566WT	E566NB	E566BK	-	1680	5.5	Each
E567WT	E567NB	E567BK	E567BE	1830	6.0	Each
E568WT	E568NB	E568BK	-	1980	6.5	Each
E570WT	E570NB	E570BK	E570BE	2130	7.0	Each
E572WT	E572NB	E572BK	E572BE	2440	8.0	Each
E574WT	E574NB	E574BK	-	2740	9.0	Each
E576WT	E576NB	E576BK	E576BE	3050	10.0	Each
E577WT	E577NB	E577BK	-	3660	12.0	Each
E578WT	E578NB	E578BK	-	4570	15.0	Each
E579WT	-	-	-	5950	19.5	Each
E600WT	-	-	-	6710	22.0	Each
E569WT	-	-	-	10000	32.8	Each

YKK® Zipper Stops



Part No.	Colour	Style	Pack Qty
E584BS	White	Bottom Stop	100
E584BSBK	Black	Bottom Stop	100
E584SSTS	Stainless Steel	End Stop	200
E584TS	White	Top Stop	200
E584TSBK	Black	Top Stop	100

YKK® No.10 Continuous Vislon®

- ◆ Standard reel length: 100m
- ◆ Cut to length pieces available
- ◆ Slides supplied in packs of 10



Part No.	Part No.	Part No.	Part No.	Style	UOM
White	Navy	Black	Beige		
E584	E584NB	E584BK	E584BE	#10 Vislon®	100m
E585	E585NB	E585BK	E585BE	Single Metal	Each
E586	E586NB	E586BK	E586BE	Double Metal	Each
E587	-	-	-	Single Plastic	Each

YKK® No.15 Vislon® Jacket **NEW**

- ◆ No.15 Vislon® zipper with single metal sliders
- ◆ Use our premium J43* tape to make light work of applying zipper chain to any fabric
- ◆ Super strong, robust open ended zip for heavy duty construction / applications
- ◆ Suitable uses for stackpaks/boombags, deck bags, awnings and yurts



Part No.	Part No.	Part No.	Length	UOM	
White	Navy	Black	mm	ft	
E610WT	E610NB	E610BK	1520	5.0	Each
E611WT	E611NB	E611BK	3500	11.5	Each
E612WT	E612NB	E612BK	5000	16.42	Each
E613WT	E613NB	E613BK	7500	24.58	Each

YKK® No.10 Continuous Coil

- ◆ No. 10 coil only available in white and black.



Part No.	Colour	Style	Length (m)	UOM
E591	White	#10 Coil Continuous	100	Metre
E591BK	Black	#10 Coil Continuous	100	Metre
E592	White	Single Metal Slider	-	Each
E592BK	Black	Single Metal Slider	-	Each
E593	White	Single Plastic Slider	-	Each
E593BK	Black	Single Plastic Slider	-	Each

YKK
Little Parts. Big Difference.

'Catchy' Bainbridge Hook & Loop Closure

- ◆ Hook & Loop Tape Fasteners
- ◆ Available in a range of sizes: 20, 25, 30, 38, 50 and 100mm
- ◆ White and Black stocked in all sizes
- ◆ Navy Blue, Beige and Grey stocked in 25 and 50mm
- ◆ High Shear tensile strength
- ◆ Full 25m reels only
- ◆ Genuine Bainbridge polyester Hook & Loop original manufactured in the UK

NEW



SEW-ON

Part No. White	Part No. Navy	Part No. Black	Part No. Beige	Part No. Grey	Style	Width (mm)	Reel Size (m)
E7020WT	E7020NB	E7020BK	E7020BE	E7020GY	Set (Hook & Loop)	20	25
E7020WTH	E7020NBH	E7020BKH	E7020BEH	E7020GYH	Hook Only	20	25
E7020WTL	E7020NBL	E7020BKL	E7020BEL	E7020GYL	Loop Only	20	25
E7025WT	E7025NB	E7025BK	E7025BE	E7025GY	Set (Hook & Loop)	25	25
E7025WTH	E7025NBH	E7025BKH	E7025BEH	E7025GYH	Hook Only	25	25
E7025WTL	E7025NBL	E7025BKL	E7025BEL	E7025GYL	Loop Only	25	25
E7030WT	E7030NB	E7030BK	E7030BE	E7030GY	Set (Hook & Loop)	30	25
E7030WTH	E7030NBH	E7030BKH	E7030BEH	E7030GYH	Hook Only	30	25
E7030WTL	E7030NBL	E7030BKL	E7030BEL	E7030GYL	Loop Only	30	25
E7038WT	E7038NB	E7038BK	E7038BE	E7038GY	Set (Hook & Loop)	38	25
E7038WTH	E7038NBH	E7038BKH	E7038BEH	E7038GYH	Hook Only	38	25
E7038WTL	E7038NBL	E7038BKL	E7038BEL	E7038GYL	Loop Only	38	25
E7050WT	E7050NB	E7050BK	E7050BE	E7050GY	Set (Hook & Loop)	50	25
E7050WTH	E7050NBH	E7050BKH	E7050BEH	E7050GYH	Hook Only	50	25
E7050WTL	E7050NBL	E7050BKL	E7050BEL	E7050GYL	Loop Only	50	25
E7100WT	E7100NB	E7100BK	E7100BE	E7100GY	Set (Hook & Loop)	100	25
E7100WTH	E7100NBH	E7100BKH	E7100BEH	E7100GYH	Hook Only	100	25
E7100WTL	E7100NBL	E7100BKL	E7100BEL	E7100GYL	Loop Only	100	25

SELF-ADHESIVE

Part No. White	Part No. Navy	Part No. Black	Part No. Beige	Part No. Grey	Style	Width (mm)	Reel Size (m)
E7020WT	E7020NB	E7020BK	E7020BE	E7020GY	Set (Hook & Loop)	20	25
E7020WTH	E7020NBH	E7020BKH	E7020BEH	E7020GYH	Hook Only	20	25
E7020WTL	E7020NBL	E7020BKL	E7020BEL	E7020GYL	Loop Only	20	25
E7025WT	E7025NB	E7025BK	E7025BE	E7025GY	Set (Hook & Loop)	25	25
E7025WTH	E7025NBH	E7025BKH	E7025BEH	E7025GYH	Hook Only	25	25
E7025WTL	E7025NBL	E7025BKL	E7025BEL	E7025GYL	Loop Only	25	25
E7030WT	E7030NB	E7030BK	E7030BE	E7030GY	Set (Hook & Loop)	30	25
E7030WTH	E7030NBH	E7030BKH	E7030BEH	E7030GYH	Hook Only	30	25
E7030WTL	E7030NBL	E7030BKL	E7030BEL	E7030GYL	Loop Only	30	25
E7038WT	E7038NB	E7038BK	E7038BE	E7038GY	Set (Hook & Loop)	38	25
E7038WTH	E7038NBH	E7038BKH	E7038BEH	E7038GYH	Hook Only	38	25
E7038WTL	E7038NBL	E7038BKL	E7038BEL	E7038GYL	Loop Only	38	25
E7050WT	E7050NB	E7050BK	E7050BE	E7050GY	Set (Hook & Loop)	50	25
E7050WTH	E7050NBH	E7050BKH	E7050BEH	E7050GYH	Hook Only	50	25
E7050WTL	E7050NBL	E7050BKL	E7050BEL	E7050GYL	Loop Only	50	25
E7100WT	E7100NB	E7100BK	E7100BE	E7100GY	Set (Hook & Loop)	100	25
E7100WTH	E7100NBH	E7100BKH	E7100BEH	E7100GYH	Hook Only	100	25
E7100WTL	E7100NBL	E7100BKL	E7100BEL	E7100GYL	Loop Only	100	25

VELCRO® Brand Sew On

- ◆ VELCRO® Brand original sew on fastening available in sets, and separate Hook & Loop.
- ◆ Available in navy blue, white and black
- ◆ Durable hook fastening gives maximum life cycle
- ◆ Available only on 25m reels
- ◆ Various widths in 20mm, 25mm, 30mm & 50mm
- ◆ VELCRO® original



Part No.	Reel Length (m)	Size (mm)	Colour	Type	UOM
E510	25	20	White	Hook & Loop	Metre
E510H	25	20	White	Hook Only	Metre
E510L	25	20	White	Loop Only	Metre
E511	25	20	Black	Hook & Loop	Metre
E511H	25	20	Black	Hook Only	Metre
E511L	25	20	Black	Loop Only	Metre
E515	25	25	White	Hook & Loop	Metre
E515H	25	25	White	Hook Only	Metre
E515L	25	25	White	Loop Only	Metre
E517	25	25	Black	Hook & Loop	Metre
E517H	25	25	Black	Hook Only	Metre
E517L	25	25	Black	Loop Only	Metre
E520	25	30	White	Hook & Loop	Metre
E520H	25	30	White	Hook Only	Metre
E520L	25	30	White	Loop Only	Metre
E521	25	30	Black	Hook & Loop	Metre
E521H	25	30	Black	Hook Only	Metre
E521L	25	30	Black	Loop Only	Metre
E530	25	30	White	Hook & Loop	Metre
E530H	25	50	White	Hook Only	Metre
E530L	25	50	White	Loop Only	Metre
E531	25	50	Black	Hook & Loop	Metre
E531H	25	50	Black	Hook Only	Metre
E531L	25	50	Black	Loop Only	Metre

VELCRO® Brand Adhesive Backed

- ◆ Supplied in full rolls only
- ◆ Easily stored and gives you the flexibility to cut the length you need
- ◆ VELCRO® Brand PS-14 - General Adhesive
- ◆ Rubber based adhesive, offering great tack
- ◆ Can be used in temperature ranges from -15C to 60C
- ◆ Available in Black and White



Part No.	Reel Length (m)	Size (mm)	Colour	Type	UOM
E540	25	25	White	Hook & Loop	Metre
E540H	25	25	White	Hook Only	Metre
E540L	25	25	White	Loop Only	Metre
E541	25	25	Black	Hook & Loop	Metre
E541H	25	25	Black	Hook Only	Metre
E541L	25	25	Black	Loop Only	Metre



Heminway & Bartlett Anti-Wick NANO Bonded Thread

- ◆ Nominal 450g / 1lb spools
- ◆ Anti-Wick combines superior sewability with a permanent additive that blocks water migration through seams and meets MIL SPEC V-T- 285 Type II



Part No.	Dabond Size	Nearest Metric Size	Colour	UOM
EA069BK	V69	NM36	Black	LB
EA069PB	V69	NM36	Pacific Blue	LB
EA069WT	V69	NM36	White	LB
EA092BK	V92	NM25	Black	LB
EA092BU	V92	NM25	Blue	LB
EA092GY	V92	NM25	Grey	LB
EA092PB	V92	NM25	Pacific Blue	LB
EA092WT	V92	NM25	White	LB
EA138BK	V138	NM20	Black	LB
EA138WT	V138	NM20	White	LB

Thread Selection Chart

Dabond® Part No.	Needle Size		Average Yield		Average Tensile	
	Imperial	Metric	M	Yd per lb	Kg	lb
V30	11-14	75-90	12951	14170	2.13	4.7
V46	12-15	80-95	7467	8170	3.36	7.4
V69	15-18	95-110	5110	5590	4.95	10.9
V92	17-20	105-125	3866	4230	6.58	14.5
V138	19-21	120-130	2523	2760	10.26	22.6
V207	21-23	130-160	1682	1840	14.71	32.4
V346	23-26	-	1005	1100	26.38	58.1



Heminway & Bartlett Dabond NANO Thread

- ◆ Nominal 450g / 1lb spools
- ◆ Heminway & Bartlett Dabond 2000 thread sets industry standards
- ◆ High strength and controlled stretch
- ◆ Resistance to abrasion and salt water
- ◆ Stability in sunlight and resistance to mildew
- ◆ Bonding and resistance to needle heat
- ◆ Continuous thread with no knots or breaks



Part No.	Dabond Size	Nearest Metric Size	Colour	UOM
ET030WT	V30	NM80	White	LB
ET046BK	V46	NM60	Black	LB
ET046BU	V46	NM60	Blue	LB
ET046WT	V46	NM60	White	LB
ET069BK	V69	NM40	Black	LB
ET069BU	V69	NM40	Blue	LB
ET069GY	V69	NM40	Grey	LB
ET069RD	V69	NM40	Red	LB
ET069TN	V69	NM40	Tan	LB
ET069WT	V69	NM40	White	LB
ET069WT1	V69	NM40	White	1oz
ET092BK	V92	NM30	Black	LB
ET092BU	V92	NM30	Blue	LB
ET092GY	V92	NM30	Grey	LB
ET092TN8	V92	NM30	Tan	LB
ET092WT	V92	NM30	White	LB
ET138BK	V138	NM20	Black	LB
ET138BU	V138	NM20	Blue	LB
ET138GY	V138	NM20	Grey	LB
ET138TN	V138	NM20	Tan	LB
ET138WT	V138	NM20	White	LB
ET207BK	V207	NM13	Black	LB
ET207WT	V207	NM13	White	LB
ET346WT	V346	NM8	White	LB

Heminway & Bartlett Dabond Pre-Wound Bobbins

- ◆ Heminway & Bartlett Pre-Wound Bobbins are wound on a thin core and therefore can have up to 30% more thread per bobbin than can be wound on by a sewing machine.
- ◆ Saves time and effort with fewer bobbin changes and longer continuous seams.
- ◆ Hembobs are supplied only in full packs of 144 bobbins.



Part No.	Dabond Size	Colour	Pack Qty
EB046FWT	V46 Type F	White	144
EB069DWT	V69 Type D	White	144
EB069FWT	V69 Type F	White	144
EB069LWT	V69 Type L	White	144
EB092DWT	V92 Type D	White	144
EB092FWT	V92 Type F	White	144
EB092LWT	V92 Type L	White	144

SunStop Anti-Wick Thread

- ◆ A high performance twisted multifilament polyester sewing thread
- ◆ Specially designed for outdoor applications where seam strength retention and fade prevention during UV exposure are required
- ◆ Anti-Wicking
- ◆ 8oz spools (1/2 lb)
- ◆ Excellent UV resistance
- ◆ Fade resistant
- ◆ Top 16 Sunbrella Colours.



Part No.	Thread Size	Colour	UOM
EY092BEG8	92	Beige	Each
EY092BG8	92	Burgundy	Each
EY092BK8	92	Black	Each
EY092BRN8	92	Brown	Each
EY092CNV8	92	Captain Navy	Each
EY092FGR8	92	Forest Green	Each
EY092GY8	92	Cadet Grey	Each
EY092JRD8	92	Jockey Red	Each
EY092LN8	92	Linen	Each
EY092LRD8	92	Logo Red	Each
EY092NV8	92	Navy	Each
EY092PB8	92	Pacific Blue	Each
EY092SR8	92	Silver	Each
EY092TS8	92	Toast	Each
EY092WT8	92	White	Each
EY138BEG8	138	Beige	Each
EY138BG8	138	Burgundy	Each
EY138BK8	138	Black	Each
EY138BR8	138	True Brown	Each
EY138CNV8	138	Captain Navy	Each
EY138FGR8	138	Forest Green	Each
EY138GY8	138	Cadet Grey	Each
EY138LN8	138	Linen	Each
EY138LRD8	138	Logo Red	Each
EY138NV8	138	Navy	Each
EY138PB8	138	Pacific Blue	Each
EY138RD8	138	Jockey Red	Each
EY138SR8	138	Silver	Each
EY138TS8	138	Toast	Each
EY138WT8	138	White	Each

SolarFix® PTFE Thread

- ◆ SolarFix® thread is guaranteed to last!
- ◆ Made of 100% PTFE (PolyTetraFlouroEthylene) fibre
- ◆ SolarFix® is THE best thread choice for all marine and outdoor applications
- ◆ Extremely resistant to harmful UV rays and atmospheric degradation
- ◆ SolarFix thread will not lose any significant strength due to UV
- ◆ Limited lifetime warranty



Part No.	Equivalent dtex	Nearest Tex Size	Colour	UOM	Qty per Cob
EF1500CH1T	1500	V92	Clear	Spool	3400m
EF1500DH1T	1500	V92	Black	Spool	3400m
EF1500WH1T	1500	V92	White	Spool	3400m
EF2640CH1T	1500	V138	Clear	Spool	1920m
EF2640DH1T	2640	V138	Black	Spool	1920m
EF2640WH1T	2640	V138	White	Spool	1920m

Serafil Thread - Mini Cobs


- ◆ Outstanding UV resistance due to special dye stuffs
- ◆ High-performance bonded special sewing thread for sails and other outdoor applications
- ◆ Extremely durable



Part No.	Tex No.	Colour	UOM	Qty per Cob
ESF030BE	NM30/V92	Beige	Spool	900m
ESF030BK	NM30/V92	Black	Spool	900m
ESF030NV	NM30/V92	Navy	Spool	900m
ESF030WT	NM30/V92	White	Spool	900m
ESF040BE	NM40/V69	Beige	Spool	1200m
ESF040BK	NM40/V69	Black	Spool	1200m
ESF040NV	NM40/V69	Navy	Spool	1200m
ESF040WT	NM40/V69	White	Spool	1200m

Serabond Thread

- ◆ High-performance bonded special sewing thread for sails and other outdoor applications
- ◆ Extremely durable
- ◆ Resistant to untwisting and therefore suited for multidirectional sewing
- ◆ Outstanding UV resistance due to special dye stuffs



Part No.	Tex No.	Colour	UOM	Qty per Cob
ES020BK	NM20/V138	Black	Spool	1600m
ES020BU	NM20/V138	Blue	Spool	1600m
ES020CG	NM20/V138	Charcoal Grey	Spool	1600m
ES020WT	NM20/V138	White	Spool	1600m
ES030BG	NM30/V92	Burgundy	Spool	2300m
ES030BK	NM30/V92	Black	Spool	2300m
ES030BU	NM30/V92	Blue	Spool	2300m
ES030CGY	NM30/V92	Charcoal Grey	Spool	2300m
ES030GR	NM30/V92	Green	Spool	2300m
ES030NV	NM30/V92	Navy	Spool	2300m
ES030PGY	NM30/V92	Pearl Grey	Spool	2300m
ES030RD	NM30/V92	Red	Spool	2300m
ES030SS	NM30/V92	Sandstone	Spool	2300m
ES030WT	NM30/V92	White	Spool	2300m
ES040BK	NM40/V69	Black	Spool	4600m
ES040BU	NM40/V69	Blue	Spool	4600m
ES040CG	NM40/V69	Charcoal Grey	Spool	4600m
ES040PG	NM40/V69	Pearl Grey	Spool	4600m
ES040RD	NM40/V69	Red	Spool	4600m
ES040SS	NM40/V69	Sandstone	Spool	4600m
ES040WT	NM40/V69	White	Spool	4600m

Hand Sewing Thread & Wax

- ◆ Hand sewing thread & Sailmaker wax.
- ◆ Supplied on spools only
- ◆ White waxed thread ideal for repair kits
- ◆ C040 natural bees wax
- ◆ C041 composition bees wax



Part No.	Description	Weight (gms)	Colour	UOM
C040	Cup of Natural Bees Wax	85	Yellow	Each
C041	Block of Composite Thread Wax	454	White	Each
ET353	Waxed Sewing Thread	30	White	Spool
EW346	Waxed Hand Sewing Thread - V-346	454 (Spool)	White	LB
EW351	Waxed Lacing Tape	Spool	White	Spool
EW352	Waxed Lacing Tape	Spool	White	Spool
EW352BK	Waxed Lacing Tape	Spool	Black	Spool
EW462	Waxed Hand Sewing Thread - V-462-M	454 (Spool)	White	LB
EW499	Waxed Hand Sewing Thread - V-9-C	454 (Spool)	White	LB
EW500	Waxed Sailtwine Bobbins - V-6-M	-	White	Box of 12



Tools

Contents:

- Palms & Needles
- Cutting & Sealing Tools
- Scissors & Shears
- Benchwork & Finishing
- Hole & Cutting Tools
- Pattern Materials
- Lofting & Measuring
- Measuring & Marking
- Cleaners
- Seam Sealers & Adhesive
- Protectants & Lubricants
- Starbrite

Needles

- ◆ All needles are hand-made and hand polished for ease of use
- ◆ Tube pack contains assorted size needles



Part No.	Diameter (mm)	Length (mm)	Size	Pack Qty
C005	-	-	-	5
C007	-	-	-	7
C010	3.25	89	10	25
C012	2.64	81	12	25
C013	2.34	79	13	25
C014	2.03	76	14	25
C015	1.88	72	15	25
C016	1.63	69	16	25
C016	1.42	65	17	25
C018	1.22	62	18	25
C019	1.02	49	19	25
C021	Assorted			10
C022	Assorted			20

Palms

- ◆ Excellent quality sailmakers palm.
- ◆ Handcrafted in England.
- ◆ These seaming and roping palms are made for long lasting wear and comfort.
- ◆ Moulded rawhide palm protection.
- ◆ C028 as used by professionals.



Part No.	Hand	Style	To be Used With	UOM
C023	Right	2	Seaming	Each
C024	Right	3	Seaming	Each
C025	Left	3	Seaming	Each
C026	Right	2 1/2	Seaming	Each
C027	Left	2 1/2	Seaming	Each
C028	Right	11	Seaming	Each
C029	Left	11	Seaming	Each
C030	Right	12	Roping	Each
C032	Right	15	Seaming	Each
C033	Left	15	Seaming	Each
C034	Right	16	Roping	Each
C036	Right	9	Seaming	Each
C037	Left	9	Seaming	Each

Machine Oil

- ◆ High performance machine oil.



Part No.	Type	Volume (ml)	UOM
C061	Thread Lubricants	-	Each
C063	Sewing Machine Oil	120	Each

Repair Kits


- ◆ Includes sailmaker's palm, wax, tube of 10 needles and thread.



Part No.	Type	UOM
C038	Adjustable Right	Each
C038L	Adjustable Left	Each
C039	Lightweight Right	Each

Stitchers & Stitcher Needles

- ◆ Choose between the Speedy Stitcher (C916) and Stitching Awl (C910US).
- ◆ The Speedy Stitcher is a hand-operated sewing machine which is suitable for use with most heavy fabrics and leather.
- ◆ Speedy Stitcher needles (C917C8 and C917ST8) come individually, Stitching Awl needles C9105, C9106 and C9108 come in packs of 3.



Part No.	Used With	Pack Qty / UOM
C9105	C910US	3
C9108	C910US	3
C910US	C9105, C9106 or C9108	Each
C911WT	-	Each
C916	-	Each
C917C8	C916	Each
C917ST8	C916	Each

Hot Knives & Blades

- ◆ Designed to seal synthetics, woven and knit fabrics, and cut and weld rope, cord and webbing.



Part No.	Voltage	Watts	Heats To	UOM
C850	220	60	537C/1000F	Each
C852	-	-	-	Each
C853	-	-	-	Each
C857B	-	-	-	Each
C857C	-	-	-	Each
C857D	230	60	-	Each
C861	110	60	300C/565F	Each

Scissors, Thread Snips, Rippers & Cutters

- ◆ Scissors, Seam Rippers and Cutters used for a variety of jobs in sailmaking & covermaking applications.



Part No.	Length (mm)	Type / Hand	UOM
C905	80	Seam Rippers	Each
C906	120	Seam Rippers	Each
C907	215	Right Hand	Each
C908	215	Left Hand	Each
C909	245	Right Hand	Each
C910	-	Thread Snips	Each
C912	260	Right	Each

Wiss - Scissors, Shears & Snips



Part No.	Wiss No.	Style	Length (mm)	UOM
C550-10	1225	Edge Shears	254	Each
C550-12	1226	Edge Shears	305	Each
C551-7	#27	Industrial Shears	178	Each
C551-8	#28	Industrial Shears	203	Each
C551-9	#29	Industrial Shears	229	Each
C552-10	#20	Heavy Duty Shears	254	Each
C552L-10	#20	Heavy Duty Shears	254	Each
C552-12	#22	Heavy Duty Shears	305	Each
C555-10	#20W	Extra HD Shears	254	Each
C555-12	#22W	Extra HD Shears	305	Each
C553	-	Metal Thread Snip	-	Each
C554	-	Plastic Thread Snip	-	Each

Pushpins & Awls

- ◆ Awls & Pushpins to help keep cloth in position when measuring & marking.



Part No.	Colour	Size (mm)	Pack Qty / UOM
C900	Yellow	100	Each
C901	Yellow	130	Each
C903	Silver	-	100
C903BK	Black	-	100
C903FP	Hot Pink	-	100

Leather

- ◆ Genuine Marine Grade sailmakers soft chrome leather.
- ◆ Used in corner reinforcement and final finishing
- ◆ 1.6 - 2.0mm - average thickness
- ◆ Smooth one side
- ◆ Suede finish on opposite side
- ◆ Average Hide size: 20ft²



Part No.	Style	Size (mm)	UOM
E160	Sheet	305 x 610	Each
E161	Hide	-	FTSQ

Staples



Part No.	Length (mm)	Used For	UOM
D724	-	C756	Box
D732	-	C758	Box of 5000
D733	-	C758	Box of 5000
D742	6.4	-	Box
D744	6.4	-	Box
D748	9.5	-	Box

Cloth Clamps

- ◆ A selection of benchwork and finishing accessories.



C515R / C516R / C517R

Part No.	Size (mm)	UOM
C515R	25 (Jaw Opening)	Each
C516R	51 (Jaw Opening)	Each
C517R	76 (Jaw Opening)	Each

Staplers & Removers



Part No.	Style	UOM
C519	Staple Remover	Each
C758	Rexel R56 Plier	Each
C759	Plier Raised Clincher	Each

Seaming Tools

- ◆ The Wrist-Saver roller's patent pending design allows for proper positioning of your arm, wrist and hand into a neutral, relaxed working position.
- ◆ The design allows you to use the power of your whole arm and conserve energy.
- ◆ Keeps your wrist in a more comfortable position and your arm moves in a natural motion.



EVMR02143

EVMR05200



C523

Part No.	Diameter (mm)	Weight (kg)	UOM
EVMR02143	50.8	0.81	Each
EVMR05200	36.5	0.34	Each
C523	31.0	0.42	Each

Punches

- ◆ Hole punches used for grommets & inox ring system
- ◆ Manufactured to imperial sizes



Part No.	Size (mm)	Type	UOM
C101	3.2	Hole Punch	Each
C102	4.0	Hole Punch	Each
C103	4.8	Hole Punch	Each
C104	6.3	Hole Punch	Each
C105	7.9	Hole Punch	Each
C106	9.5	Hole Punch	Each
C107	11.1	Hole Punch	Each
C108	12.7	Hole Punch	Each
C109	14.3	Hole Punch	Each
C110	15.9	Hole Punch	Each
C111	17.5	Hole Punch	Each
C112	19	Hole Punch	Each
C113	20.6	Hole Punch	Each
C114	22.2	Hole Punch	Each
C116	25.4	Hole Punch	Each
C117	28.6	Hole Punch	Each
C119	34.9	Hole Punch	Each
C120	38.1	Hole Punch	Each
C122	44.5	Hole Punch	Each
C125	230	Hand Punch	Each

Hammers

- ◆ Traditional sailmaking tool used with punches, hole cutters, grommet dies and wherever a cushioned hit is desired, now offered in a heavy weight (4lb), larger face style.
- ◆ C530R replacement hides



C233 / C234

C530

C530R

C531

Part No.	Size (mm)	Weight (kg)	UOM
C233	229	1.4	Each
C234	254	2	Each
C530	45	1.2	Each
C530R	-	-	Each
C531	50	1.8	Each

Cutting Boards

- ◆ Cutting pads made from reinforced vinyl



Part No.	Colour	UOM
C501	Black	Each

Pattern Material

- ◆ Economical, flexible and stable pattern material
- ◆ The ideal material to make on site patterns for awnings and any type of cover
- ◆ Can also be used to make sail bags and accessories
- ◆ Roll Width: 183cm
- ◆ Roll Length: 50m / 200m



FP072CL

FP072NB

FP072SB

Part No.	Roll Length (m)	Roll Width (m)	Style	UOM
FP072CL	50	1830	Clear	Metre
FP072NB	200	1830	Blue	Metre
FP072SB	200	1830	Silver & Black	Metre
K903	50	1000	Opaque	Metre

Lofting & Measuring Battens

- ◆ Fibreglass Lofting battens available in 12 x 9 or 25 x 8 in various lengths
- ◆ Ideal for splining sail edges



Cross section C914/5



Cross section C920/2/4

Part No.	Length (m)	Sections (mm)	UOM
C914	5	12 x 9	Each
C915	10	12 x 9	Each
C920	12.2	25 x 8	Each
C922	18.3	25 x 8	Each
C924	30.5	25 x 8	Each

Measuring & Marking

- ◆ Measuring & Marking tools for both covermaking & sailmaking.




C705

C713



C904

C933



C933S

ZMARKERWT



ZPENCILBU

ZPENCILW2

Part No.	Length (m)	Type	Colour	Pack Qty / UOM
C705	30	Steel Tape	Black	Each
C710	1	Aluminium	Silver	Each
C713	30	Fibreglass Tape	Orange / Yellow	Each
C904	-	Knee Pads	Grey	Pair
C933	-	Chalk	White	Box of 12
C933S	-	Chalk Sharpener	Yellow	Each
ZMARKERWT	-	China Marker	White	Each
ZPENCILBU	-	Washable Pencil	Blue	Each
ZPENCILW2	-	Washable Pencil	White	Each



303 Fabric Cleaner

- ◆ Super-concentrated, new technology cleaner.
- ◆ Contains no soap, detergent or solvent.
- ◆ Non-hazardous, non-toxic and non-flammable.
- ◆ Super-concentrated and super safe.
- ◆ Dilute for spot removing and general cleaning. Safely removes even the most difficult stains.
- ◆ Rinses residue free.



Part No.	Type	Size (ml)	UOM
M020	303 Fabric Cleaner	946	Each

YKK® – Zippy Cool Cleaner

- ◆ Remove harmful dirt, sand and salt deposits – great for marine zippers.
- ◆ Zippy Cool will effectively clean and lubricate all types of metal.



Part No.	Style	UOM
M031	Zipper Lube	Each

3M Adhesive Remover

A specially blended solvent that provides easy cleanup of most types of adhesive and quickly removes waxes, road tars, grease, oil and similar materials. Will not harm vinyl or fabrics when properly used. Always try on a small area of similar material before use on a sail or cover.

- ◆ Easy to apply.
- ◆ Non-Toxic.
- ◆ Non-Allergenic.
- ◆ Much safer than acetone.



Part No.	Liquid Measure (ml)	UOM
M040	946	Each

Iosso Mould & Mildew Remover

- ◆ Removes mould, mildew, tough dirt and some stains.
- ◆ Use on fabrics, vinyl, plastic, fibreglass and wood.
- ◆ Colour and fabric safe.
- ◆ Gentle to skin, no harmful vapours.
- ◆ Just add water to the biodegradable non toxic, non chlorine powder.



Part No.	Size (kg)	UOM
M212	0.34	Each

IMAR Strataglass

- ◆ Window polish and cleaners made by IMAR.
- ◆ Gently cleans all plastics without scratching.
- ◆ Leaves a lustrous shine that resists fogging, repels dust and eliminates static.
- ◆ Resists finger marking.
- ◆ Contains no abrasives or harsh chemicals.
- ◆ Leaves a smooth, clean and grease-less shine.



M2214



M2224

Part No.	Size (ml)	Type	UOM
M2214	118	Strataglass Cleaner	Each
M2224	118	Stataglass Polish	Each

Dickson TEX'AKTIV Clean

- ◆ Recommended for all Sunbrella fabrics.
- ◆ Removes stains and eliminates bad odours on all marine fabrics.
- ◆ Deep-acting powerful stain remover.
- ◆ Works well on deck chairs, cushions and all marine covers such as biminis and sprayhoods.



Part No.	Volume (l)	UOM
SUNTEX003	1	Each
SUNTEX004	5	Each

Spray Adhesive

- ◆ An extremely versatile spray adhesive that permits either a temporary or permanent bond with a new "low mist" formula.



Part No.	Size (ml)	UOM
J959A	500	Each

Seam Sealer

- ◆ Protects sewn seams.
- ◆ Does not change the look or feels of the fabric.



Part No.	Type	Liquid Measurements (ml)	UOM
M216	Seam Sealer	118	Each



303 Protectants

- ◆ 303 is excellent for preventative maintenance, with UV screen that reduces fading and degradation due to ozone, acid rain and weather.



M010/10



M012



M013



M016

Part No.	Size (ml)	UOM
M010/10	236	Each
M012	3800	Each
M013	473	Each
M016	3780	Each

Dickson TEX'AKTIV Guard

- ◆ Recommended for all Sunbrella fabrics
- ◆ Protects fabric from dirt and stains.
- ◆ Acts as a fabric water-proofer and is perfect for use on marine, outdoor furniture and solar protection fabrics.
- ◆ Prevents grease and water from penetrating into the fabric.
- ◆ Colourless beading effect preserves and restores outdoor fabric's original beauty.



Part No.	Size (l)	UOM
SUNTEX001	1	Each
SUNTEX002	5	Each

Dry Lubricants & Machine Oil

- ◆ High performance dry lubricant & machine oil.



M301 / M305



M321 / M322



M405

Part No.	Type	Volume (ml)	UOM
M301	Thread Lubricants	950	Each
M305	Thread Lubricants	950	Each
M321	Sewing Machine Oil	950	Each
M322	Sewing Machine Oil	3360	Each
M405	McLube Sailkote	227	Each

Boat Cleaner

- ◆ Spray on, rinse off to clean vinyl, fibreglass, plastic, metal or painted surfaces
- ◆ Ideal for cleaning spills, fish blood, grease spots, footprints and more



SB83222

SB83200

Part No.	Volume (ml)	UOM
SB83200	118	Each
SB83222	650	Each

Boat Cover Cleaner

- ◆ Keeps your covers looking beautiful all year long
- ◆ Removes dirt and stains from boat covers, tarpaulins, biminis etc



Part No.	Volume (ml)	UOM
SB92122	650	Each

Boat Cover Cleaner

- ◆ Keeps your covers looking beautiful all year long
- ◆ Removes dirt and stains from boat covers, tarpaulins, biminis etc



SB81922

SB81900

Part No.	Volume (ml)	UOM
SB81900	3790	Each
SB81922	650	Each

Black Streak Remover

- ◆ Quickly removes black streaks caused by water run off
- ◆ Safe for use on fibreglass, metal and painted surfaces
- ◆ Will not remove wax or polish
- ◆ Spray directly onto black streaks and wipe off; no hard scrubbing needed
- ◆ Hundreds of uses; will instantly remove stains and marks on boats, cars, caravans and around the house



SB71622

SB71600

SB71664

Part No.	Volume (ml)	UOM
SB71622	650	Each
SB71664	1890	Each
SB71600	3790	Each

Black Streak Remover

- ◆ Quickly dissolves messy spider and bird droppings
- ◆ Non-toxic, all-natural formula
- ◆ Contains no bleach; safe for use around children and pets.
- ◆ Will not remove polish or wax
- ◆ Safe for all marine surfaces and fabrics



Part No.	Volume (ml)	UOM
SB95122	650	Each

Black Streak Remover

- ◆ Quickly removes insects and road film from glass, paint, plastic and metal
- ◆ No hard rubbing or scrubbing required
- ◆ Does not remove waxes or polishes
- ◆ Convenient spray-on, wipe off application



Part No.	Volume (ml)	UOM
SB92722	650	Each

Mildew Stain Remover

- ◆ Removes mildew stains on contact without heavy scrubbing
- ◆ Special buffered formula will not harm vinyl upholstery or thread
- ◆ Safe for use on fibreglass, painted surfaces, rubber, plastic and vinyl headliners, bolsters and upholstery
- ◆ Does not weaken fabric or thread



SB85616

SB85600

Part No.	Volume (ml)	UOM
SB85616	600	Each
SB85600	3790	Each

Plastic Scratch Remover

- ◆ Restores hazy or yellowed clear plastic enclosures
- ◆ Removes fine scratches from acrylic, polycarbonate and most other types of plastic surfaces
- ◆ Cleans off stains, salt deposits and surface discolouration
- ◆ Use as the first step in the restoration of deteriorated plastic



Part No.	Volume (ml)	UOM
SB82016	475	Each

Plastic Polish Restorer

- ◆ Restores shine and clarity to acrylic, polycarbonate and most other types of plastic surfaces
- ◆ Adds UV protection to all clear plastic surfaces
- ◆ Use as the second step in the restoration of deteriorated plastic



Part No.	Volume (ml)	UOM
SB87308	236	Each



Rain View

- ◆ Improves wet weather visibility through windshield and windows
- ◆ Use on glass
- ◆ Works with or without windshield wipers
- ◆ Makes surface so slick that rain and wet weather deposits literally slide off
- ◆ High-Tech Formula



Part No.	Volume (ml)	UOM
SB88708	237	Each

Sea-Safe Waterproofing

- ◆ Unique formula is lake and reservoir safe; can be applied while boat is in or near the water
- ◆ Ideal for use on foul weather gear, tents, tarps and other outdoor gear
- ◆ Unique biodegradable bottle helps reduce landfill overcrowding
- ◆ Protects new fabrics, adds years to service life
- ◆ Will not affect colours or the feel of fabric



Part No.	Volume (ml)	UOM
SB89755	650	Each

Slime & Grime Stain Remover

- ◆ Removes mould stains and mildew stains, rust, tarnish and other tough stains quickly
- ◆ Works on boat bottoms, shower stalls, floor tiles, fibreglass, wood, aluminium, cement, non-skid decks and metal surfaces
- ◆ Concentrated powder formula



Part No.	Volume (ml)	UOM
SB94816	500	Each

Snap & Zipper Lubricant

- ◆ Removes mould stains and mildew stains, rust, tarnish and other tough stains quickly
- ◆ Works on boat bottoms, shower stalls, floor tiles, fibreglass, wood, aluminium, cement, non-skid decks and metal surfaces
- ◆ Concentrated powder formula



Part No.	Volume (ml)	UOM
SB89102	56	Each

06R	58
06R30	58
06R30BK	58
06RBK	58
08R	58
08R30	58
10R	58
10R30	58
12R	58
14R	58
15CT	58
15CTST	58
16HCP	58
16R	58
20CV062	59
20CV080	59
20CV107	59
20CV125	59
20R	58
30CT024	58
30CT031	58
30CT031R	58
30CT044	58
30CT044R	58
30CT052	58
30CT052R	58
40CT	58
40CTST	58
A	
A0701WT	75
A0702WT	75
A073	75
A074	75
A075	75
A076	75
A076HD	75
A077HD	75
A079BK	75
A084	75
A085	75
A086	75
A087	75
A088	75
A089	75
A089WT	75
A095BK	75
A095WT	75
A096BK	75
A096WT	75
A097BK	75
A097WT	75
A101	64
A102	64
A105	64

A140	64
A141	64
A142BK	75
A159BK	75
A160WT	54
A161WT	54
B	
B087	75
B117	72
B118	72
B119	72
B121	72
B127	72
B133	65
B134	65
B135	65
B153	65
B154	65
B155	65
B156	65
B158	65
B169	72
B170	72
B171	72
B172	72
B174	72
B191	72
B196	72
B197	72
B204	72
B2075	69
B2075C	69
B2076	69
B2095	69
B2095C	69
B2096	69
B2106	69
B2108	69
B214	72
B219	72
B220	72
B221	72
B225	72
B227	72
B228	72
B229	72
B449	64
B450	64
B451	64
B452	64
B453	64
B461	64
B462	64
B463	64

B464	64
B540	65
B541	65
B542	65
B542N	65
B543	65
B543N	65
B544	65
B544N	65
B545N	65
B546	65
B546N	65
B547	65
B549	65
BC08S	58
BC10S	58
BC12S	58
BC14S	58
BC16S	58
BC20S	58
C	
C005	90
C007	90
C010	90
C012	90
C013	90
C014	90
C015	90
C016	90
C016	90
C018	90
C019	90
C021	90
C022	90
C023	90
C024	90
C025	90
C026	90
C027	90
C028	90
C029	90
C030	90
C032	90
C033	90
C034	90
C036	90
C037	90
C038	91
C038L	91
C039	91
C040	87
C041	87
C041	87
C061	91
C063	91

C101	94
C102	94
C103	70
C103	94
C104	94
C105	70
C105	94
C106	71
C106	70
C106	94
C107	71
C107	70
C107	94
C108	71
C108	70
C108	94
C109	71
C109	70
C109	94
C110	71
C110	70
C110	94
C111	71
C111	70
C111	94
C112	94
C113	94
C114	71
C114	70
C114	94
C116	94
C117	94
C119	94
C120	94
C122	94
C125	94
C140	54
C233	94
C234	94
C301	70
C302	70
C303	70
C303C	71
C303S	71
C304	70
C304C	71
C304S	71
C305	70
C305C	71
C305S	71
C306	70
C306C	71
C306S	71
C307	70
C307C	71

C307S	71
C308	70
C308S	71
C309	70
C309S	71
C360	52
C361BKW	52
C361GYW	52
C407	69
C408	69
C409	69
C410	69
C411	69
C412	69
C413	69
C414	69
C449	64
C501	94
C515R	93
C516R	93
C517R	93
C519	93
C523	93
C530	94
C530R	94
C531	94
C550-10	92
C550-12	92
C551-7	92
C551-8	92
C551-9	92
C552-10	92
C552-12	92
C552L-10	92
C553	92
C554	92
C555-10	92
C555-12	92
C705	95
C710	95
C713	95
C758	93
C759	93
C850	92
C852	92
C853	92
C857B	92
C857C	92
C857D	92
C861	92
C900	92
C901	92
C903	92
C903BK	92
C903FP	92

C904	95
C905	92
C906	92
C907	92
C908	92
C909	92
C910	92
C9105	91
C9108	91
C910US	91
C911WT	91
C912	92
C914	95
C915	95
C916	91
C917C8	91
C917ST8	91
C920	95
C922	95
C924	95
C933	95
C933S	95
C950	50
C951	50
C952	51
C953	51
C954	52
C955	52
C956	52
C959	52
C970	65
C996/10	47
C996/12	47
C996/6	47
C996/8	47
C996B	47
C996CLAMP	47
C996ROLLER	47
C998	47
CBA812GY	60
CBA813GY	60
CBA833GY	60
CBA834GY	60
CBA853GY	61
CBA854GY	61
CG0515FM	25
CG0636TF	25
CG1036DP	25
CG1336DP	25
CG2536DP	25
CG4036DP	25
CG4815BW	25
D	
D001BH	70



D001N.....	70
D001NH.....	70
D001NX.....	70
D002B.....	70
D002BH.....	70
D002N.....	70
D002NH.....	70
D002NX.....	70
D003B.....	70
D003BS.....	71
D003N.....	70
D003NH.....	70
D003NS.....	71
D003NX.....	70
D004B.....	70
D004BS.....	71
D004N.....	70
D004NH.....	70
D004NS.....	71
D004NX.....	70
D005B.....	70
D005BS.....	71
D005N.....	70
D005NS.....	71
D005NX.....	70
D006B.....	70
D006BS.....	71
D006N.....	70
D006NS.....	71
D006NX.....	70
D007B.....	70
D007BS.....	71
D007N.....	70
D007NS.....	71
D007NX.....	70
D008B.....	70
D008BS.....	71
D008N.....	70
D008NS.....	71
D008NX.....	70
D009N.....	70
D009NS.....	71
D009NX.....	70
D207A.....	69
D207B.....	69
D207N.....	69
D207R.....	69
D208A.....	69
D208B.....	69
D208N.....	69
D209A.....	69
D209B.....	69
D209N.....	69
D209R.....	69
D210A.....	69
D210B.....	69
D210N.....	69
D210R.....	69
D211A.....	69
D211B.....	69
D211N.....	69
D211R.....	69
D212A.....	69
D212B.....	69
D212N.....	69
D213A.....	69
D213B.....	69
D214A.....	69
D214B.....	69
D350.....	47
D356.....	47
D370.....	47
D371.....	47
D724.....	93
D732.....	93
D733.....	93
D742.....	93
D744.....	93
D748.....	93

E

E060.....	20
E078.....	20
E080.....	20
E085BK.....	14
E085CR.....	14
E085IV.....	14
E085NV.....	14
E085RB.....	14
E085SD.....	14
E085SW.....	14
E085WT.....	14
E086BK.....	14
E086WT.....	14
E088.....	20
E090BK.....	37
E090WT.....	37
E095BG.....	37
E095BI.....	37
E095BU.....	37
E095FGR.....	37
E095NV.....	37
E095OYS.....	37
E095RD.....	37
E095TST.....	37
E095WT.....	37
E099BG.....	14
E099BI.....	14
E099BK.....	14
E099CCGY.....	14

E099CNV.....	14
E099FGR.....	14
E099NV.....	14
E099WT.....	14
E108.....	73
E109.....	73
E110.....	73
E110N.....	74
E110NBK.....	74
E111.....	73
E112.....	73
E112NBK.....	74
E113.....	73
E114.....	73
E115.....	73
E115BK.....	74
E116.....	73
E118.....	73
E119.....	73
E120.....	73
E121.....	73
E121BK.....	74
E122.....	74
E123.....	74
E124.....	73
E124H.....	73
E124NBK.....	74
E124NBU.....	74
E125.....	74
E127.....	73
E129.....	73
E131.....	74
E132.....	74
E133.....	74
E134.....	74
E135SP.....	74
E135SPBK.....	74
E139SP.....	74
E139SPBK.....	74
E150.....	74
E160.....	93
E161.....	93
E345.....	63
E347.....	63
E361.....	63
E362.....	63
E392.....	62
E393.....	62
E394.....	62
E401.....	62
E403.....	62
E405.....	62
E407.....	62
E432.....	63
E434.....	63

E435.....	63
E441.....	62
E443.....	62
E451.....	62
E452.....	62
E453.....	62
E454.....	62
E455.....	62
E491.....	62
E491R.....	62
E492.....	62
E492R.....	62
E493.....	62
E493R.....	62
E494.....	62
E494R.....	62
E495R.....	62
E510.....	83
E510H.....	83
E510L.....	83
E511.....	83
E511H.....	83
E511L.....	83
E515.....	83
E515H.....	83
E515L.....	83
E517.....	83
E517H.....	83
E517L.....	83
E520.....	83
E520H.....	83
E520L.....	83
E521.....	83
E521H.....	83
E521L.....	83
E530.....	83
E530H.....	83
E530L.....	83
E531.....	83
E531H.....	83
E531L.....	83
E540.....	83
E540H.....	83
E540L.....	83
E541.....	83
E541H.....	83
E541L.....	83
E560BK.....	80
E560NB.....	80
E560WT.....	80
E561BE.....	80
E561BK.....	80
E561NB.....	80
E561WT.....	80
E562BK.....	80

E562NB.....	80
E562WT.....	80
E563BE.....	80
E563BK.....	80
E563NB.....	80
E563WT.....	80
E564BK.....	80
E564NB.....	80
E564WT.....	80
E565BE.....	80
E565BK.....	80
E565NB.....	80
E565WT.....	80
E566BK.....	80
E566NB.....	80
E566WT.....	80
E567BE.....	80
E567BK.....	80
E567NB.....	80
E567WT.....	80
E568BK.....	80
E568NB.....	80
E568WT.....	80
E569WT.....	80
E570BE.....	80
E570BK.....	80
E570NB.....	80
E570WT.....	80
E571BK.....	80
E571NB.....	80
E571WT.....	80
E572BE.....	80
E572BK.....	80
E572NB.....	80
E572WT.....	80
E574BK.....	80
E574NB.....	80
E574WT.....	80
E576BE.....	80
E576BK.....	80
E576NB.....	80
E576WT.....	80
E577BK.....	80
E577NB.....	80
E577WT.....	80
E578BK.....	80
E578NB.....	80
E578WT.....	80
E579WT.....	80
E580.....	80
E581.....	80
E583.....	80
E584.....	81
E584BE.....	81
E584BK.....	81

E584BS.....	80
E584BSBK.....	80
E584NB.....	81
E584SSTS.....	80
E584TS.....	80
E584TSBK.....	80
E585.....	81
E585BE.....	81
E585BK.....	81
E585NB.....	81
E586.....	81
E586BE.....	81
E586BK.....	81
E586NB.....	81
E587.....	81
E591.....	81
E591BK.....	81
E592.....	81
E592BK.....	81
E593.....	81
E593BK.....	81
E600WT.....	80
E605BK.....	80
E605WT.....	80
E608BK.....	80
E609WT.....	80
E610BK.....	81
E610NB.....	81
E610WT.....	81
E611BK.....	81
E611NB.....	81
E611WT.....	81
E612BK.....	81
E612NB.....	81
E612WT.....	81
E613BK.....	81
E613NB.....	81
E613WT.....	81
E7020BE.....	82
E7020BEH.....	82
E7020BEH.....	82
E7020BEL.....	82
E7020BEL.....	82
E7020BK.....	82
E7020BK.....	82
E7020BKH.....	82
E7020BKH.....	82
E7020BKL.....	82
E7020BKL.....	82
E7020GY.....	82
E7020GY.....	82
E7020GYH.....	82
E7020GYH.....	82
E7020GYL.....	82

E7020GYL	82	E7030GY	82	E7050BK	82	EA069WT	84	ES030WT	86	EY092FGR8	85
E7020NB	82	E7030GY	82	E7050BKH	82	EA092BK	84	ES040BK	86	EY092GY8	85
E7020NB	82	E7030GYH	82	E7050BKH	82	EA092BU	84	ES040BU	86	EY092JRD8	85
E7020NBH	82	E7030GYH	82	E7050BKL	82	EA092GY	84	ES040CG	86	EY092LN8	85
E7020NBH	82	E7030GYL	82	E7050BKL	82	EA092PB	84	ES040PG	86	EY092LRD8	85
E7020NBL	82	E7030GYL	82	E7050GY	82	EA092WT	84	ES040RD	86	EY092NV8	85
E7020NBL	82	E7030NB	82	E7050GY	82	EA138BK	84	ES040SS	86	EY092PB8	85
E7020WT	82	E7030NB	82	E7050GYH	82	EA138WT	84	ES040WT	86	EY092SR8	85
E7020WT	82	E7030NBH	82	E7050GYH	82	EB046FWT	85	ESF030BE	86	EY092TS8	85
E7020WTH	82	E7030NBH	82	E7050GYL	82	EB069DWT	85	ESF030BK	86	EY092WT8	85
E7020WTH	82	E7030NBL	82	E7050GYL	82	EB069FWT	85	ESF030NV	86	EY138BEG8	85
E7020WTL	82	E7030NBL	82	E7050NB	82	EB069LWT	85	ESF030WT	86	EY138BG8	85
E7020WTL	82	E7030WT	82	E7050NB	82	EB092DWT	85	ESF040BE	86	EY138BK8	85
E7025BE	82	E7030WT	82	E7050NBH	82	EB092FWT	85	ESF040BK	86	EY138BR8	85
E7025BE	82	E7030WTH	82	E7050NBH	82	EB092LWT	85	ESF040NV	86	EY138CNV8	85
E7025BEH	82	E7030WTH	82	E7050NBL	82	EF1500CH1T	86	ESF040WT	86	EY138FGR8	85
E7025BEH	82	E7030WTL	82	E7050NBL	82	EF1500DH1T	86	ET030WT	84	EY138GY8	85
E7025BEL	82	E7030WTL	82	E7050WT	82	EF1500WH1T	86	ET046BK	84	EY138LN8	85
E7025BEL	82	E7038BE	82	E7050WT	82	EF2640CH1T	86	ET046BU	84	EY138LRD8	85
E7025BK	82	E7038BE	82	E7050WTH	82	EF2640DH1T	86	ET046WT	84	EY138NV8	85
E7025BK	82	E7038BEH	82	E7050WTH	82	EF2640WH1T	86	ET069BK	84	EY138PB8	85
E7025BKH	82	E7038BEH	82	E7050WTL	82	EP225BK	73	ET069BU	84	EY138RD8	85
E7025BKH	82	E7038BEL	82	E7050WTL	82	EP225BU	73	ET069GY	84	EY138SR8	85
E7025BKL	82	E7038BEL	82	E7100BE	82	EP225GY	73	ET069RD	84	EY138TS8	85
E7025BKL	82	E7038BK	82	E7100BE	82	EP225NB	73	ET069TN	84	EY138WT8	85
E7025GY	82	E7038BK	82	E7100BEH	82	EP225WT	73	ET069WT	84		
E7025GY	82	E7038BKH	82	E7100BEH	82	EP225YE	73	ET069WT1	84		
E7025GYH	82	E7038BKH	82	E7100BEL	82	EP226BK	73	ET092BK	84		
E7025GYH	82	E7038BKL	82	E7100BEL	82	EP226BU	73	ET092BU	84		
E7025GYL	82	E7038BKL	82	E7100BK	82	EP226GY	73	ET092GY	84		
E7025GYL	82	E7038GY	82	E7100BK	82	EP226NB	73	ET092TN8	84		
E7025NB	82	E7038GY	82	E7100BKH	82	EP226RD	73	ET092WT	84		
E7025NB	82	E7038GYH	82	E7100BKH	82	EP226WT	73	ET138BK	84		
E7025NBH	82	E7038GYH	82	E7100BKL	82	EP227BK	73	ET138BU	84		
E7025NBH	82	E7038GYL	82	E7100BKL	82	EP227BU	73	ET138GY	84		
E7025NBL	82	E7038GYL	82	E7100GY	82	EP227GY	73	ET138TN	84		
E7025NBL	82	E7038NB	82	E7100GY	82	EP227NB	73	ET138WT	84		
E7025WT	82	E7038NB	82	E7100GYH	82	EP227RD	73	ET207BK	84		
E7025WT	82	E7038NBH	82	E7100GYH	82	EP227WT	73	ET207WT	84		
E7025WTH	82	E7038NBH	82	E7100GYL	82	EP228BK	73	ET346WT	84		
E7025WTH	82	E7038NBL	82	E7100GYL	82	EP228NB	73	ET353	87		
E7025WTL	82	E7038NBL	82	E7100NB	82	EP228WT	73	EVMR02143	93		
E7025WTL	82	E7038WT	82	E7100NB	82	ES020BK	86	EVMR05200	93		
E7030BE	82	E7038WT	82	E7100NBH	82	ES020BU	86	EW346	87		
E7030BE	82	E7038WTH	82	E7100NBH	82	ES020CG	86	EW351	87		
E7030BEH	82	E7038WTH	82	E7100NBL	82	ES020WT	86	EW352	87		
E7030BEH	82	E7038WTL	82	E7100NBL	82	ES030BG	86	EW352BK	87		
E7030BEL	82	E7038WTL	82	E7100WT	82	ES030BK	86	EW462	87		
E7030BEL	82	E7050BE	82	E7100WT	82	ES030BU	86	EW499	87		
E7030BK	82	E7050BE	82	E7100WTH	82	ES030CGY	86	EW500	87		
E7030BK	82	E7050BEH	82	E7100WTH	82	ES030GR	86	EY092BEG8	85		
E7030BKH	82	E7050BEH	82	E7100WTL	82	ES030NV	86	EY092BG8	85		
E7030BKH	82	E7050BEL	82	E7100WTL	82	ES030PGY	86	EY092BK8	85		
E7030BKL	82	E7050BEL	82	EA069BK	84	ES030RD	86	EY092BRN8	85		
E7030BKL	82	E7050BK	82	EA069PB	84	ES030SS	86	EY092CNV8	85		

F

F0300A00Y	12
F0300A10Y	12
F0300A14Y	12
F0300A18Y	12
F0300A22Y	12
F0300A44Y	12
F0300A46Y	12
F0300A60Y	12
F0300A65Y	12
F0300A66Y	12
F0300A67Y	12
F0300A68Y	12
F0300A74Y	12
F0300A75Y	12
F0300A79Y	12
F0300A85Y	12
F0300A89Y	12
F0300A90Y	12
F0300A97Y	12
F0300A98Y	12
F0350A00Y	21
F0350A13Y	21
F0350A47Y	21
F0350A60Y	21
F0350A62Y	21
F0350A71Y	21
F0350A75Y	21
F0350A79Y	21

F0350A97Y	21	F84500100	5
F0800A00Y	10	F84500182	5
F0800A10Y	10	F84500206	5
F0800A14Y	10	F84500207	5
F0800A18Y	10	F84500208	5
F0800A20Y	10	F84500210	5
F0800A44Y	10	F84500220	5
F0800A46Y	10	F84500230	5
F0800A60Y	10	F84500300	5
F0800A62Y	10	F84500401	5
F0800A65Y	10	F84500402	5
F0800A66Y	10	F84500404	5
F0800A75Y	10	F84500420	5
F0800A79Y	10	F84500450	5
F0800A85Y	10	F84500500	5
F0800A88Y	10	F84500520	5
F0800A90Y	10	F84500600	5
F0800A97Y	10	F84500700	5
F0805A00Y	11	F84500770	5
F0805A14Y	11	F84500775	5
F0805A18Y	11	F84500800	5
F0805A44Y	11	F84500910	5
F0805A46Y	11	F86500100	15
F0805A60Y	11	F86500101	15
F0805A65Y	11	F86500102	15
F0805A75Y	11	F86500210	15
F0805A79Y	11	F86500450	15
F0805A88Y	11	F87500100	15
F0805A90Y	11	F87500101	15
F0805A97Y	11	FH062BK	18
F0840A00Y	22	FH062WT	18
F5300D08W	23	FH063WT	18
F5300D60W	23	FH160BK	18
F5300D79W	23	FH160BU	18
F83500100	5	FH160RD	18
F83500182	5	FH160WT	18
F83500206	5	FH162WTFR	18
F83500207	5	FH172GY	18
F83500208	5	FH350GY	14
F83500210	5	FH350RB	14
F83500220	5	FH354AL	17
F83500230	5	FH354BK	17
F83500300	5	FH354GR	17
F83500400	5	FH354GY	17
F83500401	5	FH354NV	17
F83500402	5	FH354RB	17
F83500404	5	FH354WT	17
F83500450	5	FH354YE	17
F83500500	5	FH359BK	17
F83500600	5	FH359GR	17
F83500700	5	FH359GY	17
F83500770	5	FH359NV	17
F83500775	5	FH359PN	17
F83500800	5	FH359RB	17
F83500910	5	FH359WT	17

FH372CG	18	FH456BEG	37
FH456BK	37	FH456GY	37
FH456WT	37	FH590BK	18
FH590WT	18	FH592WT	18
FHKP60WT	18	FP072CL	20
FP072CL	20	FP072CL	95
FP072NB	20	FP072NB	95
FP072NB	95	FP072SB	20
FP072SB	20	FP072SB	95
FS82000	21	FS82000	21
FS82003	21	FS82003	21
FS82006	21	FS82006	21
FS82008	21	FS82008	21
FS82010	21	FS82010	21
FS82012	21	FS82012	21
FS82013	21	FS82013	21
FS82015	21	FS82015	21
FS82016	21	FS82016	21
FS82017	21	FS82017	21
FWP0900FR	22		

G

G040BK	64	G040WT	64
G045BK	55	G045WT	55
G046BK	55	G046WT	55
G048BK	48	G049BK	48
G050BK	48	G050BK	48
G050BU	48	G050BU	48
G050GY	48	G050GY	48
G050WT	48	G050WT	48
G052BK	55	G052BK	55
G055BK	55	G055BK	55
G055WT	55	G055WT	55
G057BK	48	G057BK	48
G057WT	48	G057WT	48
G0600A	55	G0600A	55
G100	50	G100	50
G101	50	G101	50
G101FW	50	G101FW	50
G103	50	G103	50
G103A	50	G103A	50
G103BP	50	G103BP	50
G104	50	G104	50
G104A	50	G104A	50
G104BP	50	G104BP	50

G105	50	G105	50
G105A	50	G105A	50
G105FW	50	G105FW	50
G105MW	50	G105MW	50
G106	50	G106	50
G108	50	G108	50
G108BP	50	G108BP	50
G110	51	G110	51
G113	51	G113	51
G115S	51	G115S	51
G116S	51	G116S	51
G118	51	G118	51
G119	51	G119	51
G119A	51	G119A	51
G119BP	51	G119BP	51
G119FW	51	G119FW	51
G120	51	G120	51
G130	51	G130	51
G130A	51	G130A	51
G130BP	51	G130BP	51
G130LP	51	G130LP	51
G140	52	G140	52
G140BK	52	G140BK	52
G140BU	52	G140BU	52
G140NV	52	G140NV	52
G140SS	52	G140SS	52
G140WT	52	G140WT	52
G141	52	G141	52
G141SS	52	G141SS	52
G142	52	G142	52
G142SS	52	G142SS	52
G143	52	G143	52
G143SS	52	G143SS	52
G144	52	G144	52
G145	52	G145	52
G145SS	52	G145SS	52
G146	52	G146	52
G147	53	G147	53
G151	53	G151	53
G151SS	53	G151SS	53
G152	53	G152	53
G152OS	53	G152OS	53
G153	53	G153	53
G154	53	G154	53
G155	53	G155	53
G156	53	G156	53
G157	53	G157	53
G160ABK	54	G160ABK	54
G160AWT	54	G160AWT	54
G160BK	54	G160BK	54
G160WT	54	G160WT	54
G161BK	54	G161BK	54
G161WT	54	G161WT	54
G171	53	G171	53
G171FW	53	G171FW	53

G175	53	G175	53
G182	53	G182	53
G190BK	55	G190BK	55
G190WT	55	G190WT	55
G191BK	55	G191BK	55
G191WT	55	G191WT	55
G192BK	55	G192BK	55
G192WT	55	G192WT	55
G194BK	55	G194BK	55
G194WT	55	G194WT	55
G195CL	55	G195CL	55
G195WT	55	G195WT	55
G196CL	55	G196CL	55
G200S	75	G200S	75
G203S	55	G203S	55
G205S	75	G205S	75
G209S	75	G209S	75
G210S	75	G210S	75
G211S	75	G211S	75
G221	75	G221	75
G221S	75	G221S	75
G222	75	G222	75
G222S	75	G222S	75
G223	75	G223	75
G308	48	G308	48
G309	48	G309	48
G340BD	53	G340BD	53
G342BD	53	G342BD	53
G343BD	53	G343BD	53
G345BD	53	G345BD	53
G371	48	G371	48
G512	47	G512	47
G512BK	47	G512BK	47
G513	47	G513	47
G520-8	47	G520-8	47
G590	46	G590	46
G590C	46	G590C	46
G603	46	G603	46
G605S	46	G605S	46
G607S	46	G607S	46
G610S	45	G610S	45
G611S	44	G611S	44
G615S	46	G615S	46
G615SQP	46	G615SQP	46
G620S	45	G620S	45
G620SS	45	G620SS	45
G621S	44	G621S	44
G622S	46	G622S	46
G623S	46	G623S	46
G624S	46	G624S	46
G625LAN	46	G625LAN	46
G625PIN	46	G625PIN	46
G625S	46	G625S	46
G625SQP	46	G625SQP	46
G626S	46	G626S	46

G627PIN	46	G627PIN	46
G629S	46	G629S	46
G630SHD	45	G630SHD	45
G631SHD	44	G631SHD	44
G638	48	G638	48
G639	48	G639	48
G640SHD	45	G640SHD	45
G641SHD	44	G641SHD	44
G650WT	45	G650WT	45
G651WT	45	G651WT	45
G652WT	45	G652WT	45
G653WT	45	G653WT	45
G655	45	G655	45
G660	44	G660	44
G661	44	G661	44
G662	44	G662	44
G665	44	G665	44
G666	44	G666	44
G667	44	G667	44
G668	44	G668	44
G670	48	G670	48
G671S	44	G671S	44
G672S	45	G672S	45
G675	44	G675	44
G676	44	G676	44
G678S	44	G678S	44
G679	44	G679	44
G681S	44	G681S	44
G682S	45	G682S	45
G692S	46	G692S	46
G697S	45	G697S	45
G738	48	G738	48
G742S	45	G742S	45
G744S	45	G744S	45
G747S	45	G747S	45
G758	45	G758	45
G820S	45	G820S	45
G830S	45	G830S	45
G840S	45	G840S	45
G840SSP	45	G840SSP	45

J

J080	78	J080	78
J082	78	J082	78
J112V	78	J112V	78
J117V	78	J117V	78
J132	78	J132	78
J133	78	J133	78
J134	78	J134	78
J180	78	J180	78
J181	78	J181	78
J182	78	J182	78
J310	76	J310	76
J311	76	J311	76
J312	76	J312	76

J313	76
J314	76
J315	76
J411	76
J412	76
J413	76
J414	76
J415	76
J416	76
J417	76
J418	76
J421	76
J422	76
J423	76
J424	76
J425	76
J426	76
J427	76
J428	76
J431	76
J431	77
J432	76
J432	77
J433	76
J433	77
J434	76
J434	77
J435	76
J435	77
J436	76
J436	77
J437	76
J437	77
J451	78
J452	78
J453	78
J455	78
J456	78
J472	78
J959A	98
K	
K220	19
K222	19
K225	19
K227	19
K228	19
K232	19
K432	19
K631	19
K903	20
K903	95
L	
L570	49
L570050	49

L575	49
L575050	49
L575300	49
L575BK	49
L575BK050	49
L575BK300	49
L575T	49
L575T300	49
L585	49
L585050	49
L585300	49
L585BK	49
L585BK050	49
L585BK300	49
L705BKA	49
L710BK	49
L710WT	49
LAC6407412	15
LAC6407441	15
LAC6407446	15
LAC640810	15
LAC640867	15
LAC640939	15
LAC640941	15
LAC640995	15
LO0220279098	54
LO0511579098	54
LO0514005000	54
LO0514011000	54
LO0886502098	54
LO9512105000	54
LS401BG	48
LS401BK	48
LS401BU	48
LS401GY	48
LS401TN	48
M	
M010/10	99
M012	99
M013	99
M016	99
M020	96
M031	96
M040	96
M212	97
M216	98
M2214	97
M2224	97
M301	99
M305	99
M321	99
M322	99
M405	99
R	

RSESC03WRD	64
RSESC04WRD	64
RSESC05WRD	64
RSESC06WRD	64
RSESC08WRD	64
S	
SAN102	38
SAN103	38
SAN108	38
SAN110	38
SAN111	38
SAN112	38
SAN116	38
SAN120	38
SAN121	38
SAN122	38
SAN136	38
SAN138	38
SAN146	38
SB71600	100
SB71622	100
SB71664	100
SB81900	100
SB81922	100
SB82016	101
SB83200	100
SB83222	100
SB85600	101
SB85616	101
SB87308	101
SB88708	101
SB89102	101
SB89755	101
SB92122	100
SB92722	100
SB94816	101
SB95122	100
SD701	40
SD702	40
SD704	40
SD705	40
SD706	40
SD707	40
SD708	40
SD709	40
SD710	40
SD711	40
SD712	40
SD713	40
SD714	40
SD715	40
SD716	40
SD717	40
SD718	40

SD719	40
SD720	40
SD721	40
SD722	40
SD723	40
SD724	40
SD725	40
SD726	40
SD727	40
SD728	40
SD729	40
SD730	40
SD731	40
SD732	40
SD733	40
SD734	40
SD735	40
SD736	40
SF703	40
SR100PS306W	66
SR100PS308W	66
SR100PS310W	66
SR100PS312W	66
SR100SC03B	67
SR100SC03BK	67
SR100SC03W	67
SR100SC04B	67
SR100SC04BK	67
SR100SC04W	67
SR100SC05B	67
SR100SC05BK	67
SR100SC05W	67
SR100SC06B	67
SR100SC06BK	67
SR100SC06W	67
SR100SPB04B	68
SR100SPB04BK	68
SR100SPB04W	68
SR100SPB05W	68
SR100SPB08W	68
SR100SUP12015G	67
SR100SUP1202G	67
SR100SUP1203G	67
SR100SUP1204G	67
SR100SUP1205G	67
SR100SUP1206G	67
SR100T03W	68
SR100WWT05	68
SR100WWT05W	68
SR200BC04BK	66
SR200BC04W	66
SR200BC05W	66
SR200PL03W	66
SR200PL04W	66
SR200PL05W	66

SR200PS1203G	66
SR200PS1204G	66
SR200PS1205G	66
SR200PS1206G	66
SR200SPB02W	68
SR200SPB03W	68
SR200SPB06W	68
SR200SUPSB04GR	67
SR200SUPSB04W	67
SR200SUPSB05GR	67
SR200SUPSB05W	67
SR200SUPSB06GR	67
SR200SUPSB06W	67
SR200T04W	68
SR200T05W	68
SR25MWWT15W	68
SR25WWT15	68
SR300BC03BK	66
SR300BC03GR	66
SR300BC03W	66
SR300T015W	68
SR30WWT10	68
SR35MWWT10W	68
SR50SC08W	67
SRSCS04BK	64
SRSCS04BL	64
SRSCS05BK	64
SRSCS05BK/OR	64
SRSCS05BL	64
SRSSH03G	62
SRSSH04G	62
SRSSH05G	62
SRSSH06G	62
SUNB5020	6
SUNB5026	6
SUNB5030	6
SUNB5031	6
SUNB5032	6
SUNB5034	6
SUNB5035	6
SUNB5049	6
SUNB5057	6
SUNB5082	6
SUNB5530	6
SUNB5548	6
SUNBENP0059	33
SUNBENP0060	33
SUNBENP0061	33
SUNBENP0062	33
SUNBENP0063	33
SUNBENP0064	33
SUNBP017	6
SUNBP023	6
SUNBP052	6
SUNBP053	6

SUNBP054	6
SUNBP055	6
SUNBP056	6
SUNBP057	6
SUNBP058	6
SUNCFG5020	37
SUNCFG5026	37
SUNCFG5031	37
SUNCFG5032	37
SUNCFG5049	37
SUNCFG5050	37
SUNCFG5057	37
SUNCFG5548	37
SUNCFGP011	37
SUNCNTJ268	34
SUNCNTJ269	34
SUNCNTJ270	34
SUNCNTJ271	34
SUNCNTJ272	34
SUNCNTJ273	34
SUNCNTJ274	34
SUNCNTJ275	34
SUNDRPJ276	34
SUNDRPJ277	34
SUNDRPJ278	34
SUNDRPJ279	34
SUNDRPJ280	34
SUNDRPJ281	34
SUNDRPJ282	34
SUNDRPJ283	34
SUNDRPJ284	34
SUNMAZJ291	35
SUNMAZJ292	35
SUNMAZJ293	35
SUNMAZJ294	35
SUNMAZJ295	35
SUNMAZJ296	35
SUNMAZJ297	35
SUNMAZJ298	35
SUNNAT10029	32
SUNNAT10030	32
SUNNAT10040	32
SUNNAT10063	32
SUNNAT10152	32
SUNNAT10154	32
SUNNAT10155	32
SUNNAT5030	32
SUNNAT5073	32
SUNNAT5075	32
SUNNAT5076	32
SUNNAT5077	32
SUNNAT5078	32
SUNNATP048	32
SUNOPT5032	8
SUNOPT5049	8

SUNOPT5057	8	SUNSWKM652	16	SUNTTTP054	7
SUNOPT5548	8	SUNSWKM653	16	SUNTTTP055	7
SUNREEJ308	36	SUNSWKM716	16	SUNTTTP056	7
SUNREEJ309	36	SUNSWKM719	16	SUNTTTP057	7
SUNREEJ310	36	SUNSWKM721	16	SUNTTTP058	7
SUNREEJ311	36	SUNSWKM722	16	SUNVEL2000	33
SUNREEJ312	36	SUNSWKM927	16	SUNVEL2000W	33
SUNREEJ313	36	SUNSWKM939	16	SUNVEL2003	33
SUNREEJ314	36	SUNTEX001	99	SUNVEL2003W	33
SUNREEJ315	36	SUNTEX002	99	SUNVEL2011	33
SUNREEJ316	36	SUNTEX003	97	SUNVEL2011W	33
SUNRSHJ285	35	SUNTEX004	97	SUNVEL2016	33
SUNRSHJ286	35	SUNTJLJ299	36	SUNVEL2016W	33
SUNRSHJ287	35	SUNTJLJ300	36		
SUNRSHJ288	35	SUNTJLJ301	36	T	
SUNRSHJ289	35	SUNTJLJ302	36	TUB001	47
SUNRSHJ290	35	SUNTJLJ303	36	TUB002	47
SUNSJA3729	30	SUNTJLJ304	36	TUB003	47
SUNSJA3737	30	SUNTJLJ305	36		
SUNSJA3756	30	SUNTJLJ306	36	U	
SUNSJA3757	30	SUNTJLJ307	36	U30063	59
SUNSJA3792	30	SUNTOW78000	31	U30076	59
SUNSJA3936	30	SUNTOW78001	31	U30102	59
SUNSJA3941	30	SUNTOW78004	31	U30114	59
SUNSJA3966	30	SUNTOW78005	31	U30127	59
SUNSJA3968	30	SUNTOW78006	31		
SUNSJA5057	30	SUNTOW78010	31	V	
SUNSJA5404	30	SUNTOW78014	31	V006BK	23
SUNSJA5408	30	SUNTT5020	7	V006BR	23
SUNSJA5416	30	SUNTT5026	7	V006BU	23
SUNSJA5436	30	SUNTT5030	7	V006DG	23
SUNSJA5439	30	SUNTT5031	7	V006GR	23
SUNSJA5453	30	SUNTT5032	7	V006GY	23
SUNSJA5476	30	SUNTT5034	7	V006NB	23
SUNSJA5499	30	SUNTT5035	7	V006RD	23
SUNSJA5530	30	SUNTT5040	7	V006WT	23
SUNSJAP053	30	SUNTT5048	7	V006YE	23
SUNSJAP054	30	SUNTT5049	7	V138	84
SUNSJAP055	30	SUNTT5057	7	V207	84
SUNSJAP057	30	SUNTT5058	7	V30	84
SUNSJAP058	30	SUNTT5082	7	V346	84
SUNSJAS3722	31	SUNTT5085	7	V46	84
SUNSJAS3723	31	SUNTT5087	7	V69	84
SUNSJAS3740	31	SUNTT5088	7	V92	84
SUNSJAS5674	31	SUNTT5089	7		
SUNSRPP069	8	SUNTT5528	7	W	
SUNSRPP070	8	SUNTT5530	7	WG10FR	19
SUNSRPP071	8	SUNTT5548	7	WG20FR	19
SUNSRPP072	8	SUNTT5572	7	WG30FR	19
SUNSUR3853	13	SUNTTTP015	7		
SUNSUR3854	13	SUNTTTP016	7	Z	
SUNSUR3862	13	SUNTTTP017	7	ZMARKERWT	95
SUNSUR3866	13	SUNTTTP023	7	ZPENCILBU	95
SUNSWKM005	16	SUNTTTP024	7	ZPENCILW2	95
SUNSWKM391	16	SUNTTTP052	7		
SUNSWKM393	16	SUNTTTP053	7		





A

Acrylic Fabrics - Solacryl Acrylic	5
Acrylic Fabrics - Sunbrella	6
Acrylic Fabrics - Sunbrella Optimum	8
Acrylic Fabrics - Sunbrella Plus	7
Acrylic Fabrics - Sunbrella Source	8

B

Battens - Pultruded Flat	58
Battens - Pultruded Rod	58

C

Cover Fittings & Frames - Awning & Sprayhood Track	47
Cover Fittings & Frames - Boat Top Fittings	48
Cover Fittings & Frames - Canopy Deck Fittings	46
Cover Fittings & Frames - Canopy Eye Ends & Plugs	44
Cover Fittings & Frames - Canopy Grab Rails & Struts	44
Cover Fittings & Frames - Canopy Jaw & Hinge Slides	45
Cover Fittings & Frames - Extreme Seals	49
Cover Fittings & Frames - Keder Sprayhood Tapes	49
Cover Fittings & Frames - Stainless Steel Tubing	47
Cover Fittings & Frames - Sun Sox	48
Cushion Underlining	37

F

Fasteners - DOT Fasteners	50
Fasteners - LOXX Fasteners	54
Fasteners - Permalock Fasteners	54
Fasteners - YKK Snad Fasteners	55
Flame Retardant Fabrics - Firesist 3 FR	21
Flame Retardant Fabrics - Odyssey FR	22
Flame Retardant Fabrics - Sailcloth FR	22
Flame Retardant Fabrics - Top Gun FR	21

H

Hook Loop - Catchy	82
Hooks, Clips & Buckles - Awning Hooks & Eyes	55
Hooks, Clips & Buckles - Holdon Clips	54

M

Mesh Fabrics - Dickson Sunworker	16
Mesh Fabrics - Polyester Screen	18
Mesh Fabrics - Sunsure	17
Mesh Fabrics - Textilene	17
Mesh Fabrics - Trampoline Mesh	18

N

Nylon & Polyester Fabrics - Cordura 1000 Nylon	23
Nylon & Polyester Fabrics - Oxford Nylon 4oz	23
Nylon & Polyester Fabrics - Oxford Nylon 6oz	23

P

Polyester Fabrics - Odyssey	10
Polyester Fabrics - Odyssey Softouch	11
Polyester Fabrics - Surlast	13
Polyester Fabrics - Top Gun	12
PVC Fabrics - Dickson Coatings	15
PVC Fabrics - Nautimar	15
PVC Fabrics - Nautiplus	15
PVC Fabrics - Sola Vinyl	15

R

Rings & Grommets - English Grommets	70
Rings & Grommets - Hipkiss Grommets	70
Rings & Grommets - Pressed Ring System	69
Rings & Grommets - Stimpson Grommets	71

S

Sail Hardware - Clew Boards	60
Seaming Tapes - Seam Bonding Tape	78
Seaming Tapes - Seaming Tape	76

T

Tapes & Ropes - Ropes & Cords	66
Tapes & Ropes - Shock Cord	64
Thread - Bobbins	85
Thread - Hand Sewing Thread & Whipping Twine ..	87
Thread - Heminway & Bartlett Threads	84
Thread - PTFE SolarFix Thread	86
Thread - Serabond Thread	86
Thread - Serafil Thread	86
Thread - SunStop "Anti-Wick" Threads	85
Tools - Benchwork & Finishing	92
Tools - Cleaners	96
Tools - Cutting & Sealing Tools	92
Tools - Hole & Cutting Tools	94
Tools - Lofting & Measuring Battens	95
Tools - Lubricants	99
Tools - Measuring & Marking	95

Tools - Palms & Needles	90
Tools - Pattern Material	95
Tools - Protectants	99
Tools - Scissors & Shears	92
Tools - Seam Sealers & Adhesives	98
Trimming & Binding - Solacryl Acrylic Binding	14
Trimming & Binding - Stamoid Vinyl Binding	14
Trimming & Binding - Sunbrella Binding	37

U

Upholstery & Furnishings - Morbern Sanibel	38
Upholstery & Furnishings - Morbern Sundance	40
Upholstery & Furnishings - Sunbrella Bengali	33
Upholstery & Furnishings - Sunbrella Connect	34
Upholstery & Furnishings - Sunbrella Drops	34
Upholstery & Furnishings - Sunbrella Maze	35
Upholstery & Furnishings - Sunbrella Natte	32
Upholstery & Furnishings - Sunbrella Reef	36
Upholstery & Furnishings - Sunbrella Rush	35
Upholstery & Furnishings - Sunbrella Solids	30

Upholstery & Furnishings - Sunbrella Stripes	31
Upholstery & Furnishings - Sunbrella Terry	31
Upholstery & Furnishings - Sunbrella Trail	36
Upholstery & Furnishings - Sunbrella Velum	33

V

Velcro	83
---------------------	----

W

Webbing - Polyester Webbing	73
Webbing - Polypropylene Webbing	73
Webbing - Speciality Webbing	74
Webbing - Webbing Accessories	75
Window Materials - Calendared Rolled Window	19
Window Materials - Monofilms	20
Window Materials - O Sea Window Sheets	19
Window Materials - Premium Rolled Window	19
Window Materials - Regalite Window Sheets	19

Z

Zips - YKK Zips	80
------------------------------	----





LENGTH

To Convert	Into	Multiply By
Inches	Millimetres	25.4
Feet	Metres	0.3048
Yards	Metres	0.9144
Miles	Kilometres	1.609
Mil (1/1000 of inch)	Millimetres	0.0254
Mil (1/1000 of inch)	Microns	25.4

AREA

To Convert	Into	Multiply By
Square Yards	Square Metres	0.836

WEIGHT

To Convert	Into	Multiply By
Ounces	Grammes	28.35
Pounds	Kilogrammes	0.4536

FABRIC

To Convert	Into	Multiply By
Sailmakers Ounces US	Ounces /Square Yard	1.263
Sailmakers Ounces US	Grammes/Square Metre	42.83
Ounces/Square Yard	Sailmakers Ounces, US	0.792
Ounces/Square Yard	Grammes/Square Metre	33.91

TERMS & CONDITIONS

1. CONTRACTS

- a. Contracts are made and orders accepted only upon and subject to these Terms and Conditions of Sale. All other conditions are hereby excluded unless expressly accepted in writing by Bainbridge International Ltd or Aqua-Marine International Ltd (hereinafter called the "Seller").
- b. In entering into a contract with the Seller, the contracting party (hereinafter called the "Buyer") acknowledges that the contract has not been induced by any representations orally or in writing made by the Seller, its servants or agents.
- c. Any quotation, estimate or tender previously given or made by the Seller was not an offer but an intimation of the terms upon which the Seller was prepared to negotiate. The offer to contract with the Buyer made by these conditions may be accepted by the Buyer in a formal manner or may be inferred from the Buyer's acceptance of performance, in whole or in part, by the Seller. Any conditions contained in any purported acceptance by the Buyer shall be disregarded and the acceptance shall be construed as an unqualified acceptance of these conditions.
- d. Any typographical, clerical or other error or omission in any sales literature, quotation, price list, acceptance of offer, invoice or other document or information issued by the Seller shall be subject to correction without any liability on the part of the Seller.

2. PRICES

- a. Unless expressly stated otherwise by the Sellers, all prices quoted are ex works and exclude the cost of packing. Any applicable value added tax or any other sales tax or excise duties paid or payable by the Seller shall be added to the price and shall be payable by the Buyer.
- b. The Seller may, at their sole absolute discretion, accept or reject any order placed by the Buyer. The Seller may change the price of goods for future invoiced goods to the Buyer without notice.
- c. In the event of the Buyer cancelling a part of the order in accordance with the provisions of Clause 12, the Seller reserves the right to revise the price or prices quoted for goods already delivered.
- d. The contract price is, unless specifically agreed upon in writing by the Seller, payable in Pound Sterling. The Seller reserves the right to review the contract price(s) in the event of devaluation of the Pound Sterling or substantial change in the value of Pound Sterling in the foreign exchange markets.

3. CONDITIONS AND WARRANTIES

- a. Seller shall not be liable for the normal manufacturing defects nor any customary variations from quantities or specifications. A variance of not more than 15% either way from the total specified weight, quantity or length shall be deemed compliance with this contract.
- b. Where samples of goods or a colour chart are provided, these are submitted only as indicative of the class, size or colour of goods quoted for and sales of goods shall not be by reference to any such samples or colour charts.
- c. Whilst all description and illustrations of the goods in (inter alia) catalogues, brochures, web sites and price lists provided by the Seller have been carefully prepared, they are intended nevertheless for general guidance only and do not form part of any contract for sale of goods and no responsibility is accepted for any errors or omissions therein or for any loss or damage resulting from reliance on such descriptions and illustrations.
- d. When the Seller agrees to provide a specially designed plan, the Buyer agrees that he is obliged to check the accuracy and suitability of the plan and that the Seller shall not be liable for any omissions or inaccuracies in the measurements given. The copyright in the plan drawn up by the Seller is, and remains, their property and may not be reproduced in whole or in part without written consent.
- e. If the Buyer claims or detects a defect in the goods, the Buyer will seek prior approval and return those goods to the Seller or, if the goods are retained by the Buyer, indemnify and keep the Seller indemnified against all liability and claims which may arise out of or incidental to the defect.
- f. The Seller has undertaken no responsibility for learning about the end purpose or use for which the goods are to be used, and the Buyer shall undertake to conduct whatever tests or examinations are necessary to confirm that goods are suitable for such end use.
- g. Any textile products that may be sold hereunder are sold subject to any imperfections that are typically regarded as acceptable in the textile trade resulting from the weaving and finishing thereof, and Seller shall have no liability in connection with any such imperfections. Buyer warrants that all merchandise covered by this contract is purchased for resale as tangible personal property, or to be incorporated as a component or part of other tangible property to be produced for sale by manufacturing, assembling or processing.
- h. The Buyer shall not be entitled to accept part only of the goods.

4. DELIVERY BY THE SELLER

- a. Unless and except as otherwise expressly provided in writing by the Seller, delivery shall be ex works place of business.
- b. Any dates quoted for delivery of the goods are approximate only and the Seller shall not be liable for any delay in delivery of the goods howsoever caused. Time for delivery shall not be of the essence unless previously agreed by the Seller in writing.
- c. Where goods are offered for delivery to a site, the Seller's obligation is to deliver as near to the site as safe hard roads permit. The Buyer is to provide at its own expense the labour required for unloading and stacking.
- d. The Seller reserves the right to deliver goods by instalments and in such event each instalment shall be treated as a separate contract save that the delivery of further instalments may be withheld until goods contained in earlier instalments have been paid for in full.
- e. Where goods are held by the Seller awaiting delivery instructions, they may be subject to a storage charge. For account holding customers, payment for these goods must be made on or before the last day of the month following the month of the invoice; for non-account holding customers, payment must be made at the time of ordering.
- f. In the absence of shipping instructions, the issuing of an invoice shall constitute delivery to the Buyer.

5. COLLECTION BY THE BUYER

- a. Where goods are sold "ex-factory" the Buyer shall collect the goods at the Sellers premises within seven days of the Seller's notifying the

buyers that the goods are ready for collection.

- b. If the Buyer fails to collect the goods within seven days of notification that they are ready for collection, then, without prejudice to any other right or remedy available to the Seller, the Seller may:
 - i. Store the goods until actual delivery and charge the Buyer for reasonable costs (including insurance) of storage; or
 - ii. Sell the goods at the best price readily obtainable (after deducting all reasonable storage and selling expenses) account to the Buyer for the excess over the price under the contract or charge the Buyer for any shortfall below the price.

6. DAMAGE, LOSS, SHORT DELIVERY

- a. On delivery, the Buyer shall examine the goods for defects and completeness. Thereafter no claim for damage in transit, for shortage in delivery, or for loss of goods will be entertained except, in the case of damage, a separate notice in writing is given to the Carriers or to the Seller within three days of the receipt of the goods, followed within 14 days of the date of advice of despatch by a complete claim in writing; or, in the case of loss of goods, a separate notice in writing and a claim is given to the Seller and Carriers within 14 days of the date of the Seller's advice of despatch to the Buyer. In all cases a signature "unexamined" shall be deemed to be an unconditional acceptance of the goods.
- b. The Seller shall not in any circumstances be liable, whether in contract or tort, to the Buyer for any indirect or consequential loss or damage (including without limitation, loss of profits, loss of contracts or damage to property) or for any claim against the Buyer by any third party.
- c. The Seller's liability for damage or non-delivery of goods duly notified in accordance with the above shall in any event be limited to replacement of the goods within a reasonable time (or, at the Seller's option, refunding the price thereof) whether the damage or non-delivery is due to the Seller's negligence or otherwise.

7. ROLL LENGTHS

- a. Where goods are sold as a measured length there may be a variation in length of plus or minus 2%. In the event of a claim the seller reserves the right to insist that the roll be returned for measuring before a settlement is agreed.

8. CREDIT AGREEMENTS

- a. Where the Sellers has granted the Buyer a credit facility, the price of goods and/or service shall be paid by the Buyer as per the payment terms specified on the invoice or, if the Seller shall so require under Clause (b) of this Clause 7, to be paid on demand without any period of notice.
- b. The Seller reserves the right to withdraw or vary credit facilities at any time to the Buyer without either giving any reason for doing so, or thereby incurring any liability to the Buyer.
- c. If the Buyer takes goods from the Seller in excess of the Buyer's credit limit, the Seller may require payment on delivery for such excess of goods.

9. TERMS OF PAYMENT

- a. Unless credit facilities have been granted to the Buyer or unless otherwise specifically provided in writing, the price for the goods shall be paid by the Buyer in cash on delivery and in default the Seller shall be entitled to withhold delivery until payment. In the case of non-cash sales, the Seller shall be entitled to charge and recover interest from the Buyer on the price of the goods calculated at whichever shall be the greater: the statutory interest payable under the Late Payment of Commercial Debts (Interest) Act 1998 or the rate of 4% per annum
- b. Unless otherwise expressly agreed upon in writing, no other discounts or commissions are to become due or allowable to the Buyer (any previous course of dealing between the parties notwithstanding).
- c. Where there is a term of contract that payment of any of the Seller's invoices is dependant upon the issues of the certificate of a third party, the due date for payment of the invoice is not later than 14 days after the issue of the relevant certificate.

10. LATE PAYMENT

- a. When payment of any of the Seller's invoices is overdue, the Seller may suspend their performance of the contracts to which the invoice relates and/or of any other contract then subsisting between the Seller and the Buyer.
- b. In the event of legal action being taken by the Seller against the Buyer for breach of payment obligations hereunder, the Buyer shall be responsible for all costs and disbursements incurred by the Seller on a full indemnity basis.

11. RISK AND LIABILITY

- a. b. c. Risk of damage to or loss of the goods shall pass to the Buyer at the time of delivery or, if the Buyer at the time of delivery of the goods, the time when the Seller has tendered delivery of the goods. For the purpose of this Clause 10, "delivery" shall mean the arrival of the goods at the place of delivery of the Buyer where delivery is by the Seller, or the safe loading of the goods into the Buyer's vehicles at the Seller's premises where delivery is through collection by the Buyer. In no event shall the Seller be liable for damages with respect to the sale or use of any product sold hereunder in any amount greater than the amount of the purchase price received by the Seller for that particular product. In addition, the Seller shall not be liable for any consequential, incidental, or special damages or costs or expenses in the event of any breach of warranty or in the event of any loss, damage injury or cost resulting from, or arising out of, or in respect of the goods being sold hereunder. When any goods are sold hereunder bear a particular label, trademark, or trade name, affixed at the request of the Buyer, it is the understanding of the parties that the Buyer warrants that he has the right to use said label trademark or trade name, and that he hereby agrees to indemnify and hold harmless the Seller against any loss, damage or claim by any person with respect thereto.
- d. The Buyer agrees to reimburse the Seller, and hold Seller harmless against liability for all expenses, including legal fees, incurred by the Seller that may arise in connection with Seller's enforcement of its rights under this contract.
- e. The Seller has undertaken no responsibility for learning about the end purpose for which the goods are to be used, and Buyer shall undertake to conduct whatever tests or examinations are necessary to confirm that goods are suitable for such end use.

12. RETENTION OF TITLE

- a. Notwithstanding delivery and the passing of risk in the goods or any

other provision of these conditions, the property in the goods shall not pass to the Buyer until the Seller has received in cash (or cleared funds) payment in full of the price of the goods and all other goods agreed to be sold by the Seller to the Buyer for which payment is then due.

- b. Until such time as the property in the goods passes to the Buyer, the Buyer shall hold the goods as the Seller's fiduciary agent and bailee, and shall keep the goods separate from those of the Buyer and third parties and properly stored, protected and insured and identified as the Seller's property. Until that time the Buyer shall be entitled to resell or use the goods in the ordinary course of its business, but shall account to the Seller for the proceeds of the sale or otherwise of the goods, whether tangible or intangible, including insurance proceeds, and shall keep all such proceeds separate from any monies or property of the Buyer and third parties and, in the case of tangible proceeds, properly stored, protected and insured.
- c. Until such time as the property in the goods passes to the Buyer (and provided the goods are still in existence and have not been resold), the Seller shall be entitled at any time to require the Buyer to deliver up the goods to the Seller and, if the Buyer fails to do so forthwith, to enter upon any premises of the Buyer or any third party where the goods are stored and repossess the goods.
- d. The Buyer shall not be entitled to pledge or in any way charge by way of security for any indebtedness any of the goods which remain the property of the Seller, but if the Buyer does so, all monies owing by the Buyer to the Seller shall (without prejudice to any other right or remedy of the Seller) forthwith become due and payable.

13. CUSTOMER CANCELLATION OF ORDERS

Contracts and orders and parts thereof may be cancelled only by the Seller's written acceptance of such cancellation. Where the Seller accepts such cancellation, the Seller reserves the right to charge the Buyer with the amount of any losses or expenses directly or indirectly resulting from such cancellation. Where the Seller does not accept such cancellation, the Seller, reserves the right to recover the invoice price from the Buyer and to charge the Buyer with additional losses both direct and indirect resulting from such cancellation. In any case where the Seller were required to place a deposit with a manufacturer or supplier in respect of an order, the Seller may require the Buyer to reimburse such sum in the event of cancellation.

14. CUSTOMERS RETURNING GOODS

- a. The Seller will only accept goods being returned by customers if prior consent has been given by the seller. In the event of wishing to return goods customers must contact the seller to obtain a 'goods return note number' that must then be attached in an appropriate manner to the goods. The seller reserves the right to refuse to accept goods being returned by a buyer. In cases where the seller does agree to accept a return the seller reserves the right to charge a handling fee not exceeding 50% based on the invoice price of the goods.
- b. Excluding circumstances where goods are being returned for the reason of damage or are subject to warrantee claim, goods being returned to the seller must arrive in a condition that allows them to be re-sold. In the event that returned goods are not in good condition the seller reserves the right to withdraw any agreement for credit with the buyer or to charge a handling fee.

15. CONSENTS

The obtaining of any necessary consents for the installation of the goods, whether from local or other authorities or for ensuring that the installation of the goods is in accordance with the provisions of any by-laws, regulations or statutes shall not be the responsibility of the Seller.

16. FORCE MAJEURE

The Seller shall not be liable to the Buyer or be deemed to be in breach of contract by reason of any delay in performing, or any failure to perform, any of the Seller's obligations in relation to the goods, if the delay or failure was due to any cause beyond the Seller's reasonable control. Without prejudice to the generality of the foregoing, the following shall be regarded as causes beyond the Seller's control:

- a. Act of God, explosion, flood, tempest, fire or accident;
- b. War or threat of war, sabotage, insurrection, civil disturbance or requisition;
- c. Acts, restrictions, regulations, by-laws, prohibitions or measures of any kind on the part of any governmental, parliamentary or local authority;
- d. Import or export regulations or embargoes;
- e. Strikes, lock-outs or other industrial actions or trade disputes (whether involving employees of the Seller's or of a third party);
- f. Difficulties in obtaining raw materials, labour, fuel, parts or machinery;
- g. Power failure or breakdown in machinery.

17. INSOLVENCY

The Seller shall have the right to terminate the contract forthwith where the buyer becomes insolvent or bankrupt or makes arrangements with its creditors or suffers a receiver to be appointed or being a body corporate enters into liquidation (other than in connection with a reconstruction or amalgamation) in any of which cases the Seller shall have no further obligation hereunder and the price for all goods delivered and work done shall become immediately due and payable.

18. LAW APPLICABLE

These conditions shall be governed and construed in accordance with English law and all disputes arising in connection therewith shall be submitted to the jurisdiction of the English courts.

19. GENERAL

- a. No provision hereof shall be deemed waived and no breach or default excused unless such waiver or excuse is in writing signed by an authorised officer of the party making the writing.
- b. If any provision or part of a provision of this Agreement shall be, or found by any authority or court of competent jurisdiction to be, invalid or unenforceable, such invalidity or unenforceability shall not affect the other provisions or parts of such provisions of this Agreement, all of which shall remain in full force and effect.
- c. The headings in this document are inserted for convenience only and shall not constitute a part of or be referred to in its interpretation.

© Bainbridge International Limited 2014 Bainbridge® is a registered trademark of Bainbridge International Limited. Bainbridge Sail & Cover is a trademark of Bainbridge International Limited. Aqua-Marine is a trademark of Aqua-Marine International Limited. Bainbridge International Ltd, 8 Flanders Park, Hedge End, Southampton, Hampshire, SO30 2FZ England. Tel: +44 (0)1489 776030 • Fax: +44 (0)1489 776035 Email: info@bainbridgeint.co.uk • www.bainbridgeint.com



AUSTRALIA

Bainbridge International Pty. Ltd
273 Harbour Road, Brookvale, NSW 2100

T: +61 (0) 2 9938 1788 F: +61 (0) 2 9938 2459
E: info@bainbridgeint.com.au
W: www.bainbridgeaus.com.au

DENMARK

Columbus Marine
Svejsegangen 3, DK-2690, Karlslunde

T: +45 4619 1166 F: +45 4619 1353
E: info@columbus-marine.dk
W: www.columbus-marine.dk

FRANCE, SPAIN & NORTH AFRICA

UniSails SARL
5 Rue Marius Berliet, PA de la Biliais Deniaud, 44360 Vigneux de Bretagne

T: +33 (0) 251 13 0540 F: +33 (0) 251 13 0456
E: info@bainbridgeint.fr
W: www.bainbridgeint.fr

GERMANY

Herman Gotthardt GmbH
Leunastrasse 50, D-22761 Hamburg

T: +44 40 85150550 F: +44 40 8509133
E: info@gotthardt-yacht.de
W: www.gotthardt-yacht.de

GREECE, BULGARIA, ROMANIA & CROATIA

Takis Kokkotas Co. Ltd.
80 Mezonos Str, 104 38, Athens

T: +30 210 52 28 540 F: +30 210 52 47 225
E: info@kokkotas.gr
W: www.kokkotas.gr

HONG KONG & CHINA

Sky International
Room 703, 7/F, Henan Building, 90 Jaffe Road, Wanchai

T: +852 2827 5876 F: +852 2827 7120
E: web@sky-international.com
W: www.sky-international.com

ITALY & SLOVENIA

Boat Rigging s.r.l
Via San Gallo 23, 50028, Tavarnelle Val di Pesa Loc., Sambuca(FI)

T: +39 055 8071964 F: +39 055 8091541
E: luca@boatrigging.it
W: www.boatrigging.it

ITALY

Sacloma S.a.s
Via Cisa Sud 125, 19037, S. Stefano di Magra (SP)

T: +39 0187 630603 F: +39 0187 633264
E: sacloma@sacloma.com
W: www.sacloma.com

NETHERLANDS

On Deck BV
Leimuiderdijk 478A, 2156 MX Weteringburg, Netherlands

T: +31 71 331 33 66 F: +31 71 331 33 87
E: allhands@on-deck.nl
W: www.on-deck.nl

NEW ZEALAND

Q C D Limited
8 Taylors Road, Sandringham, 1025, Auckland

T: +64 (0) 9 815 7500 F: +64 (0) 9 849 6648
E: sales@qcd.co.nz
W: www.qcd.co.nz

RUSSIA

Fordewind-Regatta Ltd
Petrovskaya Kosa 7, 197110, St. Petersburg

T: +7 812 327 4580 F: +7 812 323 9563
E: office@fordewind-regatta.ru
W: www.fordewind-regatta.ru

SWEDEN & NORWAY

Aspero Handels AB
PO Box 5009, Traneredsvagen 112, SE-426 05 V. Frolunda

T: +46 31 299 190 F: +46 31 691 965
E: info@aspero.se
W: www.aspero.se

TURKEY

SORG Yelken Promosyon ve
Acibadem Mh. Umut Sk. Akpak Apt. 10/A Kadikoy - Istanbul

T: +90 (216) 3177575 F: +90 (216) 3172725
E: info@sailmaker.org
W: www.sailmaker.org

USA, CANADA, SOUTH AMERICA & CARIBBEAN

Bainbridge International Inc.
255 Revere Street, Canton 02021, Massachusetts

T: +1 781 821 2600 F: +1 781 821 2609
E: info@bainbridgeintusa.com
W: www.bainbridgeintusa.com



UNITED KINGDOM, EUROPE, ASIA & AFRICA

Bainbridge International Ltd. 8 Flanders Park, Hedge End, Southampton, Hampshire SO30 2FZ UK

T: +44 (0) 1489 776010 F: +44 (0) 1489 776015 E: info@bainbridgeint.co.uk
W: www.bainbridgeint.com

